U.S. DEPARTMENT OF TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION

TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

City, State	Airport	Effective Date	Amdt. No.
RED CLOUD, NE	RED CLOUD MUNI		ORIG

TAKEOFF MINIMUMS:

RWY 16, 34 STANDARD.

TEXTUAL DEPARTURE PROCEDURES:

TAKEOFF OBSTACLE NOTES:

NOTE: RWY 16, TREES AND POLES BEGINNING 10 FT FROM DER, 213 FT LEFT OF CENTERLINE, UP TO 86 FT AGL/1771 FT MSL. RISING TERRAIN, TREES, AND VEHICLES ON ROADS BEGINNING 41 FT FROM DER, 39 FT RIGHT OF CENTERLINE, UP TO 68 FT AGL/1763 FT MSL.

NOTE: RWY 34, STRUCTURE, POLES, VEHICLES ON ROADS, AND TREES BEGINNING 119 FT FROM DER, 103 FT LEFT OF CENTERLINE, UP TO 88 FT AGL/1838 FT MSL. AGIRCULTURE EQUIPMENT, POLE, VEHICLES ON ROADS, AND TREES BEGINNING 498 FT FROM DER, 168 FT RIGHT OF CENTERLINE, UP TO 69 FT AGL/1889 FT MSL.

CONTROLLING OBSTACLES:

QUALITY CHECKED

U.S. DEPARTMENT OF TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION

TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

City, State	Airport	Effective Date	Amdt. No.
RED CLOUD, NE	RED CLOUD MUNI		ORIG

FLIGHT INSPECTED BY:

REQUIRED EFFECTIVE DATE:

ROUTINE

DEVELOPED BY;

JOSE ALFONSO (STEPHEN PETERSON) AJV-353 08/25/2011

APPROVED BY:

LARRY STROUT AJV-353

COORDINATED WITH:

ALPA, AOPA, NBAA, ZMP, AMGR

CHANGES:

REASONS:

QUALITY 1 CHECKED

Federal Aviation Administration

CONCURRENCES
ROUTING SYMBOL AJV-34 SBaker
INITIALS/SIG
DATE
ROUTING SYMBOL AJV-353 Lead
INITIALS/SIG
DATE
ROUTING SYMBOL AJV-353 GYamamoto
INITIALS/SIG
DATE
ROUTING SYMBOL AJV-34 WTerrell
INITIALS/SIG
DATE
ROUTING SYMBOL
INITIALS/SIG
DATE

Memorandum

Date:

To: Dick Powell Manager, National Flight Data Center, AJV-21

From: Gregory Yamamoto, Manager, Terminal Procedures & Charting Services Central Team, AJV-353

Subject: **ACTION:** Magnetic Variation Change

The Magnetic Variation (MV) data for the airport(s) and/or facility(s) listed under the 'Airport/Facility" column will be revised effective concurrent with the publication of the procedure(s) listed below.

TAKEOFF MINIMUMS, ORIG
RNAV (GPS) RWY 16, ORIG
RNAV (GPS) RWY 34, ORIG

Estimated Chart Date: 02/09/2012

Please publish these changes in the National Flight Data Digest.

NEBRASKA

Location	Name	Airport /Facility	Identifier	Assigned Magnetic Variation Value	Epoch Year
Red Cloud	Red Cloud Muni	Airport	K7V7 / 7V7	Old 08° East / New 05° East	2010

If you have any questions please notify Gregory Yamamoto (301-427-4750).

cc: FTW-FPT, AJV-3rf
AJV-353: GYamamoto:sjb:x7537:DATE: (U:\AVN100\100Public\MAGVAR\MAGVAR Letters 2010\Document Name)