

U.S. DEPARTMENT OF TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

City, State	Airport	Effective Date	Amdt. No.
STERLING, CO	STERLING MUNI		1

TAKEOFF MINIMUMS:

RWY 4, 22, NA – ENVIRONMENTAL.
RWY 15, 33, STANDARD.

TEXTUAL DEPARTURE PROCEDURES:

TAKEOFF OBSTACLE NOTES:

NOTE: RWY 15, POLE 548 FT FROM DER, 441 FT RIGHT OF CENTERLINE, 30 FT AGL/4040 FT MSL.

NOTE: RWY 33, MULTIPLE BUILDINGS, SIGNS BEGINNING 10 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 16 FT AGL/4065 FT MSL. WALL 192 FT FROM DER, 511 FT LEFT OF CENTERLINE, 6 FT AGL/4052 FT MSL. MULTIPLE TREES BEGINNING 573 FT FROM DER, 339 FT LEFT OF CENTERLINE, UP TO 41 FT AGL/4090 FT MSL.

CONTROLLING OBSTACLES:



U.S. DEPARTMENT OF TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

City, State	Airport	Effective Date	Amdt. No.
STERLING, CO	STERLING MUNI		1

REMARKS:

FLIGHT INSPECTED BY:

REQUIRED EFFECTIVE DATE:

DEVELOPED BY:

ADOLOFO URRUTIA (DANA A. MITCHELL) AJV-354 04/19/2012

APPROVED BY:

DEZ SILAGYI AJV-354

COORDINATED WITH:

ALPA, AOPA, NBAA, ZDV, DEN APP CON, AMGR

CHANGES:

1. CHANGED FROM ROUTE TO DIVERSE DEPARTURE.
2. RWY 4/22 DEPARTURE NA.
3. UPDATED TAKEOFF OBSTACLE NOTES.

REASONS:

1. OBSTACLE EVALUATION / FPT REQUEST.
2. RWY 4/22 VFR DEPARTURE ONLY PER FPT.
3. UPDATED OBSTACLE DATA.





Federal Aviation Administration

Memorandum

Date:

To: Dick Powell Manager, National Flight Data Center, AJV-21

From: Dez Silagyi, Manager, Terminal Procedures & Charting Services, Western Team, AJV-354

Subject: **ACTION:** Magnetic Variation Change

The Magnetic Variation (MV) data for the airport(s) and/or facility(s) listed under the 'Airport/Facility' column will be revised effective concurrent with the publication of the procedure(s) listed below.

- NDB RWY 33, AMDT 3
- RNAV (GPS) RWY 15, ORIG
- RNAV (GPS) RWY 33, ORIG
- TAKEOFF MINIMUMS AND OBSTACLE DP, AMDT 1

Estimated Chart Date: 09/20/2012

Runway Numbers are affected with the airport rotation; 3/21 change to 4/22 (?), runway 15/33 will not be changed.

Please publish these changes in the National Flight Data Digest.

COLORADO

<u>Location</u>	<u>Name</u>	<u>Airport /Facility</u>	<u>Identifier</u>	<u>Assigned Magnetic Variation Value</u>	<u>Epoch Year</u>
Sterling	Sterling Muni	Airport	KSTK / STK	Old 11 ° East New 8 ° East	2015
Sterling	BATTEN	NDB/M	BAJ	Old 11 ° East New 8 ° East	2015

If you have any questions please notify Dez Silagyi, dez.silagyi@faa.gov (405) 954-9977.

CONCURRENCES
ROUTING SYMBOL
AJV-34
SBaker
INITIALS/SIG
DATE
ROUTING SYMBOL
AJV-354
AUrrutia
INITIALS/SIG
DATE
ROUTING SYMBOL
AJV-354
DSilagyi
INITIALS/SIG
DATE
ROUTING SYMBOL
AJV-341
JAlfonso
INITIALS/SIG
DATE
ROUTING SYMBOL
INITIALS/SIG
DATE
ROUTING SYMBOL
INITIALS/SIG
DATE
ROUTING SYMBOL
INITIALS/SIG
DATE
ROUTING SYMBOL
INITIALS/SIG
DATE