

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
GPS OR VOR STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

MISSED APPROACH

FROM	TO	COURSE AND DISTANCE	ALTITUDE

ADDITIONAL FLIGHT DATA:

1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)

2. _____

3. FAC _____ FAF _____ DIST FAF TO MAP _____ THLD _____

4. MIN. ALT _____

8. MSA FROM: _____

MAG VAR: _____ EPOCH YEAR: _____

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT ALTERNATE: N A

CATEGORY =====>	A			B			C			D			E		
	MDA	VIS	HAT/HAA												

NOTES:

PROCEDURE CANCELED EFFECTIVE _____



CITY AND STATE TRENTON, NJ	ELEVATION: 212 AIRPORT NAME: TRENTON MERCER	TDZE: 192	FACILITY IDENTIFIER: ARD	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR OR GPS RWY 24, AMDT 4B, 03/10/2011	SUP AMDT 4A DATE 10/27/2005
-------------------------------	---	-----------	-----------------------------	--	-----------------------------------

ALL AFFECTED PROCEDURES REVIEWED? <input type="checkbox"/> YES <input type="checkbox"/> NO	COORDINATES OF FACILITIES	REQUIRED EFFECTIVE DATE
COORDINATED WITH:		
ATA <input checked="" type="checkbox"/>	AAT <input type="checkbox"/>	ALPA <input checked="" type="checkbox"/>
APA <input checked="" type="checkbox"/>	AOPA <input checked="" type="checkbox"/>	NBAA <input checked="" type="checkbox"/>
OTHER (specify) <u>ZNY, PHL APCH, A MGR</u>		
FLIGHT CHECKED BY		
NAME:	FIFO	DATE:
DEVELOPED BY		
NAME:	FIFO	DATE:
TERENCE D. SHARP (DAVID TEFFETELLER)	AJV-351	04/02/2012
APPROVED BY		
NAME:	FIFO	DATE:
DARRYEL ADAMS	AJV-352	
CHANGES:		
REASONS:		

SECURITY
 1
 CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: ESTAL

STATE: NJ

COUNTRY: US

LATITUDE/LONGITUDE: 402018.69N/0743601.26W

TYPE: INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	YARDLEY	ARD	VOR/DME	L	080.00	070.00	15.00		2000	17500
2	SOLBERG	SBJ	VOR/DME	L	166.00	156.00			2000	17500

HOLDING:

HOLDING TYPE OF ACTION: CANCEL

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	E	ARD	VOR/DME	080.00	260.00	R	1	2000 5000	4 6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	TOWER	402337.00N/0743405.00W	592	

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	TRENTON MERCER - VOR RWY 24.			KTTN	TRENTON	NJ (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 05/10/1983

REASON FOR REVISION:

SBJ REPLACED RBV. RBV RESTRICTED.

DEVELOPED BY: DATE: OFFICE: NAME:

APPROVED BY: DATE: OFFICE: AJV-351 NAME: DARRYEL ADAMS

SIGNATURE:

DISTRIBUTION: NFDC
 FPO: NYC
 ARTCC: ZNY
 ATC FACILITY: PHL ATCT, TTN ATCT
 OTHER:



RADIO FIX AND HOLDING DATA RECORD

NAME: RENZE

STATE: NJ

COUNTRY: US

LATITUDE/LONGITUDE: 401816.39N/0744324.08W

TYPE: INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	YARDLEY	ARD	VOR/DME	L	080.00	070.00	9.00			1500	17500
2	SOLBERG	SBJ	VOR/DME	L	187.00	177.00				1500	17500

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	TRENTON MERCER - VOR RWY 24.			KTTN	TRENTON	NJ (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 05/10/1983

REASON FOR REVISION:

SBJ REPLACED RBV. RBV RESTRICTED.

DEVELOPED BY: DATE: OFFICE: NAME:

APPROVED BY: DATE: OFFICE: AJV-351 NAME: DARRYEL ADAMS

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: NYC
ARTCC: ZNY
ATC FACILITY: PHL ATCT, TTN ATCT
OTHER:

