Do not remove from package.

PFAF Calculations

Min Intermediate Segment Alt (a):	
LTP MSL Elevation (b):	
TCH:	
Glidepath Angle (Θ):	
Distance from LTP to PFAF (D):	**0.00**
	0.00 NM
LTP/FTP Latitude:	
LTP/FTP Longitude:	
True RWY Bearing/True Course:	
PFAF Latitude:	**000° 00' 00.00"**
PFAF Longitude:	**000° 00' 00.00"**

Latitude/Longitude valid for straight segment only

VEB OCS Origin & Slope

Intermediate Segment Altitude:	6600
LTP Elevation:	5316.1
Glidepath Angle:	3
TCH:	55
RNP Value:	0.30
Δ ISA:	-16.4
Straight In Segment	
(*Wingspan =<262*) LTP to Origin:	**3,889.45'**
(*Wingspan =<136*) LTP to Origin:	**3,685.20'**
OCS Slope Ratio:	**20.42 : 1**
RF Turn Segment | Bank angle:	**19.96°**
(*Wingspan =<262*) LTP to Origin:	**4,292.20'**
(*Wingspan =<136*) LTP to Origin:	**3,852.95'**
OCS Slope Ratio:	**20.42 : 1**

Version 2.0

VEB Temperature Limits

Glidepath Angle:	3.00°	
Max Glidepath Angle:	3.50°	
PFAF Elevation:	6600	
LTP Elevation:	5316.1	
ACT:	-12.00°C	
Min Glidepath Angle	**2.91°**	
NA Below	**-12.00°C**	**10.40°F**
NA Above	**37.61°C**	**99.70°F**

Intermediate Segment VEB ROC

Glidepath Angle	3.00°
LTP MSL Elevation	5,316.10
TCH (ft)	55.00
OCS Slope	20.42
OCS Origin Distance (ft) *(measured along-track from LTP)*	4,292.20
Obstacle Distance (ft) *(measured along-track from LTP)*	37,957.96
VEB ROC *(at obstacle)*	**403**
Glidepath MSL altitude at Obstacle	7,394.92
OCS MSL altitude at Obstacle	6,991.92

WIMIM - COSKI

Do not remove from package.

PFAF Calculations

Min Intermediate Segment Alt (a):	
LTP MSL Elevation (b):	
TCH:	
Glidepath Angle (Θ):	
Distance from LTP to PFAF (D):	**0.00**
	0.00 NM
LTP/FTP Latitude:	
LTP/FTP Longitude:	
True RWY Bearing/True Course:	
PFAF Latitude:	**000° 00' 00.00"**
PFAF Longitude:	**000° 00' 00.00"**

Latitude/Longitude valid for straight segment only

VEB OCS Origin & Slope

Intermediate Segment Altitude:	6600
LTP Elevation:	5316.1
Glidepath Angle:	3
TCH:	55
RNP Value:	0.30
Δ ISA:	-16.4

Straight In Segment

(*Wingspan =<262*) **LTP to Origin:**	**3,889.45'**
(*Wingspan =<136*) **LTP to Origin:**	**3,685.20'**
OCS Slope Ratio:	**20.42 : 1**

RF Turn Segment | Bank angle:	**19.96°**
(*Wingspan =<262*) **LTP to Origin:**	**4,292.20'**
(*Wingspan =<136*) **LTP to Origin:**	**3,852.95'**
OCS Slope Ratio:	**20.42 : 1**

Version 2.0

VEB Temperature Limits

Glidepath Angle:	3.00°	
Max Glidepath Angle:	3.50°	
PFAF Elevation:	6600	
LTP Elevation:	5316.1	
ACT:	-12.00°C	
Min Glidepath Angle	**2.91°**	
NA Below	**-12.00°C**	**10.40°F**
NA Above	**37.61°C**	**99.70°F**

Intermediate Segment VEB ROC

Glidepath Angle	3.00°
LTP MSL Elevation	5,316.10
TCH (ft)	55.00
OCS Slope	20.42
OCS Origin Distance (ft) *(measured along-track from LTP)*	4,292.20
Obstacle Distance (ft) *(measured along-track from LTP)*	46,282.24
VEB ROC *(at obstacle)*	**433**
Glidepath MSL altitude at Obstacle	7,847.98
OCS MSL altitude at Obstacle	7,414.67

KARRI - WIMIM

Do not remove from package.

PFAF Calculations

Min Intermediate Segment Alt (a):	
LTP MSL Elevation (b):	
TCH:	
Glidepath Angle (Θ):	
Distance from LTP to PFAF (D):	0.00
	0.00 NM
LTP/FTP Latitude:	
LTP/FTP Longitude:	
True RWY Bearing/True Course:	
PFAF Latitude:	000° 00' 00.00"
PFAF Longitude:	000° 00' 00.00"

Latitude/Longitude valid for straight segment only

VEB OCS Origin & Slope

Intermediate Segment Altitude:	6600
LTP Elevation:	5316.1
Glidepath Angle:	3
TCH:	55
RNP Value:	0.30
Δ ISA:	-16.4
Straight In Segment	
(*Wingspan =<262*) LTP to Origin:	3,889.45'
(*Wingspan =<136*) LTP to Origin:	3,685.20'
OCS Slope Ratio:	20.42 : 1
RF Turn Segment | Bank angle:	19.96°
(*Wingspan =<262*) LTP to Origin:	4,292.20'
(*Wingspan =<136*) LTP to Origin:	3,852.95'
OCS Slope Ratio:	20.42 : 1

Version 2.0

VEB Temperature Limits

Glidepath Angle:	3.00°	
Max Glidepath Angle:	3.50°	
PFAF Elevation:	6600	
LTP Elevation:	5316.1	
ACT:	-12.00°C	
Min Glidepath Angle	**2.91°**	
NA Below	**-12.00°C**	**10.40°F**
NA Above	**37.61°C**	**99.70°F**

Intermediate Segment VEB ROC

Glidepath Angle	3.00°
LTP MSL Elevation	5,316.10
TCH (ft)	55.00
OCS Slope	20.42
OCS Origin Distance (ft) *(measured along-track from LTP)*	4,292.20
Obstacle Distance (ft) *(measured along-track from LTP)*	51,993.79
VEB ROC *(at obstacle)*	**454**
Glidepath MSL altitude at Obstacle	8,160.76
OCS MSL altitude at Obstacle	7,706.65

MANZY - KARRI