

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
 GPS STANDARD INSTRUMENT APPROACH PROCEDURE
 FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

MISSED APPROACH

FROM	TO	COURSE AND DISTANCE	ALTITUDE

ADDITIONAL FLIGHT DATA:

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
 2.
 3. FAC FAF DIST FAF TO MAP THLD
 4. MIN. ALT
 8. MSA FROM:

MAG VAR: EPOCH YEAR:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: N A

CATEGORY =====>	A			B			C			D			E		
	MDA	VIS	HAT/HAA												

NOTES:

PROCEDURE CANCELED EFFECTIVE



CITY AND STATE ORLANDO, FL	ELEVATION: 82	TDZE: 82	FACILITY IDENTIFIER: GPS	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: GPS RWY 06, ORIG-B, 03/24/2000	SUP
	AIRPORT NAME: KISSIMMEE GATEWAY	AMDT			ORIG-A
		DATE			08/25/99

ALL AFFECTED PROCEDURES REVIEWED? <input type="checkbox"/> YES <input type="checkbox"/> NO	COORDINATES OF FACILITIES	REQUIRED EFFECTIVE DATE
---	---------------------------	-------------------------

COORDINATED WITH:						
ATA <input checked="" type="checkbox"/>	AAT <input type="checkbox"/>	ALPA <input checked="" type="checkbox"/>	APA <input checked="" type="checkbox"/>	AOPA <input checked="" type="checkbox"/>	NBAA <input checked="" type="checkbox"/>	OTHER (specify) <input checked="" type="checkbox"/> <u>ZMA, ZJX, ORLANDO APP CON, AMGR</u>

FLIGHT CHECKED BY		
NAME:	FIFO	DATE:

DEVELOPED BY		
NAME: KELLY DEAN	FIFO AJV-352	DATE: 01/23/2012

APPROVED BY		
NAME: DARRYEL ADAMS	FIFO AJV-352	DATE:

CHANGES:	
----------	--

REASONS:	<p style="text-align: center; margin-top: 100px;"> CONCURRENT WITH: KISM RNAV (GPS) RWY 6, ORIG </p>
----------	---



RADIO FIX AND HOLDING DATA RECORD

NAME: YAJLU STATE: FL COUNTRY: US

LATITUDE/LONGITUDE: 282609.72N/0813224.84W TYPE: WP

AIRSPACE DOCKET: FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	KISM R15					328.08	9.94				17500

HOLDING: HOLDING TYPE OF ACTION: CANCEL

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	NW		WP	333.03	153.03	R	1	4	2000	10000	4	7

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWERS 2 (10-0541)	283334.00N/0813538.00W	946	5D

REMARKS:

DISPLACED THRESHOLD COORDINATES: 281742.29/0812627.15.
HOLDING LIMITED TO ESTABLISHED PATTERN.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	KISSIMMEE GATEWAY - GPS RWY 15, GPS RWY 6.			KISM	ORLANDO	FL (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG DATE OF REVISION: 03/18/1999

DEVELOPED BY: DATE: 04/27/2012 OFFICE: AJV-352 NAME: KELLY DEAN

APPROVED BY: DATE: OFFICE: AJV-352 NAME: DARRYEL ADAMS

SIGNATURE:

DISTRIBUTION: NFDC
FPO:
ARTCC:
ATC FACILITY:
OTHER:

