

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
 VOR STANDARD INSTRUMENT APPROACH PROCEDURE  
 FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
				ADDITIONAL FLIGHT DATA:

1. PT \_\_\_\_\_ SIDE OF COURSE \_\_\_\_\_ OUTBOUND \_\_\_\_\_ FT WITHIN \_\_\_\_\_ MILES OF \_\_\_\_\_ (IAF)  
 2. \_\_\_\_\_  
 3. FAC \_\_\_\_\_ FAF \_\_\_\_\_ DIST FAF TO MAP \_\_\_\_\_ THLD \_\_\_\_\_  
 4. MIN. ALT \_\_\_\_\_  
 8. MSA FROM: \_\_\_\_\_

MAG VAR: \_\_\_\_\_ EPOCH YEAR: \_\_\_\_\_

TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT									ALTERNATE: N A					
CATEGORY =====>	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA

NOTES:  
 PROCEDURE CANCELED EFFECTIVE \_\_\_\_\_



CITY AND STATE NASHUA, NH	ELEVATION: 199 AIRPORT NAME: BOIRE FIELD	TDZE: 192	FACILITY IDENTIFIER: LWM	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR RWY 32, ORIG-A, 03/26/1998	SUP AMDT ORIG DATE 05/26/1994
------------------------------	--	-----------	-----------------------------	--	-------------------------------------

