U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

GPS STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES			
FROM	TO	COURSE AND DISTANCE	ALTITUDE

MISSED APPROACH

ADDITIONAL FLIGHT DATA:

1. PT ____ SIDE OF COURSE ____ OUTBOUND ____ FT WITHIN ____ MILES OF ____ (IAF)
2. ____
3. FAC ____ FAF ____ DIST FAF TO MAP ____ THLD ____
4. MIN. ALT ____
8. MSA FROM:

MAG VAR: EPOCH YEAR:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: N A

CATEGORY =====>	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA

NOTES:

PROCEDURE CANCELED EFFECTIVE ____

QUALITY CHECKED 2

CITY AND STATE	ELEVATION: 545 TDZE: 544	FACILITY IDENTIFIER:	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP
CLAREMONT, NH	AIRPORT NAME: CLAREMONT MUNI	GPS	GPS RWY 29, AMDT 1, 07/17/1997	AMDT ORIG
				DATE 9/14/95

FAA FORM 8260-5 / April 2006 (computer generated)

ALL AFFECTED PROCEDURES REVIEWED?	COORDINATES OF FACILITIES	REQUIRED EFFECTIVE DATE
☐ YES ☐ NO		

COORDINATED WITH:

ATA	AAT	ALPA	APA	AOPA	NBAA	OTHER (specify)
☐	☐	☐	☐	X	X	X ZBW, BGR FSS, AIRPORT MANAGER

FLIGHT CHECKED BY		
NAME:	FIFO	DATE:
DEVELOPED BY		
NAME: **ROCKY A. PATTERSON**	FIFO **AJV-352**	DATE: **04/24/1997**
APPROVED BY		
NAME: **DARRYEL ADAMS**	FIFO **AJV-352**	DATE:

CHANGES:

REASONS:

QUALITY CHECKED 2

RADIO FIX AND HOLDING DATA RECORD

NAME: RINGG **STATE:** NH **COUNTRY:** US

LATITUDE/LONGITUDE: 433148.73N/0720025.11W **TYPE:** WP, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	DIST FROM FAC FEET	MRA	MAA
1	WEDGE					003.17	10.48			5000	10000
2	LEBANON	LEB	VOR/DME	L	149.31	134.31	12.75			5000	17500

REMARKS:
CHART DME FIX ONLY ON L-26
MAG VAR: LEB 15W, WAYPOINT 16W.
RINGG WAYPOINT ALIGNED ON V-141 FOR TRNASITION TO GPS RWY 29 AT CLAREMONT MUNI.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE (US)
EN ROUTE	V-141					
IAP	CLAREMONT MUNI - GPS RWY 29 (IAF).			KCNH	CLAREMONT	NH (US)

REQUIRED CHARTING: IAP, CONTROLLER, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG **DATE OF REVISION:** 01/24/1995

DEVELOPED BY: **DATE:** **OFFICE:** **NAME:**

APPROVED BY: **DATE:** **OFFICE:** AJV-352 **NAME:** DARRYELL ADAMS

SIGNATURE:

DISTRIBUTION:
NFDC
FPO: BOS
ARTCC: ZBW
ATC FACILITY:
OTHER: BGR FSS

CANCELLATION EFFECTIVE CONCURRENT WITH PUBLICATION OF RNAV (GPS) RWY 29, ORIG.

QUALITY 2 CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: CHEXS **STATE:** NH **COUNTRY:** US

LATITUDE/LONGITUDE: 432144.17N/0721006.54W **TYPE:** WP

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	DIST FROM FAC FEET	MRA	MAA
1	KCNH R29					093.17	8.50			3500	10000

REMARKS:
MAG VAR: WAYPOINT 16W.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	CLAREMONT MUNI - GPS RWY 29 (FAF).			KCNH	CLAREMONT	NH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG **DATE OF REVISION:** 01/24/1995

DEVELOPED BY: **DATE:** **OFFICE:** **NAME:**

APPROVED BY: **DATE:** **OFFICE:** AJV-352 **NAME:** DARRYEL ADAMS

SIGNATURE:

DISTRIBUTION:
NFDC
FPO: BOS
ARTCC: ZBW
ATC FACILITY:
OTHER: BGR FSS.

CANCELLATION EFFECTIVE CONCURRENT WITH PUBLICATION OF RNAV (GPS) RWY 29, ORIG.

QUALITY 2 CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: GUMOL **STATE:** NH **COUNTRY:** US

LATITUDE/LONGITUDE: 431445.69N/0720142.83W **TYPE:** WP

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	DIST FROM FAC FEET	MRA	MAA
1	WEDGE					183.17	6.62			5000	10000

REMARKS:
MAG VAR: WAYPOINT 16W.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	CLAREMONT MUNI - GPS RWY 29 (IAF).			KCNH	CLAREMONT	NH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG **DATE OF REVISION:** 01/24/1995

DEVELOPED BY: **DATE:** **OFFICE:** **NAME:**

APPROVED BY: **DATE:** **OFFICE:** AJV-352 **NAME:** DARRYEL ADAMS

SIGNATURE:

DISTRIBUTION:
NFDC
FPO: BOS
ARTCC: ZBW
ATC FACILITY:
OTHER: BGR FSS.

CANCELLATION EFFECTIVE CONCURRENT WITH PUBLICATION OF RNAV (GPS) RWY 29, ORIG.

QUALITY 2 CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: WEDGE **STATE:** NH **COUNTRY:** US

LATITUDE/LONGITUDE: 432122.26N/0720112.79W **TYPE:** WP

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	DIST FROM FAC FEET	MRA	MAA
1	CHEXS					093.17	6.50			5000	10000

REMARKS:
MAG VAR: WAYPOINT 16W.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	CLAREMONT MUNI - GPS RWY 29 (IF).			KCNH	CLAREMONT	NH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG **DATE OF REVISION:** 01/02/1995

DEVELOPED BY: **DATE:** **OFFICE:** **NAME:**

APPROVED BY: **DATE:** **OFFICE:** AVJ-352 **NAME:** DARRYEL ADAMS

SIGNATURE:

DISTRIBUTION:
NFDC
FPO: BOS
ARTCC: ZBW
ATC FACILITY:
OTHER: BGR FSS.

CANCELLATION EFFECTIVE CONCURRENT WITH PUBLICATION OF RNAV (GPS) RWY 29, ORIG.

QUALITY 2 CHECKED