

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

MISSED APPROACH

FROM	TO	COURSE AND DISTANCE	ALTITUDE

ADDITIONAL FLIGHT DATA:

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2.
3. FAC: FAF: DIST FAF TO MAP: THLD:
4. MIN. ALT:
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCPT: GS ALT AT: OM: MM: IM:
7. GS ANGLE: TCH:
8. MSA FROM:

MAG VAR: EPOCH YEAR:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: N A

CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA												

NOTES:

PROCEDURE CANCELED EFFECTIVE

CITY AND STATE
SHAWANO, WI

ELEVATION: 813 TDZE: 811
AIRPORT NAME:
SHAWANO MUNI

FACILITY IDENTIFIER:
GPS

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
GPS RWY 29, ORIG-A, 05/09/2006

SUP: **QUALITY CHECKED 2**
AMDT: **ORIG**
DATED **08/14/1997**

ALL AFFECTED PROCEDURES REVIEWED? <input type="checkbox"/> YES <input type="checkbox"/> NO	COORDINATES OF FACILITIES	REQUIRED EFFECTIVE DATE *C
---	---------------------------	-------------------------------

COORDINATED WITH:						
ATA <input type="checkbox"/>	AAT <input type="checkbox"/>	ALPA <input checked="" type="checkbox"/>	APA <input type="checkbox"/>	AOPA <input checked="" type="checkbox"/>	NBAA <input checked="" type="checkbox"/>	OTHER (specify) <input checked="" type="checkbox"/> <u>AMGR, ZMP</u>

FLIGHT CHECKED BY

NAME:	FIFO	DATE:
-------	------	-------

DEVELOPED BY

NAME: JILL OLSON (DAVID DANNER)	FIFO AJV-353	DATE: 02/21/2012
---	------------------------	----------------------------

APPROVED BY

NAME: LARRY H STROUT	FIFO AJV-353	DATE:
--------------------------------	------------------------	-------

CHANGES:

REASONS: <p style="text-align: center;">*CONCURRENT WITH RNAV (GPS) RWY 30, ORIG.</p>
--



RADIO FIX AND HOLDING DATA RECORD

NAME: AHUMA

STATE: WI

COUNTRY: US

LATITUDE/LONGITUDE: 444316.41N/0882013.05W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

CANCELLED

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	K3WO R29					112.53	10.00				17500

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	SHAWANO MUNI - GPS RWY 29			K3WO	SHAWANO	WI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 10/11/1996

DEVELOPED BY:

DATE:

OFFICE:

NAME:

APPROVED BY:

DATE:

OFFICE: AJV-353

NAME: LARRY STROUT

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CHI
ARTCC: ZMP
ATC FACILITY: GRB ATCT
OTHER:



RADIO FIX AND HOLDING DATA RECORD

NAME: COBSY

STATE: WI

COUNTRY: US

LATITUDE/LONGITUDE: 444753.46N/0881731.61W

TYPE: WP

CANCELLED

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	AHUMA					022.53		5.00			17500

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	SHAWANO MUNI - GPS RWY 29			K3WO	SHAWANO	WI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 10/11/1996

DEVELOPED BY:

DATE:

OFFICE:

NAME:

APPROVED BY:

DATE:

OFFICE: AJV-353

NAME: LARRY STROUT

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CHI
ARTCC: ZMP
ATC FACILITY: GRB ATCT
OTHER:

QUALITY
2
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: DIVLY STATE: WI COUNTRY: US
LATITUDE/LONGITUDE: 445111.70N/0884658.90W TYPE: WP
AIRSPACE DOCKET: FIX TYPE OF ACTION: CANCEL

CANCELLED

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	K3WO R11					292.61	10.00				17500

HOLDING: HOLDING TYPE OF ACTION: CANCEL

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING MIN	ALTITUDES MAX	TEMPLATES MIN	MAX
1	NW		WP	294.46	114.46	R	1	2500	10000	5	10

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	TOWER (50-0451)	444859.00N/0884902.00W	1362	4D

REMARKS:

HOLDING RESTRICTED TO ESTABLISHED PATTERN

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	SHAWANO MUNI - GPS RWY 29			K3WO	SHAWANO	WI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG DATE OF REVISION: 10/11/1996

DEVELOPED BY: DATE: OFFICE: NAME:

APPROVED BY: DATE: OFFICE: AJV-353 NAME: LARRY STROUT

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CHI
ARTCC: ZMP
ATC FACILITY: GRB ATCT
OTHER:

QUALITY
2
CHECKED

RADIO FIX AND HOLDING DATA RECORD

CANCELLED

NAME: GETNE STATE: WI COUNTRY: US

LATITUDE/LONGITUDE: 443839.29N/0882254.05W TYPE: WP

AIRSPACE DOCKET: FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	AHUMA					202.53	5.00				17500

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	SHAWANO MUNI - GPS RWY 29			K3WO	SHAWANO	WI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG DATE OF REVISION: 10/11/1996

DEVELOPED BY: DATE: OFFICE: NAME:
APPROVED BY: DATE: OFFICE: AJV-353 NAME: LARRY STROUT

SIGNATURE:

DISTRIBUTION: NFDC
FPO: CHI
ARTCC: ZMP
ATC FACILITY: GRB ATCT
OTHER:

QUALITY
2
CHECKED