U.S. DEPARTMENT OF TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION

TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

City, State	Airport	Effective Date	Amdt. No.
ANTHONY, KS	ANTHONY MUNI		ORIG

TAKEOFF MINIMUMS:

RWY 10, 28, NA-ENVIRONMENTAL

RWY 18, 36, STANDARD

TEXTUAL DEPARTURE PROCEDURES:

TAKEOFF OBSTACLE NOTES:

NOTE: RWY 18, TREES BEGINNING AT DER, 391 FT RIGHT OF CENTERLINE, UP TO 25 FT AGL/1354 FT MSL. BUILDING 598 FT FROM DER, 200 FT RIGHT OF CENTERLINE, 20 FT AGL/1349 FT MSL. POWERLINES BEGINNING 496 FT FROM DER, CROSSING CENTERLINE EAST TO WEST, UP TO 32 FT AGL/1361 FT MSL. BEACON 701 FT FROM DER, 634 FT LEFT OF CENTERLINE, UP TO 60 FT AGL/1389 FT MSL. ANTENNA 1050 FT FROM DER, 40 FT RIGHT OF CENTERLINE, 34 FT AGL/1363 FT MSL.

NOTE: RWY 36, POWERLINES BEGINNING 1050 FT FROM DER, CROSSING CENTERLINE EAST TO WEST, UP TO 32 FT AGL/1371 FT MSL. TREES BEGINNING 67 FT FROM DER, 367 FT LEFT OF CENTERLINE, UP TO 25 FT AGL/1364 FT MSL.

CONTROLLING OBSTACLES:

QUALITY 2 CHECKED

U.S. DEPARTMENT OF TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION

TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

City, State	Airport	Effective Date	Amdt. No.
ANTHONY, KS	ANTHONY MUNI		ORIG

REMARKS:

PER FTW FPT, 25 FT VEGETATION WITHIN 5 NM OF AIRPORT.

FLIGHT INSPECTED BY:

REQUIRED EFFECTIVE DATE:

ROUTINE

DEVELOPED BY;

JOSE ALFONSO (BRIAN BICKETT) AJV-353 09/20/2011

APPROVED BY:

LARRY STROUT AJV-353

COORDINATED WITH:

ATA, AOPA, NBAA, ZKC, AMGR,

CHANGES:

ORIG

REASONS:

FPT REQUEST

QUALITY 2 CHECKED

Federal Aviation Administration

Memorandum

CONCURRENCES	
ROUTING SYMBOL	AJV-34 SBaker
INITIALS/SIG	
DATE	
ROUTING SYMBOL	AJV-353 Lead
INITIALS/SIG	
DATE	
ROUTING SYMBOL	AJV-353 GYamamoto
INITIALS/SIG	
DATE	
ROUTING SYMBOL	AJV-34 WTerrell
INITIALS/SIG	
DATE	
ROUTING SYMBOL	
INITIALS/SIG	
DATE	

Date:

To: Dick Powell Manager, National Flight Data Center, AJV-21

From: Gregory Yamamoto, Manager, Terminal Procedures & Charting Services Central Team, AJV-353

Subject: **ACTION:** Magnetic Variation Change

The Magnetic Variation (MV) data for the airport(s) and/or facility(s) listed under the 'Airport/Facility" column will be revised effective concurrent with the publication of the procedure(s) listed below.

RNAV (GPS) RWY 18, Orig
RNAV (GPS) RWY 36, Orig
Take-off Minimums and Obstacle Departure Procedures, Orig

Estimated Chart Date: 02/09/2012

Please publish these changes in the National Flight Data Digest.

KANSAS

Location	Name	Airport /Facility	Identifier	Assigned Magnetic Variation Value	Epoch Year
Anthony	Anthony Muni	Airport	KANY / ANY	Old 08° East / New 05° East	2010

If you have any questions please notify Gregory Yamamoto (301-427-4750).

cc: FTW-FPT, AJV-3rf
AJV-353: GYamamoto:sjb:x7537:DATE: (U:\AVN100\100Public\MAGVAR\MAGVAR Letters 2010\Document Name)