

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings headings courses tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CAPITAN	ONE	CAP1.CEP	NONE		

**TYPE:** OBSTACLE

**DP ROUTE DESCRIPTION:**

TAKEOFF RWY 6: CLIMB DIRECT CEP NDB, THEN ON CEP BEARING 090.00 TO 11000 BEFORE PROCEEDING ON COURSE.  
 TAKEOFF RWY 12: CLIMBING LEFT TURN DIRECT CEP NDB, THEN ON CEP BEARING 090.00 TO 11000 BEFORE PROCEEDING ON COURSE.  
 TAKEOFF RWY 24: CLIMBING LEFT TURN DIRECT CEP NDB, THEN ON CEP BEARING 090.00 TO 11000 BEFORE PROCEEDING ON COURSE.  
 TAKEOFF RWY 30: CLIMBING RIGHT TURN DIRECT CEP NDB, THEN ON CEP BEARING 090.00 TO 11000 BEFORE PROCEEDING ON COURSE.

**TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):**

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes

**PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:**

TAKEOFF MINIMUMS: RWY 6, 12, 24, 30 STANDARD.

**TAKEOFF OBSTACLES NOTES:**

NOTE: RWY 12, TREES BEGINNING 61 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 100 FT AGL/6728 FT MSL.  
 NOTE: RWY 24, BUSH 758 FT FROM DER, 374 FT LEFT OF CENTERLINE, UP TO 21 FT AGL/6835 FT MSL. BUSH 659 FT FROM DER, 265 FT RIGHT OF CENTERLINE, UP TO 13 FT AGL/6832 FT MSL.  
 NOTE: RWY 30, POLES 1092 FT FROM DER, 433 FT LEFT OF CENTERLINE, 72 FT AGL/6847 FT MSL. BUILDINGS 753 FT FROM DER, 410 FT LEFT OF CENTERLINE, 35 FT AGL/6808 FT MSL. VEHICLES ON ROADWAY 436 FT FROM DER, 254 FT RIGHT OF CENTERLINE, UP TO 15 FT AGL/6787 FT MSL. SIGN 47 FT FROM DER, 60 FT RIGHT OF CENTERLINE, UP TO 6 FT AGL/6774 FT MSL. SIGNS BEGINNING 72 FT FROM DER, 455 FT LEFT OF CENTERLINE, UP TO 6 FT AGL/6779 FT MSL.

**CONTROLLING OBSTACLES:**

OBSTACLE MANDATING ODP ROUTE DEVELOPMENT: RWY 6, 12, 24, 30 12173 MSL AAO 332229.40N/1054818.50W.

**LOST COMMUNICATIONS PROCEDURES:**

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

---

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CAPITAN	ONE	CAP1.CEP	NONE		

---

**ADDITIONAL FLIGHT DATA:**

---

**AIRPORTS SERVED:**

SIERRA BLANCA RGNL, NM

---

**COMMUNICATIONS:**

ZAB

**FIXES AND/OR NAVAIDS:**

**REMARKS:**

03/25/11 THIS IS A CORRECTED COPY OF THE FORM DEVELOPED ON 10/26/2010  
1. CHANGED DP COMPUTER CODE FROM CAP1.CAP TO CAP1.CEP

**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION  
GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

---

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CAPITAN	ONE	CAP1.CAP	NONE		

---

**FLIGHT INSPECTED BY:**

**REQUIRED EFFECTIVE DATE:**

ROUTINE

**DEVELOPED BY:**

JOSE ALFONSO  
NICHOLAS K. JACKSON

AJV-354

10/26/2010

**APPROVED BY:**

SUE CRUMB

AJV-354

**COORDINATED WITH:**

AOPA, NBAA, ZAB, ABQ APP CON, AMGR

**CHANGES:**

1. ADDED DEPARTURE ROUTING FOR ALL RUNWAY ENDS TO CEP NDB.
2. ADDED DEPARTURE PROCEDURE FOR RUNWAYS 12 AND 30.

**REASONS:**

1. TO ALLEVIATE VCOA OPTION PER FPO AND ATC REQUEST.
2. RUNWAY INFORMATION UPDATED PER AVNIS.



**U.S. DEPARTMENT OF TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION**  
**TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<b>City, State</b>	<b>Airport</b>	<b>Effective Date</b>	<b>Amdt. No.</b>
RUIDOSO, NM	SIERRA BLANCA RGNL		1

**TAKEOFF MINIMUMS:**

**TEXTUAL DEPARTURE PROCEDURES:**

USE CAPITAN DEPARTURE

**TAKEOFF OBSTACLE NOTES:**

**CONTROLLING OBSTACLES:**



**U.S. DEPARTMENT OF TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION**  
**TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<b>City, State</b>	<b>Airport</b>	<b>Effective Date</b>	<b>Amdt. No.</b>
RUIDOSO, NM	SIERRA BLANCA RGNL		1

**FLIGHT INSPECTED BY:**

**REQUIRED EFFECTIVE DATE:**

ROUTINE

**DEVELOPED BY:**

JOSE ALFONSO  
(NICHOLAS K. JACKSON)                      AJV-354                      10/26/2010

**APPROVED BY:**

SUE CRUMB                      AJV-354

**COORDINATED WITH:**

AOPA, NBAA, ZAB, ABQ APP CON, AMGR

**CHANGES:**

**REASONS:**



# RADIO FIX AND HOLDING DATA RECORD

NAME: CAPITAN NDB

STATE: NM

COUNTRY: US

LATITUDE/LONGITUDE: 332923.60N/1052415.60W

TYPE:

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	MRA	MAA
								NM FEET		
1	CAPITAN	CEP	NDB	MH						17500

HOLDING:

HOLDING TYPE OF ACTION: CANCEL

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	TAKE-OFF MINIMUMS			KSRR	RUIDOSO	NM (US)
IAP	ILS OR LOC/DME RWY 24			KSRR	RUIDOSO	NM (US)

REQUIRED CHARTING: IAP, CONTROLLER, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 08/27/2010

**REASON FOR REVISION:**

UPDATED FIX USE.  
REMOVED HOLDING PAT 1.  
REMOVED HOLDING LIMITED REMARK.

DEVELOPED BY:           DATE: 08/27/2010

OFFICE: AVN-120

NAME: JOSE ALFONSO (NICHOLAS JACKSON)

NFPO APPROVAL:       DATE:

OFFICE: AVN-120

NAME: SUE CRUMB

SIGNATURE:

DISTRIBUTION:

NFDC  
FPO: CEN  
ARTCC: ZAB  
ATC FACILITY: ROW ATCT  
OTHER:

