

U.S. DEPARTMENT OF TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

City, State	Airport	Effective Date	Amdt. No.
PAMPA, TEXAS	PERRY LEFORS FIELD		ORIG

TAKEOFF MINIMUMS:

RWY 05, 17, 23, 35 STANDARD.

TEXTUAL DEPARTURE PROCEDURES:

TAKEOFF OBSTACLE NOTES:

NOTE: RWY 35, POLE 771 FT FROM DER, 409 FT LEFT OF CENTERLINE, 33 FT AGL/3272 FT MSL.

CONTROLLING OBSTACLES:

REMARKS:



U.S. DEPARTMENT OF TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

City, State	Airport	Effective Date	Amdt. No.
PAMPA, TEXAS	PERRY LEFORS FIELD		ORIG

FLIGHT INSPECTED BY:

REQUIRED EFFECTIVE DATE:

ROUTINE

DEVELOPED BY:

JILL OLSON
(ANKUR VERMA) AJV-353 9/3/2012

APPROVED BY:

LARRY STROUT AJV-353

COORDINATED WITH:

ZAB ARTCC, FTW FSS, APT MGR

CHANGES:

ORIGINAL.

REASONS:

PER CENTRAL FPT REQUEST.



