ESV Details

Originating Office :	Airspace Docket Number :	Request Type : Establish	
Facility Data			
Chart Name : KESSEL	City : KESSEL	Ident : ESL	State : WV
Type/Class : DME	Frequency : M1006	Reference No.: 12039514	

Expanded Service Volume Data: (Requesting Officer)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude
FAA 703995-016	282	0	12	180	450

Requirement: SUPPORT HONNR ON NUMMY STAR AT DCA		
Signature: Guimond Peter	Routing Symbol: AJV-352	Date: 03/01/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 703995-016	282	0	12	180	400	RESTRICT

Requirement/Remarks: SUPPORT HONNR ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 40,000 FEET DUE TO CO CHANNEL INTERFERENCE		
Signature: Cassella Charles	Routing Symbol:	Date: 03/13/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 703995-016	282	0	12	180	400	RESTRICT

Requirement/Remarks: SUPPORT HONNR ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 40,000 FEET DUE TO CO CHANNEL INTERFERENCE		
Signature: Cassella Charles	Routing Symbol:	Date: 03/13/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 703995-016	282	0	12	180	400	RESTRICT

Requirement/Remarks: SUPPORT HONNR ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 40,000 FEET DUE TO CO CHANNEL INTERFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/13/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 703995-016	282	0	12	180	400	RESTRICT

Requirement/Remarks: SUPPORT HONNR ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 40,000 FEET DUE TO CO CHANNEL INTERFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/13/2012

ESV Details

Originating Office :	Airspace Docket Number :	Request Type : Establish	
Facility Data			
Chart Name : KESSEL	City : KESSEL	Ident : ESL	State : WV
Type/Class : L-VOR	Frequency : M110.8	Reference No.: 12039515	

Expanded Service Volume Data: (Requesting Officer)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude
FAA 711394-028	282	0	12	180	450

Requirement: SUPPORT HONNR ON NUMMY STAR AT DCA		
Signature: Guimond Peter	Routing Symbol: AJV-352	Date: 03/01/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-028	282	0	12	180	400	RESTRICT

Requirement/Remarks: SUPPORT HONNR ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 40,000 FEET DUE TO DME CO CHANNEL INTERFERENCE		
Signature: Cassella Charles	Routing Symbol:	Date: 03/14/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-028	282	0	12	180	400	RESTRICT

Requirement/Remarks: SUPPORT HONNR ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 40,000 FEET DUE TO DME CO CHANNEL INTERFERENCE		
Signature: Cassella Charles	Routing Symbol:	Date: 03/14/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-028	282	0	12	180	400	RESTRICT

Requirement/Remarks: SUPPORT HONNR ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 40,000 FEET DUE TO DME CO CHANNEL INTERFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/15/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-028	282	0	12	180	400	RESTRICT

Requirement/Remarks: SUPPORT HONNR ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 40,000 FEET DUE TO DME CO CHANNEL INTERFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/15/2012

ESV Details

Originating Office :	Airspace Docket Number :	Request Type : Establish	
Facility Data			
Chart Name : KESSEL	City : KESSEL	Ident : ESL	State : WV
Type/Class : DME	Frequency : M1006	Reference No.: 12039516	

Expanded Service Volume Data: (Requesting Officer)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude
FAA 703995-017	103	0	22	110	450

Requirement: SUPPORT MORLL ON NUMMY STAR AT DCA		
Signature: Guimond Peter	Routing Symbol: AJV-352	Date: 03/01/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 703995-017	103	0	22	110	320	RESTRICT

Requirement/Remarks: SUPPORT MORLL ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 32,000 FEET DUE TO CO CHANNEL INETEFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/13/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 703995-017	103	0	22	110	320	RESTRICT

Requirement/Remarks: SUPPORT MORLL ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 32,000 FEET DUE TO CO CHANNEL INETEFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/13/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 703995-017	103	0	22	110	320	RESTRICT

Requirement/Remarks: SUPPORT MORLL ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 32,000 FEET DUE TO CO CHANNEL INETEFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/13/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 703995-017	103	0	22	110	320	RESTRICT

Requirement/Remarks: SUPPORT MORLL ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 32,000 FEET DUE TO CO CHANNEL INETEFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/13/2012

ESV Details

Originating Office :	Airspace Docket Number :	Request Type : Establish	
Facility Data			
Chart Name : KESSEL	City : KESSEL	Ident : ESL	State : WV
Type/Class : L-VOR	Frequency : M110.8	Reference No.: 12039517	

Expanded Service Volume Data: (Requesting Officer)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude
FAA 711394-029	103	0	22	110	450

Requirement: SUPPORT MORLL ON NUMMY STAR AT DCA		
Signature: Guimond Peter	Routing Symbol: AJV-352	Date: 03/01/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-029	103	0	22	110	320	RESTRICT

Requirement/Remarks: SUPPORT MORLL ON NUMMY STAR AT DCAESTRICTED TO MAX ALT 32000 FT DUE TO DME CO CHANNEL INTERFERENCE		
Signature: Cassella Charles	Routing Symbol:	Date: 03/22/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-029	103	0	22	110	320	RESTRICT

Requirement/Remarks: SUPPORT MORLL ON NUMMY STAR AT DCAESTRICTED TO MAX ALT 32000 FT DUE TO DME CO CHANNEL INTERFERENCE		
Signature: Cassella Charles	Routing Symbol:	Date: 03/22/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-029	103	0	22	110	320	RESTRICT

Requirement/Remarks: SUPPORT MORLL ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 32000 FT DUE TO DME CO CHANNEL INTERFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/22/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-029	103	0	22	110	320	RESTRICT

Requirement/Remarks: SUPPORT MORLL ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 32000 FT DUE TO DME CO CHANNEL INTERFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/22/2012

ESV Details

Originating Office :	Airspace Docket Number :	Request Type : Establish	
Facility Data			
Chart Name : ARMEL	City : HERNDON	Ident : AML	State : VA
Type/Class : L-VOR	Frequency : M113.5	Reference No.: 12039512	

Expanded Service Volume Data: (Requesting Officer)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude
FAA 732649-049	297	0	44	110	290

Requirement: SUPPORT DRUZZ ON NUMMY STAR AT DCA		
Signature: Guimond Peter	Routing Symbol: AJV-352	Date: 03/01/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 732649-049	297	0	44	110	290	APPROVE

Requirement/Remarks: SUPPORT DRUZZ ON NUMMY STAR AT DCAAPPROVED. PEND. FLIGHT CHK/INSPECT @ THE REQ. DIST. AND MIN ALT.		
Signature: Cassella Charles	Routing Symbol:	Date: 03/13/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 732649-049	297	0	44	110	290	APPROVE

Requirement/Remarks: SUPPORT DRUZZ ON NUMMY STAR AT DCAAPPROVED. PEND. FLIGHT CHK/INSPECT @ THE REQ. DIST. AND MIN ALT.		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/13/2012

Expanded Service Volume Data: (FIFO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 732649-049	297	0				

Requirement/Remarks:		
Signature:	Routing Symbol:	Date:

ESV Details

Originating Office :	Airspace Docket Number :	Request Type : Establish	
Facility Data			
Chart Name : ARMEL	City : HERNDON	Ident : AML	State : VA
Type/Class : TACR	Frequency : M1169	Reference No.: 12039513	

Expanded Service Volume Data: (Requesting Officer)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude
FAA 732650-036	297	0	44	110	290

Requirement: SUPPORT DRUZZ ON NUMMY STAR AT DCA		
Signature: Guimond Peter	Routing Symbol:	Date: 03/01/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 732650-036	297	0	44	110	290	APPROVE

Requirement/Remarks: SUPPORT DRUZZ ON NUMMY STAR AT DCAAPPROVED. PEND. FLIGHT CHK/INSPECT @ THE REQ. DIST. AND MIN ALT.		
Signature: Cassella Charles	Routing Symbol:	Date: 03/13/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 732650-036	297	0	44	110	290	APPROVE

Requirement/Remarks: SUPPORT DRUZZ ON NUMMY STAR AT DCAAPPROVED. PEND. FLIGHT CHK/INSPECT @ THE REQ. DIST. AND MIN ALT.		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/13/2012

Expanded Service Volume Data: (FIFO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 732650-036	297	0				

Requirement/Remarks:		
Signature:	Routing Symbol:	Date:

ESV Details

Originating Office :	Airspace Docket Number :	Request Type : Establish	
Facility Data			
Chart Name : KESSEL	City : KESSEL	Ident : ESL	State : WV
Type/Class : L-VOR	Frequency : M110.8	Reference No.: 12039511	

Expanded Service Volume Data: (Requesting Officer)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude
FAA 711394-027	282	0	27	180	450

Requirement: SUPPORT DRRON ON NUMMY STAR AT DCA		
Signature: Guimond Peter	Routing Symbol: AJV-352	Date: 03/01/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-027	282	0	27	180	400	RESTRICT

Requirement/Remarks: SUPPORT DRRON ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 40,000 FEET TO DME CO CHANNEL INTERFERENCE		
Signature: Cassella Charles	Routing Symbol:	Date: 03/14/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-027	282	0	27	180	400	RESTRICT

Requirement/Remarks: SUPPORT DRRON ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 40,000 FEET TO DME CO CHANNEL INTERFERENCE		
Signature: Cassella Charles	Routing Symbol:	Date: 03/14/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-027	282	0	27	180	400	RESTRICT

Requirement/Remarks: SUPPORT DRRON ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 40,000 FEET TO DME CO CHANNEL INTERFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/15/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-027	282	0	27	180	400	RESTRICT

Requirement/Remarks: SUPPORT DRRON ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 40,000 FEET TO DME CO CHANNEL INTERFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/15/2012

ESV Details

Originating Office :	Airspace Docket Number :	Request Type : Establish	
Facility Data			
Chart Name : KESSEL	City : KESSEL	Ident : ESL	State : WV
Type/Class : DME	Frequency : M1006	Reference No.: 12039510	

Expanded Service Volume Data: (Requesting Officer)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude
FAA 703995-015	282	0	27	180	450

Requirement: SUPPORT DRRON ON NUMMY STAR AT DCA		
Signature: Guimond Peter	Routing Symbol: AJV-352	Date: 03/01/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 703995-015	282	0	27	180	400	RESTRICT

Requirement/Remarks: SUPPORT DRRON ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 40,000 FEET DUE TO CO CHANNEL INTEFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/13/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 703995-015	282	0	27	180	400	RESTRICT

Requirement/Remarks: SUPPORT DRRON ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 40,000 FEET DUE TO CO CHANNEL INTEFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/13/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 703995-015	282	0	27	180	400	RESTRICT

Requirement/Remarks: SUPPORT DRRON ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 40,000 FEET DUE TO CO CHANNEL INTEFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/13/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 703995-015	282	0	27	180	400	RESTRICT

Requirement/Remarks: SUPPORT DRRON ON NUMMY STAR AT DCARESTRICTED TO MAX ALT 40,000 FEET DUE TO CO CHANNEL INTEFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/13/2012

ESV Details

Originating Office :	Airspace Docket Number :	Request Type : Establish	
Facility Data			
Chart Name : APPLETON	City : APPLETON	Ident : APE	State : OH
Type/Class : H-VOR	Frequency : M116.7	Reference No.: 12039508	

Expanded Service Volume Data: (Requesting Officer)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude
FAA 711581-041	117	0	138	200	390

Requirement: GRANDFATHERED: BUCKO ON J30 (MEA 20000, MAA 39000)		
Signature: Guimond Peter	Routing Symbol: AJV-352	Date: 03/01/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711581-041	117	0	138	200	390	APPROVE

Requirement/Remarks: GRANDFATHERED: BUCKO ON J30 (MEA 20000, MAA 39000) APPROVED. PEND. FLIGHT CHK/INSPECT @ THE REQ. DIST. AND MIN ALT.		
Signature: NASSR NASHAAT	Routing Symbol:	Date: 03/21/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711581-041	117	0	138	200	390	APPROVE

Requirement/Remarks: GRANDFATHERED: BUCKO ON J30 (MEA 20000, MAA 39000) APPROVED. PEND. FLIGHT CHK/INSPECT @ THE REQ. DIST. AND MIN ALT.		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/22/2012

Expanded Service Volume Data: (FIFO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711581-041	117	0				

Requirement/Remarks:		
Signature:	Routing Symbol:	Date:

ESV Details

Originating Office :	Airspace Docket Number :	Request Type : Establish	
Facility Data			
Chart Name : APPLETON	City : APPLETON	Ident : APE	State : OH
Type/Class : TACR	Frequency : M1201	Reference No.: 12039509	

Expanded Service Volume Data: (Requesting Officer)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude
FAA 704247-042	117	0	138	200	390

Requirement: GRANDFATHERED: BUCKO ON J30 (MEA 20000, MAA 39000)		
Signature: Guimond Peter	Routing Symbol: AJV-352	Date: 03/01/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 704247-042	117	0	138	200	390	APPROVE

Requirement/Remarks: GRANDFATHERED: BUCKO ON J30 (MEA 20000, MAA 39000) APPROVED. PEND. FLIGHT CHK/INSPECT @ THE REQ. DIST. AND MIN ALT.		
Signature: NASSR NASHAAT	Routing Symbol:	Date: 03/21/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 704247-042	117	0	138	200	390	APPROVE

Requirement/Remarks: GRANDFATHERED: BUCKO ON J30 (MEA 20000, MAA 39000) APPROVED. PEND. FLIGHT CHK/INSPECT @ THE REQ. DIST. AND MIN ALT.		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/22/2012

Expanded Service Volume Data: (FIFO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 704247-042	117	0				

Requirement/Remarks:		
Signature:	Routing Symbol:	Date:

ESV Details

Originating Office :	Airspace Docket Number :	Request Type : Establish	
Facility Data			
Chart Name : KESSEL	City : KESSEL	Ident : ESL	State : WV
Type/Class : L-VOR	Frequency : M110.8	Reference No.: 12039506	

Expanded Service Volume Data: (Requesting Officer)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude
FAA 711394-025	282	0	40	180	450

Requirement: GRANDFATHERED: BUCKO ON J30-34; APPROVED ESV ON FILE FOR R-282 TO 39 NM		
Signature: Guimond Peter	Routing Symbol: AJV-352	Date: 03/01/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-025	282	0	40	180	380	RESTRICT

Requirement/Remarks: GRANDFATHERED: BUCKO ON J30-34; APPROVED ESV ON FILE FOR R-282 TO 39 NMRESTRICTED TO MAX ALT 38,000 FEET DUE TO CO CHANNEL INTERFERENCE		
Signature: Cassella Charles	Routing Symbol:	Date: 03/14/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-025	282	0	40	180	380	RESTRICT

Requirement/Remarks: GRANDFATHERED: BUCKO ON J30-34; APPROVED ESV ON FILE FOR R-282 TO 39 NMRESTRICTED TO MAX ALT 38,000 FEET DUE TO CO CHANNEL INTERFERENCE		
Signature: Cassella Charles	Routing Symbol:	Date: 03/14/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-025	282	0	40	180	380	RESTRICT

Requirement/Remarks: GRANDFATHERED: BUCKO ON J30-34; APPROVED ESV ON FILE FOR R-282 TO 39 NMRESTRICTED TO MAX ALT 38,000 FEET DUE TO CO CHANNEL INTERFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/15/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-025	282	0	40	180	380	RESTRICT

Requirement/Remarks: GRANDFATHERED: BUCKO ON J30-34; APPROVED ESV ON FILE FOR R-282 TO 39 NMRESTRICTED TO MAX ALT 38,000 FEET DUE TO CO CHANNEL INTERFERENCE		
Signature: Hughes Dennis	Routing Symbol:	Date: 03/15/2012

ESV Details

Originating Office :	Airspace Docket Number :	Request Type : Establish	
Facility Data			
Chart Name : KESSEL	City : KESSEL	Ident : ESL	State : WV
Type/Class : L-VOR	Frequency : M110.8	Reference No.: 12039507	

Expanded Service Volume Data: (Requesting Officer)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude
FAA 711394-026	282	0	40	180	450

Requirement: GRANDFATHERED: BUCKO ON J30-34; APPROVED ESV ON FILE FOR R-282 TO 39 NM

Signature: Guimond Peter	Routing Symbol: AJV-352	Date: 03/01/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-026	282	0	40	180	380	RESTRICT

Requirement/Remarks: GRANDFATHERED: BUCKO ON J30-34; APPROVED ESV ON FILE FOR R-282 TO 39 NMRESTRICTED TO MAX ALT 38,000 FEET DUE TO CO CHANNEL INTERFERENCE

Signature: Cassella Charles	Routing Symbol:	Date: 03/14/2012

Expanded Service Volume Data: (FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-026	282	0	40	180	380	RESTRICT

Requirement/Remarks: GRANDFATHERED: BUCKO ON J30-34; APPROVED ESV ON FILE FOR R-282 TO 39 NMRESTRICTED TO MAX ALT 38,000 FEET DUE TO CO CHANNEL INTERFERENCE

Signature: Cassella Charles	Routing Symbol:	Date: 03/14/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-026	282	0	40	180	380	RESTRICT

Requirement/Remarks: GRANDFATHERED: BUCKO ON J30-34; APPROVED ESV ON FILE FOR R-282 TO 39 NMRESTRICTED TO MAX ALT 38,000 FEET DUE TO CO CHANNEL INTERFERENCE

Signature: Hughes Dennis	Routing Symbol:	Date: 03/15/2012

Expanded Service Volume Data: (Super FMO)

ESV ID	Radial 1	Radial 2	Distance	Minimum Altitude	Maximum Altitude	Action Type
FAA 711394-026	282	0	40	180	380	RESTRICT

Requirement/Remarks: GRANDFATHERED: BUCKO ON J30-34; APPROVED ESV ON FILE FOR R-282 TO 39 NMRESTRICTED TO MAX ALT 38,000 FEET DUE TO CO CHANNEL INTERFERENCE

Signature: Hughes Dennis	Routing Symbol:	Date: 03/15/2012