

Flight Procedure Tracking Form			Action: CANCELLATION	Task Type: IAP	Date Open: 10/06/2011	Task #: 2011090627128201009	Request #: 20110906271282
Procedure: TACAN RWY 31 AMDT 2				Airport ID: KRYM	Airport: RAY S MILLER AAF		Reimbursable #:
City: CAMP RIPLEY		ST: MN		GPS #:	Estimated Chart Date: 02/09/2012		FICO #:
Fac ID:		Fac. Type:		Specialist: <i>Rake McGraw</i>			
Procedure Review							
	Rec'd	Rel'd	Full Name	Comments			
Lead:							
QA:				<i>WILSON 10-12-2011</i> <i>QUALITY 10/24/2011</i> <i>CHECKED</i>			
Liaison:							
Procedure Comments:					Remark Type: INFORMATION		
<p>ATTACHED FORMS: 8260-13 8260-2(S): LIFRR INT, REV 1 (CANCEL); GARYE INT, REV2 (CANCEL); RUSEE INT, REV 1 (CANCEL); MILRR INT, ORIG (CANCEL).</p> <p>CONTACT: DON SMITH, JILL OLSON, AJV-352 LEADS, 405.954.1036/0414</p>							



Federal Aviation Administration

Memorandum

Date: MAY 01 2012

To: Mike Foster
HQ USAASA, ATAS-AI
9325 Gunston, Suite N 319
Fort Belvoir, VA 22060-5582
DAC

From: *for* Darryel Adams, Manager, Terminal Procedures & Charting Services – Eastern
Products Team AJV-352

Subject: **ACTION:** Transmittal of Data

The attached Army Form(s) for Ray S Miller AAF, Camp Ripley, MN (KRYM) are forwarded for further processing.

8260-11 ILS OR LOC/DME RWY 31, AMDT 4

8260-13 TACAN RWY 13, AMDT 2 (CANCEL)
TACAN RWY 31, AMDT 2 (CANCEL)

The attached FAA Form(s) have been forwarded to NFDC.

8260-2	OHUYE, MN ORIG	RIPLEY NDB, MN REV 5
	TODEE, MN REV 1	ZAKPI, MN ORIG
	FARRY, MN REV 1 (CNCL)	GARYE, MN REV 2 (CNCL)
	KETLL, MN ORIG (CNCL)	LIFRR, MN REV 1 (CNCL)
	MILRR, MN ORIG (CNCL)	RUSEE, MN REV 1 (CNCL)

If unable to accommodate, please notify John Bickerstaff as soon as possible.

Attachment

**UNITED STATES ARMY
TACAN STANDARD INSTRUMENT APPROACH PROCEDURE**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
				ADDITIONAL FLIGHT DATA:

1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)
 2. _____
 3. FAC _____ FAF _____ DIST FAF TO MAP _____ THLD _____
 4. MIN. ALT _____
 8. MSA FROM: _____

MAG VAR: _____ EPOCH YEAR: _____

TAKEOFF:	STANDARD	SEE FAA FORM 8260-21 FOR THIS AIRPORT						ALTERNATE: N A								
CATEGORY	A			B			C			D			E			
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	

NOTES:

PROCEDURE CANCELED EFFECTIVE _____



CITY AND STATE CAMP RIPLEY, MN	ELEVATION: 1152 TDZE: 1149	FACILITY IDENTIFIER: RYM	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: TACAN RWY 31, AMDT 2, 05/07/2009	SUP
	AIRPORT NAME: RAY S MILLER AAF			AMDT 1B
				DATE 04/13/2006

ALL AFFECTED PROCEDURES REVIEWED? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	COORDINATES OF FACILITIES	REQUIRED EFFECTIVE DATE
--	---------------------------	-------------------------

FLIGHT CHECKED BY

NAME:	FIFO	DATE:
-------	------	-------

DEVELOPED BY

NAME: <i>for</i> BRAKE MCGRAW <i>[Signature]</i>	FIFO AJV-352	DATE: 10/06/2011
--	-----------------	---------------------

APPROVED BY

NAME:	UNIT	DATE:
-------	------	-------

CHANGES:

RECOMMENDED BY: *[Signature]* MAY 01 2012
for DARRYEL ADAMS, AJV-352

REASONS:

PER REQUEST OF USAASA, CAMP RIPLEY TACAN BEING DECOMMISSIONED



RADIO FIX AND HOLDING DATA RECORD

NAME: GARYE STATE: MN COUNTRY: US

LATITUDE/LONGITUDE: 455428.54N/0943604.81W TYPE: DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	CAMP RIPLEY	RYM	TACAN	T	220.00	223.00	15.00		3200	12000

HOLDING: HOLDING TYPE OF ACTION: CANCEL

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING MIN	ALTITUDES MAX	TEMPLATES MIN	MAX
1	SW	RYM	TACAN	220.00	040.00	R	7	4200	8000	8	9

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	TOWER (27-001768)	454454.00N/0944442.00W	1735	4D

REMARKS:

HOLDING LIMITED TO ESTABLISHED PATTERN.
RESTRICTED - MILITARY USE ONLY.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	RAY S MILLER AAF (KRYM) - ILS OR LOC/DME RWY 31 (PAT1), TACAN RWY 31 (PAT 1), TACAN RWY 13 (PAT1).			KRYM	CAMP RIPLEY	MN (US)

REQUIRED CHARTING: MILITARY IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2 DATE OF REVISION: 05/07/2009

REASON FOR REVISION:

DELETED PATTERN 1 TIME VALUE AND ADDED DME VALUE
CHANGED HOLDING PATTERN TEMPLATE FROM P-6 TO P-8
UPDATED CHART REQUIREMENTS

DEVELOPED BY: DATE: 11/05/2008 OFFICE: AVN-140 NAME: BRIAN BERUBEE

APPROVED BY: DATE: OFFICE: AVN-140 NAME: DARRYEL ADAMS

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZMP
ATC FACILITY: RYM ATCT
OTHER: USAASA



RADIO FIX AND HOLDING DATA RECORD

NAME: LIFRR STATE: MN COUNTRY: US

LATITUDE/LONGITUDE: 455346.47N/0940756.58W TYPE: DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	MRA	MAA
								NM FEET		
1	CAMP RIPLEY	RYM	TACAN	T	138.10	141.10	15.00		3300	12000

HOLDING: HOLDING TYPE OF ACTION: CANCEL

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	HOLDING DME	ALTITUDES MIN	ALTITUDES MAX	TEMPLATES MIN	TEMPLATES MAX
1	SE	RYM	TACAN	138.10	318.10	R		5	3300	8000	7	9

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	TOWER (27-001094)	454852.00N/0940139.00W	2245	5D

REMARKS:

HOLDING LIMITED TO ESTABLISHED PATTERN.
RESTRICTED - MILITARY USE ONLY.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	TACAN RWY 31 (PAT1)			KRYM	CAMP RIPLEY	MN (US)

REQUIRED CHARTING: MILITARY IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1 DATE OF REVISION: 05/07/2009

REASON FOR REVISION:

REPOSITIONED FIX 45 FT NE, NEW L/L
FAC 1 COURSE CHANGED FROM 138.13 TO 138.10
RAISED MRA FROM 3200 TO 3300
RAISED A/G COMM ALTITUDE FROM 3000 TO 3300
CHANGED PATTERN 1 INBOUND COURSE FROM 318.13 TO 318.10
RAISED MINIMUM HOLDING ALTITUDE FROM 3200 TO 3300
UPDATED HOLDING PATTERN OBSTACLE AND TEMPLATE SIZE
UPDATED CHART REQUIREMENTS
UPDATED FIX USE

DEVELOPED BY: DATE: 11/06/2008 OFFICE: AVN-140 NAME: BRIAN BERUBEE

APPROVED BY: DATE: OFFICE: AVN-140 NAME: DARRYEL ADAMS

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZMP
ATC FACILITY: RYM ATCT
OTHER: USAASA



RADIO FIX AND HOLDING DATA RECORD

NAME: MILRR

STATE: MN

COUNTRY: US

LATITUDE/LONGITUDE: 460047.28N/0941601.42W

TYPE: DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	CAMP RIPLEY	RYM	TACAN	T	138.10	141.10	6.00			3000	12000

REMARKS:

RESTRICTED - MILITARY USE ONLY

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	RAY S MILLER AAF (KRYM) - TACAN RWY 31			KRYM	CAMP RIPLEY	MN (US)

REQUIRED CHARTING: MILITARY IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 05/07/2009

DEVELOPED BY:

DATE: 11/06/2008

OFFICE: AVN-140

NAME: BRIAN BERUBEE

APPROVED BY:

DATE:

OFFICE: AVN-140

NAME: DARRYL ADAMS

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZMP
ATC FACILITY: RYM ATCT
OTHER: USAASA

QUALITY
1
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: RUSEE

STATE: MN

COUNTRY: US

LATITUDE/LONGITUDE: 460715.13N/0940001.60W

TYPE: DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	CAMP RIPLEY	RYM	TACAN	T	080.00	083.00	15.00			3200	12000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

RESTRICTED - MILITARY USE ONLY.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	RAY S MILLER AAF - ILS OR LOC/DME RWY 31, TACAN RWY 13, TACAN RWY 31			KRYM	CAMP RIPLEY	MN (US)

REQUIRED CHARTING: MILITARY IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 05/07/2009

REASON FOR REVISION:

ADDED ALT CHANGE TO AUTHORIZED USE OF FIX
UPDATED CHART REQUIREMENT
UPDATED FIX USE

DEVELOPED BY:

DATE: 11/03/2008

OFFICE: AVN-140

NAME: BRIAN BERUBEE

APPROVED BY:

DATE:

OFFICE: AVN-140

NAME: DARRYEL ADAMS

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZMP
ATC FACILITY: RYM ATCT
OTHER: USAASA

QUALITY
1
CHECKED