

Flight Procedure Tracking Form		Action: FLIGHT CHECK	Task Type: TEXTUAL DP	Date Open: 12/01/2011	Task #: 2011120124841602001	Request #: 20111201248416
Procedure: JACKSONVILLE FL KCRG AMDT 4			Airport ID: KCRG	Airport: JACKSONVILLE EXECUTIVE@CRAIG AIRPORT		Reimbursable #:
City: JACKSONVILLE		ST: FL	GPS #:	Estimated Chart Date: 03/07/2013		FICO #:
Fac ID:	Fac. Type: Proc T		Specialist: DONALD SMITH(Contractor)			

Procedure Review

	Rec'd	Rel'd	Full Name	Comments
Lead:	08/02/2012	09/11/2012	JEREL PAWLEY	
QA:	09/11/2012	11/27/2012	SCOTT BEARD	
Liaison:	11/27/2012		Spurline	

Procedure Comments: ENROUTE-NON **Remark Type:** INFORMATION Pg 6 of 6

JACKSONVILLE, FL JACKSONVILLE EXECUTIVE@CRAIG AIRPORT (KCRG) TAKEOFF DEP/MINS, AMDT 4 ENROUTE-NO FC: 1.22.13 PUB: 3.7.13

ATTACHED FORMS: 8260-15A.

CONTACT: DON SMITH/MARLON ROBINSON-AJV-352 LEADS, 405.954.1036 / 405.954.3636.

U.S. DEPARTMENT OF TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

City, State	Airport	Effective Date	Amdt. No.
JACKSONVILLE, FL	JACKSONVILLE EXECUTIVE AT CRAIG AIRPORT		4

TAKEOFF MINIMUMS:

RWY 23, STANDARD WITH A MINIMUM CLIMB OF 360 FT PER NM TO 1500 OR 1300 AND 2 ½ FOR CLIMB IN VISUAL CONDITIONS
RWY 5, 14, 32, STANDARD.

TEXTUAL DEPARTURE PROCEDURES:

RWY 23 - FOR CLIMB IN VISUAL CONDITIONS: CROSS JACKSONVILLE EXECUTIVE AT CRAIG AIRPORT AT OR ABOVE 1200 BEFORE PROCEEDING ON COURSE. WHEN EXECUTING VCOA, NOTIFY ATC PRIOR TO DEPARTURE.

RWY 5 – CLIMB HEADING 051.00 TO 500 BEFORE PROCEEDING ON COURSE.

RWY 14 – CLIMB HEADING 141.03 TO 700 BEFORE TURNING RIGHT.

TAKEOFF OBSTACLE NOTES:

NOTE: RWY 05, TREES BEGINNING 1617 FT FROM DER, 182 FT RIGHT OF CENTERLINE, UP TO 100 FT AGL/143 FT MSL. TERRAIN BEGINNING 17 FT FROM DER, BEGINNING 179 FT LEFT AND RIGHT OF CENTERLINE, 9 FT MSL. TREES BEGINNING 1911 FT FROM DER, 113 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/143 FT MSL. POLE AND NAVAID BEGINNING 571 FT FROM DER, 560 FT LEFT OF CENTERLINE, UP TO 41 FT AGL/82 FT MSL.

NOTE: RWY 14, TREE 2375 FT FROM DER, 905 FT RIGHT OF CENTERLINE, 100 FT AGL/119 FT MSL. TERRAIN BEGINNING 5 FT FROM DER, BEGINNING 44 FT RIGHT AND LEFT OF CENTERLINE, 56 FT MSL. TREES BEGINNING 1848 FT FROM DER, 610 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/128 MSL.

NOTE: RWY 23, TREES BEGINNING 1601 FT FROM DER, 15 FT RIGHT OF CENTERLINE, UP TO 100 FT AGL/119 FT MSL. TERRAIN BEGINNING 9 FT FROM DER, BEGINNING 278 FT LEFT AND RIGHT OF CENTERLINE, 53 FT MSL. TREES BEGINNING 519 FT FROM DER, 510 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/133 FT MSL. POLE 1994 FT FROM DER, 580 FT LEFT OF CENTERLINE, 47 FT AGL/85 FT MSL.

NOTE: RWY 32, TREES BEGINNING 494 FT FROM DER, 104 FT RIGHT OF CENTERLINE, UP TO 67 FT AGL/99 MSL. BLDG 501 FT FROM DER, 251 FT RIGHT OF CENTERLINE, 16 FT AGL/52 FT MSL. TERRAIN BEGINNING 117 FT FROM DER, BEGINNING 51 FT LEFT AND RIGHT OF CENTERLINE, 50 FT MSL. TREES AND BUSHES BEGINNING 218 FT FROM DER, 222 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/101 FT MSL.

CONTROLLING OBSTACLES:

RWY 05: 1091 MSL TOWER, 301635.00N/0813350.69W

RWY 14: 1091 MSL TOWER, 301635.00N/0813350.69W

RWY 23: (VCOA) 316 TOWER 302314.00N/0813148.00W, 1091 MSL TOWER, 301635.00N/0813350.69W



U.S. DEPARTMENT OF TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.



City, State	Airport	Effective Date	Amdt. No.
JACKSONVILLE, FL	JACKSONVILLE EXECUTIVE AT CRAIG AIRPORT		4

REMARKS:

FLIGHT INSPECTED BY:

REQUIRED EFFECTIVE DATE:

ROUTINE

DEVELOPED BY:

DON SMITH
(BRIAN BERUBEE) AJV-352 9/28/2012

APPROVED BY:

DARRYEL ADAMS AJV-352

COORDINATED WITH:

ATA, ALPA, AOPA, NBAA, APA, JAX APP CON/ATCT, AMGR

CHANGES:

1. UPDATED LOW CLOSE IN OBSTACLES
2. UPDATED CONTROLLING OBSTACLE
3. CHANGED CLIMB HEADINGS FOR RUNWAY 5/14
4. ADDED ATC CONTACT INSTRUCTIONS FOR VCOA

REASONS:

- 1/2. OBSTACLE STUDY
3. AIRPORT MAGVAR CHANGE
4. CRITERIA





Federal Aviation Administration

Memorandum

Date:

To: Dick Powell Manager, National Flight Data Center, AJV-21

From: Darryel Adams, Manager, Eastern Product Team, AJV-352

Subject: **ACTION:** Magnetic Variation Change for Jacksonville Executive@Craig Airport, Jacksonville, FL (KCRG)

The Magnetic Variation (MV) data for the airport(s) and/or facility(s) listed under the 'Airport/Facility' column will be revised effective concurrent with the publication of the procedure(s) listed below.

ILS OR LOC RWY 32, AMDT 5
 RNAV (GPS) RWY 14, AMDT 1
 RNAV (GPS) RWY 32, AMDT 1
 TAKEOFF MINIMUMS AND OBSTACLE DP, AMDT 4
 VOR RWY 14, AMDT 4A
 VOR/DME RWY 32, AMDT 2A

Estimated Chart Date: 03/07/2013

Please publish these changes in the National Flight Data Digest.

FLORIDA

<u>Location</u>	<u>Name</u>	<u>Airport / Facility</u>	<u>Identifier</u>	<u>Assigned Magnetic Variation Value</u>	<u>Epoch Year</u>
Jacksonville	Jacksonville Executive@Craig Airport	Airport	KCRG / CRG	Old 4° West New 6° West	2015
Jacksonville		ILS	CRG	Old 4° West New 6° West	2015

If you have any questions please notify Darryel Adams, darryel.d.adams@faa.gov (301-427-4824).

cc: AJV-3rf

sjb:x7537:08/28/2012: (U:\AVN100\PIT\MAGVAR\MAGVAR\MAGVAR Letters 2012\MV Change Request for Jacksonville, FL (KCRG) 8-28-12 Evaluated By: LFortier

CONCURRENCES
ROUTING SYMBOL AJV-34 SBaker
INITIALS/SIG
DATE
ROUTING SYMBOL AJV-352 DSmith
INITIALS/SIG
DATE
ROUTING SYMBOL AJV-352 DAdams
INITIALS/SIG
DATE
ROUTING SYMBOL AJV-34 JAlfonso
INITIALS/SIG
DATE
ROUTING SYMBOL
INITIALS/SIG
DATE