

Flight Procedure Tracking Form		Action: FLIGHT CHECK	Task Type: TEXTUAL DP	Date Open: 03/12/2012	Task #: 2012031222521702001	Request #: 20120312225217
Procedure: LAKE CITY FL KLCQ AMDT 1			Airport ID: KLCQ	Airport: LAKE CITY GATEWAY		Reimbursable #:
City: LAKE CITY		ST: FL		GPS #:	Estimated Chart Date: 05/02/2013	FICO #:
Fac ID:	Fac. Type: <i>Proc T</i>		Specialist: STEVE BRUMMETT			

Procedure Review

	Rec'd	Rel'd	Full Name	Comments
Lead:	03/13/2012	11/28/2012	MARLON ROBINSON	<i>P3</i>
QA:	11/28/2012	12/14/2012	SCOTT BEARD	
Liaison:	12/14/2012		<i>Spurlin</i>	

Procedure Comments: ENROUTE **Remark Type:** INFORMATION *page 1 of 1*

LAKE CITY, FL LAKE CITY GATEWAY AIRPORT (KLCQ) TAKEOFF DEP/MINS, AMDT 1 ENROUTE-YES FC: 3.5.13 PUB: 5.2.13

ATTACHED FORMS: 8260-15A.

CONTACT: DON SMITH/MARLON ROBINSON-AJV-352 LEADS, 405.954.1036 / 405.954.3636.

U.S. DEPARTMENT OF TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

City, State	Airport	Effective Date	Amdt. No.
LAKE CITY, FL	LAKE CITY GATEWAY		1

TAKEOFF MINIMUMS:

RWY 5, 10, 23, 28 STANDARD.

TEXTUAL DEPARTURE PROCEDURES:

TAKEOFF OBSTACLE NOTES:

NOTE: RWY 5, TREES BEGINNING 1358 FT FROM DER, 522 RIGHT OF CENTERLINE, UP TO 100 FT AGL/294 FT MSL.

NOTE: RWY 10, TREES BEGINNING 2490 FT FROM DER, 32 FT RIGHT OF CENTERLINE, UP TO 94 FT AGL/284 FT MSL. TREES BEGINNING 84 FT FROM DER, 58 FT LEFT OF CENTERLINE, UP TO 83 FT AGL/273 FT MSL.

NOTE: RWY 23, TREES BEGINNING 575 FT FROM DER, 363 FT RIGHT OF CENTERLINE, UP TO 100 FT AGL/285 FT MSL. TREES BEGINNING 1139 FT FROM DER, 88 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/285 FT MSL.

NOTE: RWY 28, TREES, POLE AND TOWER BEGINNING 1001 FT FROM DER, 23 FT RIGHT OF CENTERLINE, UP TO 158 FT AGL/350 FT MSL. TREES BEGINNING 981 FT FROM DER, 4 FT LEFT OF CENTERLINE, UP TO 94 FT AGL/292 FT MSL.

CONTROLLING OBSTACLES:



U.S. DEPARTMENT OF TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

City, State	Airport	Effective Date	Amdt. No.
LAKE CITY, FL	LAKE CITY GATEWAY		1

REMARKS:

FLIGHT INSPECTED BY:

REQUIRED EFFECTIVE DATE:

ROUTINE

DEVELOPED BY:

STEVEN M. BRUMMETT AJV-352 5/22/12

APPROVED BY:

SUE CRUMB AJV-352

COORDINATED WITH:

CHANGES:

1. REMOVED CLIMB GRADIENT AND CLIMB TO ALTITUDE FROM RWY 28 DEPARTURE.
2. REMOVE CEILING AND VISIBILITY REQUIREMENT FROM RWY 28 DEPARTURE.

REASONS:

1. UPDATED OBSTACLE INFORMATION.
2. UPDATED OBSTACLE INFORMATION.

