US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

FROM	TO	COURSE AND DISTANCE	ALTITUDE

MISSED APPROACH

ADDITIONAL FLIGHT DATA:

1. PT____ SIDE OF COURSE____ OUTBOUND____ FT WITHIN____ MILES OF _____ (IAF)
2. _____
3. FAC: _____ FAF: _____ DIST FAF TO MAP: _____ THLD: _____
4. MIN. ALT: _____
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____
7. GS ANGLE: _____ TCH: _____
8. MSA FROM: _____

MAG VAR: EPOCH YEAR:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: N A

CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA

NOTES:

PROCEDURE CANCELED EFFECTIVE _____

QUALITY CHECKED

CITY AND STATE	ELEVATION: 221 TDZE: 221	FACILITY IDENTIFIER:	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP:
QUINCY, FL	AIRPORT NAME: QUINCY MUNI	RNAV	RNAV (GPS) RWY 32, ORIG, 03/12/2009	AMDT: NONE
				DATED

ALL AFFECTED PROCEDURES REVIEWED?	COORDINATES OF FACILITIES	REQUIRED EFFECTIVE DATE
☐ YES ☐ NO		

COORDINATED WITH:

ATA	AAT	ALPA	APA	AOPA	NBAA	OTHER (specify)
☐	☐	X	☐	X	X	X ARPT MGR, TLH APP CON

FLIGHT CHECKED BY		
NAME:	FIFO	DATE:
DEVELOPED BY		
NAME: **KELLY DEAN**	FIFO **AJV-352**	DATE: **07/12/2012**
APPROVED BY		
NAME: **DARRYEL ADAMS**	FIFO **AJV-352**	DATE:

CHANGES:

REASONS:

QUALITY CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: HUVBU **STATE:** FL **COUNTRY:** US

LATITUDE/LONGITUDE: 303217.67N/0842923.26W **TYPE:** WP

CANCELLED

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	K2J9 R32					135.52	29231.08				17500

REMARKS:
RNP CRITERIA APPLIED

K2J9 R32 DISPLACED THRESHOLD COORDINATES: 303544.16N/0843317.45W.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	QUINCY MUNI - RNAV (GPS) RWY 32			K2J9	QUINCY	FL (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG **DATE OF REVISION:** 03/12/2009

DEVELOPED BY: **DATE:** 10/30/2008 **OFFICE:** AVN-101 **NAME:** EUGENE NEWTON (BRYAN BLUE)

APPROVED BY: **DATE:** **OFFICE:** AVN-110 **NAME:** DARRYL ADAMS

SIGNATURE:

DISTRIBUTION:
NFDC
FPO: EST
ARTCC: ZJX
ATC FACILITY: TLH APP CON
OTHER:

QUALITY CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: NISCI **STATE:** FL **COUNTRY:** US

LATITUDE/LONGITUDE: 303038.80N/0842237.58W **TYPE:** WP

CANCELLED

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	DIST FROM FAC FEET	MRA	MAA
1	HUVBU					105.69	6.07				17500

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	QUINCY MUNI - RNAV (GPS) RWY 32			K2J9	QUINCY	FL (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG **DATE OF REVISION:** 03/12/2009

DEVELOPED BY: **DATE:** 10/29/2008 **OFFICE:** AVN-101 **NAME:** EUGENE NEWTON (BRYAN BLUE)

APPROVED BY: **DATE:** **OFFICE:** AVN-110 **NAME:** DARRYL ADAMS

SIGNATURE:

DISTRIBUTION:
NFDC
FPO: EST
ARTCC: ZJX
ATC FACILITY: TLH APP CON
OTHER:

QUALITY CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: SOGCO **STATE:** GA **COUNTRY:** US

LATITUDE/LONGITUDE: 304347.14N/0844226.60W **TYPE:** WP

CANCELLED

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	DIST FROM FAC FEET	MRA	MAA
1	K2J9 R14					315.53	10.87				17500

HOLDING: **HOLDING TYPE OF ACTION:** CANCEL

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	LEG LENGTH DME	HOLDING ALTITUDES MIN	HOLDING ALTITUDES MAX	TEMPLATES MIN	TEMPLATES MAX
1	NW		WP	316.46	136.46	R		4	2000	6000	4	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (12-000291)	304140.07N/0844402.05W	538	1A

REMARKS:
HOLDING LIMITED TO ESTABLISHED PATTERN
K2J9 R14 DISPLACED THRESHOLD COORDINATES: 303600.94N-0843336.49W

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	QUINCY MUNI - RNAV (GPS) RWY 14 (PAT 1), RNAV (GPS) RWY 32 (PAT 1)			K2J9	QUINCY	FL (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG **DATE OF REVISION:** 03/12/2009

DEVELOPED BY: **DATE:** 10/16/2008 **OFFICE:** AVN-101 **NAME:** EUGENE NEWTON (BRYAN BLUE)

APPROVED BY: **DATE:** **OFFICE:** AVN-110 **NAME:** DARRYL ADAMS

SIGNATURE:

DISTRIBUTION:
NFDC
FPO: EST
ARTCC: ZJX
ATC FACILITY: TLH
OTHER: