

<b>Flight Procedure Tracking Form</b>		<b>Action:</b> FLIGHT CHECK	<b>Task Type:</b> TEXTUAL DP	<b>Date Open:</b> 09/12/2012	<b>Task #:</b> 2012091229699901001	<b>Request #:</b> 20120912296999
<b>Procedure:</b> BENTONVILLE AR KVBT AMDT 1A			<b>Airport ID:</b> KVBT	<b>Airport:</b> BENTONVILLE MUNI/LOUISE M THADEN FIELD		<b>Reimbursable #:</b>
<b>City:</b> BENTONVILLE		<b>ST:</b> AR	<b>GPS #:</b>		<b>Estimated Chart Date:</b> 05/02/2013	<b>FICO #:</b>
<b>Fac ID:</b>		<b>Fac. Type:</b> <i>free J</i>	<b>Specialist:</b> HERMAN ROGERS			

### Procedure Review

	Rec'd	Rel'd	Full Name	Comments
<b>Lead:</b>	09/13/2012	12/06/2012	CASIMIR TABAKA	<i>PS</i>
<b>QA:</b>	12/06/2012	12/31/2012	DAVID PUGLISI	
<b>Liaison:</b>	12/31/2012		<i>Spurlock</i>	

REQUEST POSSIBLE TABLE TOP REVIEW

<b>Procedure Comments:</b>	<b>Remark Type:</b> INFORMATION	<i>plg 2012</i>
----------------------------	---------------------------------	-----------------

BENTONVILLE, AR BENTONVILLE MUNI/LOUISE M. THADEN FIELD (KVBT) TAKEOFF DEP/MINS, AMDT 1A ENROUTE-YES FC: 3.5.13 PUB: 5.2.13

ATTACHED FORMS: 8260-15A

CONTACT: JILL OLSON/STEVE BARNETT -AVJ-353 LEADS, 405.954.4014 / 405.954.9307.

**U.S. DEPARTMENT OF TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION**  
**TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<b>City, State</b>	<b>Airport</b>	<b>Effective Date</b>	<b>Amdt. No.</b>
BENTONVILLE, AR	BENTONVILLE MUNI/LOUISE M. THADEN FIELD		1A

**TAKEOFF MINIMUMS:**

RWY 18, STANDARD  
RWY 36, 300-2 ¼ OR STANDARD WITH MINIMUM CLIMB OF 311 FT PER NM TO 1700.

**TEXTUAL DEPARTURE PROCEDURES:**

**TAKEOFF OBSTACLE NOTES:**

**NOTE: RWY 18, BUILDINGS BEGINNING 108 FT FROM DER, 458 FT LEFT OF CENTERLINE, UP TO 15 FT AGL/1305 FT MSL. POLES AND BUILDINGS BEGINNING 588 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 52 FT AGL/1342 FT MSL.**

**NOTE: RWY 36, TREES AND VEHICLES ON ROAD BEGINNING 162 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 83 FT AGL/ 1354 FT MSL. TRANSMISSION LINE TOWERS BEGINNING 2040 FT FROM DER, RIGHT AND LEFT OF CENTERLINE, UP TO 90 FT AGL/1360 FT MSL. TOWER 4040 FT FROM DER, 968 FT LEFT OF CENTERLINE, 144 FT AGL/1446 FT MSL. BUILDING 4251 FT FROM DER, 934 FT RIGHT OF CENTERLINE, 35 FT AGL/1415 FT MSL. TOWER 1.9 NM FROM DER, 1603 FT LEFT OF CENTERLINE, 345 FT AGL/1595 FT MSL.**

**CONTROLLING OBSTACLES:**

RWY 36: 1446 FT MSL TOWER 362144.80N/0941320.90W, 1595 FT MSL TOWER 362300.00N/0941328.00



U.S. DEPARTMENT OF TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION  
**TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<b>City, State</b>	<b>Airport</b>	<b>Effective Date</b>	<b>Amdt. No.</b>
BENTONVILLE, AR	BENTONVILLE MUNI/LOUISE M. THADEN FIELD		1A

**REMARKS:**

**FLIGHT INSPECTED BY:**

**REQUIRED EFFECTIVE DATE:**

CHRISTOPHER M. COTTWALD      AVN      12/27/2010

ROUTINE

**DEVELOPED BY:**

HERMAN ROGERS      AJV-353      09/10/2012

**APPROVED BY:**

LARRY STROUT      AJV-353

**COORDINATED WITH:**

ATA, APA, AOPA, NBAA, ZME, AMGR, ST AV DIRECTOR, FSM ATCT

**CHANGES:**

1.UPDATE TAKEOFF OBSTACLE NOTES.

**REASONS:**

1.NEW OBSTACLE SURVEY DATA.

