

| | | | | | | |
|--|---------------------------------|--------------------------------|-------------------------------|--|--|-------------------------------------|
| Flight Procedure Tracking Form | | Action: FLIGHT CHECK | Task Type: SID | Date Open: 03/26/2013 | Task #: 2013031826212001002 | Request #: 20130318262120 |
| Procedure: SID HARIS (RNAV) ONE FORT WAYNE IN K1II7 | | | Airport ID: K1II7 | Airport: PARKVIEW MEMORIAL HOSPITAL | | Reimbursable #: |
| City: FORT WAYNE | | ST: IN | | GPS #: | Estimated Chart Date: 04/03/2014 | FICO #: |
| Fac ID: | Fac. Type: <i>Proc T</i> | | Specialist: JON DENTON | | | |

Procedure Review

| | Rec'd | Rel'd | Full Name | Comments |
|-----------------|------------|------------|-----------------|-----------|
| Lead: | 03/18/2013 | 04/09/2013 | LONNIE EVERHART | <i>PT</i> |
| QA: | null | | | |
| Liaison: | | | <i>Spurline</i> | |

Procedure Comments: ENROUTE **Remark Type:** INFORMATION *pk9 1.12*

FORT WAYNE, IN PARKVIEW MEMORIAL HOSPITAL (K1II7) HARIS ONE (RNAV) (SID) ENROUTE-YES FC: 2.4.14 PUB: 4.3.14

ATTACHED FORMS: 8260-15B; 8260-15C; 8260-2(S): EDBIY, REV 1; HARIS, REV 2.


CONTACT: JILL OLSON/MARC SADORRA -AVJ-353 LEADS, 405.954.0414 / 405.954.4546.

(HARIS1.HARIS) FIG
HARIS ONE DEPARTURE (RNAV)

(PRIVATE)
FORT WAYNE\PARKVIEW MEMORIAL HOSPITAL (11I7)
FORT WAYNE, INDIANA

FORT WAYNE ATIS
121.25 349.0
FORT WAYNE TOWER
119.1 272.725
CHICAGO CENTER
119.85 362.3

PROTOTYPE: NOT
FOR NAVIGATION



- NOTE: GPS required.
- NOTE: Pilot must ensure CDI sensitivity is set to 0.3 NM.
- NOTE: Use Fort Wayne Intl altimeter setting.
- NOTE: Use of this procedure requires specific authorization by FAA flight standards.

NOTE: Chart not to scale.

DEPARTURE ROUTE DESCRIPTION

VFR SEGMENT: VFR climb to EDBIY, cross EDBIY at or above 1300.

IFR SEGMENT: On track 025° to cross HARIS at or above 2500.

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION

GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

| DP Name | Number | DP Computer Code | Superseded Number | Dated | Effective Date |
|---------|--------|------------------|-------------------|-------|----------------|
| HARIS | ONE | HARIS1.HARIS | NONE | | SPECIAL |

COMMUNICATIONS:

ZAU, FWA ATCT, FWA ATIS

FIXES AND/OR NAVAIDS:

REMARKS:

THIS IS A SPECIAL PROCEDURE. VFR DEPARTURE TO EDBIY. IFR EVALUATION BEGINS AT EDBIY WITH OCS START HEIGHT OF 1031. CONTROLLING OBSTACLE: OBSTACLES DID NOT MANDATE ODP ROUTE DEVELOPMENT. PROCEDURE WAS DEVELOPED USING THE FIXES AND RECIPROCAL COURSES OF THE COPTER RNAV (GPS) 205 PER ATC REQUEST.



**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

| DP Name | Number | DP Computer Code | Superseded Number | Dated | Effective Date |
|--------------|--------|------------------|-------------------|-------|----------------|
| HARIS (RNAV) | ONE | HARIS1.HARIS | NONE | | SPECIAL |

FLIGHT INSPECTED BY:

REQUIRED EFFECTIVE DATE:

DEVELOPED BY:

JON DENTON

AJV-354

03/18/13

APPROVED BY:

AFS-400

COORDINATED WITH:

ZAU, FWA ATCT

CHANGES:

ORIG

REASONS:



DEPARTURE (DATA RECORD)

| DP Name | Number | DP Computer Code | Superseded Number | Dated | Effective Date |
|---------|--------|------------------|-------------------|-------|----------------|
| HARIS | ONE | HARIS1.HARIS | NONE | | SPECIAL |

| FIX/NAVAID | LAT/LONG | C | FO/FB | LEG TYPE | TC | DIST (NM) | ALTITUDE | SPEED | REMARKS |
|------------|------------------------|---|-------|----------|--------|-----------|---------------------|-------|---|
| K1117 | 410547.17N/0850636.89W | N | - | - | - | - | | | HELIPAD COORDINATES/DEPART VFR TO EDBIY |
| 1300 MSL | - | - | - | - | - | - | | | |
| EDBIY | 410618.20N/0850621.96W | Y | FB | IF | - | - | AT OR ABOVE 1300 | | IFR SEGMENT BEGINS. |
| HARIS | 411125.62N/0850353.80W | Y | FB | TF | 020.00 | 5.45 | AT OR ABOVE 2500 | | |



RADIO FIX AND HOLDING DATA RECORD

NAME: EDBIY

STATE: IN

COUNTRY: US

LATITUDE/LONGITUDE: 410618.20N/0850621.96W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX RESTRICTIONS:

SPECIAL COPTER (RNAV) GPS 205, K11I7, FORT WAYNE, IN
SPECIAL HARIS (RNAV), K11I7, FORT WAYNE, IN

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE
DP
IAP

USE TITLE
HARIS (RNAV)
COPTER (RNAV) GPS 205

FAC PAT

AIRPORT IDENT
K11I7
K11I7

CITY
FORT WAYNE
FORT WAYNE

STATE
IN (US)
IN (US)

REQUIRED CHARTING: DP, SPECIAL IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 04/03/2014

REASON FOR REVISION:

DELETED FAC 1 DATA.
ADDED DP TO CHARTING.
UPDATED FIX USE.

DEVELOPED BY:

DATE: 03/26/2013

OFFICE: AJV-354

NAME: JON DENTON

APPROVED BY:

DATE:

OFFICE: AJV-353

NAME: LARRY STROUT

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZAU
ATC FACILITY: FWA ATCT
OTHER:



RADIO FIX AND HOLDING DATA RECORD

NAME: HARIS **STATE:** IN **COUNTRY:** US

LATITUDE/LONGITUDE: 411125.62N/0850353.80W **TYPE:** WP

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX RESTRICTIONS:
SPECIAL COPTER RNAV (GPS) 205, K1117, FORT WAYNE, IN
SPECIAL HARIS (RNAV), K1117, FORT WAYNE, IN

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

| PATTERNS: | | | | | | | | | | | | |
|------------------|-----|-------|------|-------------|----------------|------------------|--------------------|-----|--------------------------|------|------------------|-----|
| PAT | DIR | IDENT | TYPE | RAD/CRS/BRG | CRS INBOUND | TURN (L OR R) | LEG LENGTH TIME | DME | HOLDING ALTITUDES MIN | MAX | TEMPLATES MIN | MAX |
| 1 | NE | | WP | 025.03 | 205.03 | R | | 4 | 2500 | 5000 | 4 | 6 |

| CONTROLLING OBSTRUCTIONS: | | | COORDINATES | ELEVATION | ACCURACY CODE |
|----------------------------------|----------|-------------------|------------------------|-----------|---------------|
| PAT | AIRSPEED | OBSTRUCTION | | | |
| 1 | 100 | TOWER (18-000300) | 412001.00N/0850307.00W | 1192 | 4D |

HOLDING RESTRICTIONS:
HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

| FIX USE: | | | | | | | STATE |
|-----------------|-----------------------|-----|-----|---------------|------------|--|---------|
| USE TYPE | USE TITLE | FAC | PAT | AIRPORT IDENT | CITY | | |
| DP | HARIS (RNAV) | | | K1117 | FORT WAYNE | | IN (US) |
| IAP | COPTER RNAV (GPS) 205 | | 1 | K1117 | FORT WAYNE | | IN (US) |

REQUIRED CHARTING: DP, SPECIAL IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2 **DATE OF REVISION:** 04/03/2014

REASON FOR REVISION:
UPDATED HOLDING DATA.
DELETED FAC 1 DATA.
ADDED DP TO CHARTING.
UPDATED FIX USE.

DEVELOPED BY: **DATE:** 03/26/2013 **OFFICE:** AJV-354 **NAME:** JON DENTON

APPROVED BY: **DATE:** **OFFICE:** AJV-354 **NAME:** LARRY STROUT

SIGNATURE:

DISTRIBUTION: **NFDC**
FPO: CEN
ARTCC: ZAU
ATC FACILITY: FWA ATCT
OTHER:

