US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

FROM	TO	COURSE AND DISTANCE	ALTITUDE
AIA VOR/DME	WAKPA (FB)	259.20 / 12.44	6000
SPONS (IAF)	WAKPA (NOPT) (FB)	103.17 / 16.17	6000
BFF VORTAC (IAF)	WAKPA (NOPT) (FB)	050.35 / 20.33	6000
WAKPA (IF/IAF)	UBAYU (FB)	078.13 / 6.10	5800

MISSED APPROACH

LNAV: RW08

CLIMB TO 5700 DIRECT JEKTI AND HOLD.

ADDITIONAL FLIGHT DATA:
HOLD E, RT, 258.49 INBOUND.
CHART FAS OBST: 4149 TREE 420235N/1025548W
CHART VDP AT 1.31 MILES TO RW08.
UBAYU TO RW08: 3.05/45.

1. PT ____ SIDE OF COURSE ____ OUTBOUND ____ FT WITHIN ____ MILES OF ____ (IAF)
2. HOLD W WAKPA, RT, 078.13 INBOUND, 6000 FT. IN LIEU OF PT (IAF)
3. FAC: 078.23 FAF: UBAYU DIST FAF TO MAP: 5.64 THLD: 5.64
4. MIN. ALT: WAKPA 6000, UBAYU 5800
5. DIST TO THLD FROM OM: ____ MM: ____ IM: ____ 150 HAT: ____ 100 HAT: ____ GS ANT: ____
6. MIN GS INCPT: ____ GS ALT AT: ____ OM: ____ MM: ____ IM: ____
7. GS ANGLE: ____ TCH: 34:1 IS CLEAR
8. MSA FROM: RW08 6800

MAG VAR: 11E EPOCH YEAR: 1980

MINIMUMS

TAKEOFF: X STANDARD | SEE FAA FORM 8260-15A FOR THIS AIRPORT | ALTERNATE: N A | STANDARD @

CATEGORY	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	4400	1	469	4400	1	469	4400	1 1/4	469	4400	1 1/2	469			
CIRCLING	4400	1	469	4400	1	469	4440	1 1/2	509	4500	2	569			

NOTES:
CHART NOTE: IF LOCAL ALTIMETER SETTING NOT RECEIVED, USE SCOTTSBLUFF ALTIMETER SETTING AND INCREASE ALL MDAS 100 FEET.
CHART NOTE: DME/DME RNP-0.3 NA.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT BFF VORTAC VIA V524 NORTHWEST BOUND.
CHART NOTE: VDP NA WHEN USING SCOTTSBLUFF ALTIMETER SETTING.

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.

CITY AND STATE	ELEVATION: 3931 TDZE: 3931	FACILITY IDENTIFIER:	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP:
ALLIANCE, NE	AIRPORT NAME: ALLIANCE MUNI	RNAV	RNAV (GPS) RWY 8, ORIG MAR 15 2007	AMDT: NONE
				DATED

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above aiport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC PACKET - 424-15

```
                1         2         3         4         5         6         7         8         9         0         1         2         3
NAVAID  123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
        SUSAD        AIA   K3011180VDLW N42032030W102481600    N42032030W102481600E011003925      NAWALLIANCE
        SUSAD        BFF   K3011260VTH  N41533898W103285528    N41533898W103285528E013004170      NAWSCOTTSBLUFF

                1         2         3         4         5         6         7         8         9         0         1         2         3
WP      123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
        SUSAEAENRT   JEKTI K30    W   L N42033891W102325224                      E0085     NAW           JEKTI
        SUSAEAENRT   SPONS K30    W   L N42100069W103244594                      E0090     NAW           SPONS
        SUSAEAENRT   UBAYU K30    W   L N42032689W102564633                      E0087     NAW           UBAYU
        SUSAEAENRT   WAKPA K30    W   L N42032164W103045799                      E0088     NAW           WAKPA

                1         2         3         4         5         6         7         8         9         0         1         2         3
AIRPORT 123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
        SUSAP KAIAK3AAIA     0     092YHN42031160W102481360E011003931         1800018000C    MNAW    ALLIANCE MUNI

                1         2         3         4         5         6         7         8         9         0         1         2         3
SEGMENT 123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
        SUSAP KAIAK3FP08   AAIA   010AIA  K3D 0V       IF                                                18000                  G  S
        SUSAP KAIAK3FP08   AAIA   020WAKPAK3EA0E  A 020TF                     25920124    + 06000                              G  S
        SUSAP KAIAK3FP08   AAIA   030WAKPAK3EA0EE CR   HF                     07810050    + 06000                              G  S
        SUSAP KAIAK3FP08   ABFF   010BFF  K3D 0V  A    IF                                                18000                  G  S
        SUSAP KAIAK3FP08   ABFF   020WAKPAK3EA0E    010TF                     05040203    + 06000                              G  S
        SUSAP KAIAK3FP08   ASPONS 010SPONSK3EA0E  A    IF                                                18000                  G  S
        SUSAP KAIAK3FP08   ASPONS 020WAKPAK3EA0EE   010TF                     10320162    + 06000                              G  S
        SUSAP KAIAK3FP08   P      010WAKPAK3EA0E  I    IF                                  + 06000     18000                  G  S
        SUSAP KAIAK3FP08   P      020UBAYUK3EA0E  F 051TF                     07810061    + 05800                  RW08  K3PGG  S
        SUSAP KAIAK3FP08   P      030RW08 K3PG0GY M 031TF                     07820056      03976              -305          G  S
        SUSAP KAIAK3FP08   P      040         0  M  010CA                     0782        + 04331                              G  S
        SUSAP KAIAK3FP08   P      050JEKTIK3EA0EY   010DF                                  + 05700                              G  S
        SUSAP KAIAK3FP08   P      060JEKTIK3EA0EY HR020HM                     25850050    + 05700                              G  S

                1         2         3         4         5         6         7         8         9         0         1         2         3
RUNWAY  123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
```

CITY AND STATE	ELEVATION: 3931 TDZE: 3931	FACILITY IDENTIFIER:	PROCEDURE NO./ AMDT NO./ EFFECTIVE DATE:	SUP:
ALLIANCE, NE	AIRPORT NAME: ALLIANCE MUNI	RNAV	RNAV (GPS) RWY 8, ORIG MAR 15 2007	AMDT: NONE
				DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above aiport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

```
        SUSAP KAIAK3GRW08    0062000783 N42033121W102491248-0100          03931000045075

                 1         2         3         4         5         6         7         8         9         0         1         2         3
MSA     123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
        SUSAP KAIAK3SRW08 K3PG                0 25180068                        M
```

CITY AND STATE	ELEVATION: 3931 TDZE: 3931	FACILITY IDENTIFIER:	PROCEDURE NO./ AMDT NO./ EFFECTIVE DATE:	SUP:
ALLIANCE, NE	AIRPORT NAME: ALLIANCE MUNI	RNAV	RNAV (GPS) RWY 8, ORIG MAR 15 2007	AMDT: NONE DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above aiport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-15

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE
	AIA	AIA	010		IF		FB				
	AIA	WAKPA	020	IAF	TF		FB	2.0	259.2(270T)	012.4	06000
	AIA	WAKPA	030		HF	R	FB		078.1(089T)	005.0	06000
	BFF	BFF	010	IAF	IF		FB				
	BFF	WAKPA	020		TF		FB	1.0	050.4(061T)	020.3	06000
	SPONS	SPONS	010	IAF	IF		FB				
	SPONS	WAKPA	020		TF		FB	1.0	103.2(114T)	016.2	06000
		WAKPA	010	FACF	IF		FB				06000
		UBAYU	020	FAF	TF		FB	0.5	078.1(089T)	006.1	05800
		RW08	030	MAP	TF		FO	0.3	078.2(089T)	005.6	03976

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE
		040		CA		FB	1.0	078.2(089T)		04331
	JEKTI	050		DF		FO	1.0			05700
	JEKTI	060		HM	R	FO	2.0	258.5(270T)	005.0	05700

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	AIA	N420320.30	W1024816.00	N4203.338	W10248.267
	BFF	N415338.98	W1032855.28	N4153.650	W10328.921
	JEKTI	N420338.91	W1023252.24	N4203.649	W10232.871
	SPONS	N421000.69	W1032445.94	N4210.012	W10324.766
	UBAYU	N420326.89	W1025646.33	N4203.448	W10256.772
	WAKPA	N420321.64	W1030457.99	N4203.361	W10304.967
	RW08	N420331.21	W1024912.48	N4203.520	W10249.208

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW08	03931	45

CITY AND STATE	ELEVATION: 3931 TDZE: 3931	FACILITY IDENTIFIER:	PROCEDURE NO./ AMDT NO./ EFFECTIVE DATE:	SUP:
ALLIANCE, NE	AIRPORT NAME: ALLIANCE MUNI	RNAV	RNAV (GPS) RWY 8, ORIG MAR 15 2007	AMDT: NONE DATED: