

U.S. DEPARTMENT OF TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

Bearings, headings, courses, tracks and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

City, State	Airport	Effective Date	Amdt. No.
PONCE, PR	MERCEDITA	7 MARCH 2013	3

TAKEOFF MINIMUMS:

RWY 12, 300- 1 ¼ OR STANDARD WITH A MINIMUM CLIMB GRADIENT OF 490 FEET PER NM TO 500.
RWY30, 500- 1 ½ OR STANDARD WITH A MINIMUM CLIMB GRADIENT OF 760 FEET PER NM TO 700.

TEXTUAL DEPARTURE PROCEDURES:

RWY 12, CLIMB DIRECT PSE VOR/DME AND THEN PROCEED OUTBOUND ON PSE VOR/DME R-121 TO 2100, THEN CLIMBING RIGHT TURN TO PSE VOR/DME AND HOLD SE, LEFT TURNS, 301 INBOUND, CONTINUE CLIMB IN HOLD UNTIL REACHING ENROUTE ALTITUDE.

RWY 30, CLIMBING LEFT TURN DIRECT PSE VOR/DME AND THEN PROCEED OUTBOUND ON PSE VOR/DME R-121 TO 2100, THEN CLIMBING RIGHT TURN DIRECT PSE VOR/DME AND HOLD SE, LEFT TURNS, 301 INBOUND, CONTINUE CLIMB IN HOLD UNTIL REACHING ENROUTE ALTITUDE.

TAKEOFF OBSTACLE NOTES:

NOTE: RWY 12, POLES BEGINNING 126 FT FROM DEPARTURE END OF RUNWAY, 434 FT RIGHT OF CENTERLINE UP TO 64 FT AGL/88 FT MSL. TREES BEGINNING 297 FT FROM DEPARTURE END OF RUNWAY, 96 FT LEFT AND RIGHT OF CENTERLINE UP TO 75 FT AGL/93 FT MSL. STACKS BEGINNING 5519 FT FROM DEPARTURE END OF RUNWAY, 1748 FT RIGHT OF CENTERLINE, 204 FT AGL/ 240 FT MSL.

NOTE: RWY 30, POLES BEGINNING 145 FT FROM DEPARTURE END OF RUNWAY, 119 FT LEFT AND RIGHT OF CENTERLINE UP TO 405 FT AGL/426 FT MSL. BUILDING 1.5NM FROM DEPARTURE END OF RUNWAY 158 FT AGL/219 FT MSL. TOWER 5061 FT FROM DEPARTURE END OF RUNWAY, 1812 FT RIGHT OF CENTERLINE, 154 FT AGL/521 FT MSL. ANT ON BLDG 4659 FT FROM DEPARTURE END OF RUNWAY, 1575 FT RIGHT OF CENTERLINE, 28 FT AGL/40 FT MSL. TRANSMISSION TOWER 5860 FT FROM DEPARTURE END OF RUNWAY, 135 FT RIGHT OF CENTERLINE, 28 FT AGL/300 FT MSL.

CONTROLLING OBSTACLES:

RWY 12: 240 FEET MSL STACK 175946.00N-0663224.00W.
RWY 30: 521 FEET MSL TOWER 180113.00N-0663505.00W.

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT:

RWY 12 – 2293 FT MSL AAO 180506.00N/0662754.00W
RWY 30 - 2293 FT MSL AAO 180506.00N/0662754.00W

QUALITY
12/11/13