U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION

GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statue miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CEOLA	FIVE	CEOLA5.CEOLA	FOUR	02/14/2008	5 APR 2012

TYPE: SID RNAV

DP ROUTE DESCRIPTION:

TAKEOFF RWY 17C: CLIMB HEADING 174.27 TO INTERCEPT COURSE 182.84 TO LARRN, CROSS LARRN AT OR ABOVE 5000, THEN ON DEPICTED ROUTE TO CEOLA. THENCE...
TAKEOFF RWY 17R: CLIMB HEADING 174.26 TO INTERCEPT COURSE 181.62 TO LARRN, CROSS LARRN AT OR ABOVE 5000, THEN ON DEPICTED ROUTE TO CEOLA. THENCE...
TAKEOFF RWY 18L: CLIMB HEADING 174.25 TO 1120, THEN DIRECT LARRN, CROSS LARRN AT OR ABOVE 5000, THEN ON DEPICTED ROUTE TO CEOLA. THENCE...
TAKEOFF RWY 18R: CLIMB HEADING 174.25 TO 1120, THEN DIRECT LARRN, CROSS LARRN AT OR ABOVE 5000, THEN ON DEPICTED ROUTE TO CEOLA. THENCE...
TAKEOFF RWY 35C: CLIMB HEADING 354.27 TO INTERCEPT COURSE 322.71 TO GVINE, THEN ON TRACK 260.00 TO KMART, CROSS KMART AT OR ABOVE 5500, THEN ON DEPICTED ROUTE TO CEOLA. THENCE...
TAKEOFF RWY 35L: CLIMB HEADING 354.26 TO INTERCEPT COURSE 324.58 TO GVINE, THEN ON TRACK 260.00 TO KMART, CROSS KMART AT OR ABOVE 5500, THEN ON DEPICTED ROUTE TO CEOLA. THENCE...
TAKEOFF RWY 36L: CLIMB HEADING 354.25 TO INTERCEPT COURSE 337.79 TO GVINE, THEN ON TRACK 260.00 TO KMART, CROSS KMART AT OR ABOVE 5500, THEN ON DEPICTED ROUTE TO CEOLA. THENCE...
TAKEOFF RWY 36R: CLIMB HEADING 354.25 TO INTERCEPT COURSE 335.56 TO GVINE, THEN ON TRACK 260.00 TO KMART, CROSS KMART AT OR ABOVE 5500, THEN ON DEPICTED ROUTE TO CEOLA. THENCE...
TAKEOFF RWY 31L, 31R: CLIMB ON ASSIGNED HEADING FOR RADAR VECTORS TO CEOLA, MAINTAIN 5000. THENCE...

... (TRANSITION). MAINTAIN 10000, EXPECT FILED ALTITUDE TEN MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes
CORONA	CEOLA5.CNX	CEOLA	KIRST	TRACK 263.53	94.36	10000	3000	
		KIRST	LBB VORTAC	TRACK 288.63	127.42	FL 180	4700	
		LBB VORTAC	CNX VORTAC	TRACK 276.98	191.81	FL 180	8000	
LUBBOCK	CEOLA5.LBB	CEOLA	KIRST	TRACK 263.53	94.36	10000	3000	
		KIRST	LBB VORTAC	TRACK 288.63	127.42	FL 180	4700	
TEXICO	CEOLA5.TXO	CEOLA	KIRST	TRACK 263.53	94.36	10000	3000	
		KIRST	LBB VORTAC	TRACK 288.63	127.42	FL 180	4700	
		LBB VORTAC	TXO VORTAC	TRACK 310.00	66.08	FL 180	5400	

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION

GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statue miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CEOLA	FIVE	CEOLA5.CEOLA	FOUR	02/14/2008	5 APR 2012

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

NOTE: RADAR REQUIRED FOR ALL NON-GPS EQUIPPED AIRCRAFT AND ALL AIRCRAFT DEPARTING RUNWAYS 31L/R. NOTE: DME/DME/IRU OR GPS REQUIRED. NOTE: RNAV 1.

NOTE: FOR USE BY TURBOJET AIRCRAFT ONLY.
NOTE: PROPS: FILE AND EXPECT KINGDOM OR COYOTE DEPARTURE.
NOTE: AIRCRAFT LANDING LUBBOCK TERMINAL AREA FILE AND/OR EXPECT THE SLOTT DEPARTURE.

NOTE: TAKEOFF RWYS 17C, 17R, 18L, 18R: DO NOT EXCEED 240 KIAS UNTIL LARRN. NOTE: TAKEOFF RWYS 35C, 35L, 36L, 36R: DO NOT EXCEED 240 KIAS UNTIL KMART.

TAKEOFF **MINIMUMS:**

13L, 13R, 17L, 35R: NA-AIR TRAFFIC.
RWYS 31L, 31R: STANDARD
RWYS 17C, 17R, 18L, 18R: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 5000.
RWYS 35C, 35L, 36L, 36R: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 5500.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 31L, TREES BEGINNING 928 FT FROM DER, 724 FT LEFT OF CENTERLINE, UP TO 55 FT AGL/654 FT MSL. TREE 1229 FT FROM DER, 729 FT RIGHT OF CENTERLINE, 28 FT AGL/637 FT MSL. TRMSN POLE 3402 FT FROM DER, 1398 FT RIGHT OF CENTERLINE, 89 FT AGL/708 FT MSL.

NOTE: RWY 31R, BLDG 733 FT FROM DER, 632 FT LEFT OF CENTERLINE, 34 FT AGL/604 FT MSL.

CONTROLLING OBSTACLES:

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

REFERENCE **MAG VAR**: KDFW 6E EPOCH YR: 2000 **DME/DME ASSESSMENT**: SAT (RNP 2.0)

PILOT NAVIGATION AREA: 7 NM ARC CENTERED ON CEOLA (IF), CW FROM: POINT A (BEARING 308 DEGREES TO CEOLA); TO: POINT B (BEARING 219 DEGREES TO CEOLA); MINIMUM ALTITUDE - 5000

AIRPORTS SERVED:

DALLAS/FORT WORTH INTL	DALLAS-FORT WORTH, TX

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION

GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CEOLA	FIVE	CEOLA5.CEOLA	FOUR	02/14/2008	5 APR 2012

COMMUNICATIONS:

CLNC DEL, ATIS, GND CON, DFW ATCT, DEP CON

FIXES AND/OR NAVAIDS:

CHART: MANKI, FERRA, SLOTT, PODDE, MQP VORTAC, ABI VORTAC

REMARKS:

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CEOLA	FIVE	CEOLA5.CEOLA	FOUR	02/14/2008	5 APR 2012

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW17C (AER)	325456.55N/0970133.49W	N	-	-	-	-			
	325136.03N/0970134.60W	-	-	VI	180.27	3.34			CG 500 FT/NM TO 5000
LARRN	324228.17N/0970315.36W	Y	FB	CF	188.84	9.22	AT/ABOVE 5000	AT/BELOW 240K	RECOMMENDED NAVAID: TTT VOR/DME
GIGEM	324127.70N/0970814.40W	Y	FB	TF	256.57	4.32			VI/CF PERMITTED
TANNO	324152.81N/0971518.23W	Y	FB	TF	274.04	5.98			
CEOLA	325158.77N/0974359.77W	Y	FB	TF	292.75	26.21			
RW17R (AER)	325456.60N/0970147.58W	N	-	-	-	-			
	325136.09N/0970148.66W	-	-	VI	180.26	3.34			CG 500 FT/NM TO 5000
LARRN	324228.17N/0970315.36W	Y	FB	CF	187.62	9.20	AT/ABOVE 5000	AT/BELOW 240K	RECOMMENDED NAVAID: TTT VOR/DME
GIGEM	324127.70N/0970814.40W	Y	FB	TF	256.57	4.32			VI/CF PERMITTED
TANNO	324152.81N/0971518.23W	Y	FB	TF	274.04	5.98			
CEOLA	325158.77N/0974359.77W	Y	FB	TF	292.75	26.21			
RW18L (AER)	325456.88N/0970302.65W	N	-	-	-	-			
1120 MSL	-	-	-	VA	180.25	-			CG 500 FT/NM TO 5000
LARRN	324228.17N/0970315.36W	Y	FB	DF	-	-	AT/ABOVE 5000	AT/BELOW 240K	
GIGEM	324127.70N/0970814.40W	Y	FB	TF	256.57	4.32			
TANNO	324152.81N/0971518.23W	Y	FB	TF	274.04	5.98			
CEOLA	325158.77N/0974359.77W	Y	FB	TF	292.75	26.21			
RW18R (AER)	325456.93N/0970316.71W	N	-	-	-	-			
1120 MSL	-	-	-	VA	180.25	-			CG 500 FT/NM TO 5000
LARRN	324228.17N/0970315.36W	Y	FB	DF	-	-	AT/ABOVE 5000	AT/BELOW 240K	
GIGEM	324127.70N/0970814.40W	Y	FB	TF	256.57	4.32			
TANNO	324152.81N/0971518.23W	Y	FB	TF	274.04	5.98			
CEOLA	325158.77N/0974359.77W	Y	FB	TF	292.75	26.21			
RW31L (AER)	325324.97N/0970347.79W	N	-	-	-	-			
	-	-	-	VM	319.06	-			
CEOLA	325158.77N/0974359.77W	Y	FB	DF	-	-			

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CEOLA	FIVE	CEOLA5.CEOLA	FOUR	02/14/2008	5 APR 2012

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW31R (AER)	325341.93N/0970003.04W	N	-	-	-	-			
	-	-	-	VM	315.28	-			
CEOLA	325158.77N/0974359.77W	Y	FB	DF	-	-			
RW35C (AER)	325243.96N/0970134.22W	N	-	-	-	-			
	325605.68N/0970133.10W	-	-	VI	000.27	3.36			CG 500 FT/NM TO 5500
GVINE	330043.50N/0970453.56W	Y	FB	CF	328.71	5.41			RECOMMENDED NAVAID: TTT VOR/DME
KMART	330025.19N/0971002.47W	Y	FB	TF	266.00	4.34	AT/ABOVE 5500	AT/BELOW 240K	VI/CF PERMITTED
MARSN	325959.38N/0971424.03W	Y	FB	TF	263.34	3.69			
CEOLA	325158.77N/0974359.77W	Y	FB	TF	252.34	26.16			
RW35L (AER)	325244.02N/0970148.29W	N	-	-	-	-			
	325605.13N/0970147.21W	-	-	VI	000.26	3.35			CG 500 FT/NM TO 5500
GVINE	330043.50N/0970453.56W	Y	FB	CF	330.58	5.32			RECOMMENDED NAVAID: TTT VOR/DME
KMART	330025.19N/0971002.47W	Y	FB	TF	266.00	4.34	AT/ABOVE 5500	AT/BELOW 240K	VI/CF PERMITTED
MARSN	325959.38N/0971424.03W	Y	FB	TF	263.34	3.69			
CEOLA	325158.77N/0974359.77W	Y	FB	TF	252.34	26.16			
RW36L (AER)	325244.35N/0970317.40W	N	-	-	-	-			
	325601.86N/0970316.37W	-	-	VI	000.25	3.29			CG 500 FT/NM TO 5500
GVINE	330043.50N/0970453.56W	Y	FB	CF	343.79	4.88			RECOMMENDED NAVAID: TTT VOR/DME
KMART	330025.19N/0971002.47W	Y	FB	TF	266.00	4.34	AT/ABOVE 5500	AT/BELOW 240K	VI/CF PERMITTED
MARSN	325959.38N/0971424.03W	Y	FB	TF	263.34	3.69			
CEOLA	325158.77N/0974359.77W	Y	FB	TF	252.34	26.16			
RW36R (AER)	325244.30N/0970303.33W	N	-	-	-	-			
	325602.41N/0970302.31W	-	-	VI	000.25	3.30			CG 500 FT/NM TO 5500
GVINE	330043.50N/0970453.56W	Y	FB	CF	341.56	4.93			RECOMMENDED NAVAID: TTT VOR/DME
KMART	330025.19N/0971002.47W	Y	FB	TF	266.00	4.34	AT/ABOVE 5500	AT/BELOW 240K	VI/CF PERMITTED
MARSN	325959.38N/0971424.03W	Y	FB	TF	263.34	3.69			
CEOLA	325158.77N/0974359.77W	Y	FB	TF	252.34	26.16			

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CEOLA	FIVE	CEOLA5.CEOLA	FOUR	02/14/2008	5 APR 2012

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
CEOLA	325158.77N/0974359.77W	Y	-	IF	-	-			CEOLA5.CNX
KIRST	325022.50N/0993559.65W	Y	FB	TF	269.53	94.36			
LBB VORTAC	334217.82N/1015450.44W	Y	FB	TF	294.63	127.42			
CNX VORTAC	342201.26N/1054040.82W	Y	FB	TF	282.98	191.81			
CEOLA	325158.77N/0974359.77W	Y	-	IF	-	-			CEOLA5.LBB
KIRST	325022.50N/0993559.65W	Y	FB	TF	269.53	94.36			
LBB VORTAC	334217.82N/1015450.44W	Y	FB	TF	294.63	127.42			
CEOLA	325158.77N/0974359.77W	Y	-	IF	-	-			CEOLA5.TXO
KIRST	325022.50N/0993559.65W	Y	FB	TF	269.53	94.36			
LBB VORTAC	334217.82N/1015450.44W	Y	FB	TF	294.63	127.42			
TXO VORTAC	342942.46N/1025022.79W	Y	FB	TF	316.00	66.08			

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CEOLA RNAV	FIVE	CEOLA5.CEOLA	FOUR	02/14/2008	5 APR 2012

ARINC PACKET - 424-18 - SID

```
                 1         2         3         4         5         6         7         8         9         0         1         2         3
NAVAID  123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
        SUSAD        CNX   K2011550VTHA N34220126W105404082    N34220126W105404082E0130064122     NARCORONA
        SUSAD        LBB   K4010920VTLA N33421782W101545044    N33421782W101545044E0110033101     NARLUBBOCK
        SUSAD        TTT   K4011310VDHW N32520898W097022581    N32520898W097022581E0060005402     NARMAVERICK
        SUSAD        TXO   K4011220VTHW N34294246W102502279    N34294246W102502279E0110040602     NARTEXICO

                 1         2         3         4         5         6         7         8         9         0         1         2         3
WP      123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
        SUSAEAENRT   CEOLA K40    C   L N32515877W097435977                      E0045     NAR           CEOLA
        SUSAEAENRT   GIGEM K40    W     N32412770W097081440                      E0041     NAR           GIGEM
        SUSAEAENRT   GVINE K40    W     N33004350W097045356                      E0041     NAR           GVINE
        SUSAEAENRT   KIRST K40    C   B N32502250W099355965                      E0056     NAR           KIRST
        SUSAEAENRT   KMART K40    W     N33002519W097100247                      E0042     NAR           KMART
        SUSAEAENRT   LARRN K40    W     N32422817W097031536                      E0041     NAR           LARRN
        SUSAEAENRT   MARSN K40    W     N32595938W097142403                      E0042     NAR           MARSN
        SUSAEAENRT   TANNO K40    W     N32415281W097151823                      E0042     NAR           TANNO

                 1         2         3         4         5         6         7         8         9         0         1         2         3
AIRPORT 123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
        SUSAP KDFWK4ADFW     0     134YHN32534858W097021679E006000607         1800018000C    MNAR    DALLAS/FORT WORTH INTL

                 1         2         3         4         5         6         7         8         9         0         1         2         3
SEGMENT 123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
        SUSAP KDFWK4DCEOLA54RW17C 010         0        VI                     1743                    18000
        SUSAP KDFWK4DCEOLA54RW17C 020LARRNK4EA0E    010CF TTT K4      1781009718280092D   + 05000          240                -
        SUSAP KDFWK4DCEOLA54RW17C 030GIGEMK4EA0E    010TF                     25060043
        SUSAP KDFWK4DCEOLA54RW17C 040TANNOK4EA0E    010TF                     26800060
        SUSAP KDFWK4DCEOLA54RW17C 050CEOLAK4EA0EE   010TF                     28680262
        SUSAP KDFWK4DCEOLA54RW17R 010         0        VI                     1743                    18000
        SUSAP KDFWK4DCEOLA54RW17R 020LARRNK4EA0E    010CF TTT K4      1781009718160092D   + 05000          240                -
        SUSAP KDFWK4DCEOLA54RW17R 030GIGEMK4EA0E    010TF                     25060043
        SUSAP KDFWK4DCEOLA54RW17R 040TANNOK4EA0E    010TF                     26800060
        SUSAP KDFWK4DCEOLA54RW17R 050CEOLAK4EA0EE   010TF                     28680262
        SUSAP KDFWK4DCEOLA54RW18L 010         0        VA                     1743        + 01120     18000
        SUSAP KDFWK4DCEOLA54RW18L 020LARRNK4EA0E    010DF                                 + 05000          240                -
        SUSAP KDFWK4DCEOLA54RW18L 030GIGEMK4EA0E    010TF                     25060043
        SUSAP KDFWK4DCEOLA54RW18L 040TANNOK4EA0E    010TF                     26800060
        SUSAP KDFWK4DCEOLA54RW18L 050CEOLAK4EA0EE   010TF                     28680262
        SUSAP KDFWK4DCEOLA54RW18R 010         0        VA                     1743        + 01120     18000
```

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CEOLA RNAV	FIVE	CEOLA5.CEOLA	FOUR	02/14/2008	5 APR 2012

```
SUSAP KDFWK4DCEOLA54RW18R 020LARRNK4EA0E    010DF                                  + 05000          240                -
SUSAP KDFWK4DCEOLA54RW18R 030GIGEMK4EA0E    010TF                        25060043
SUSAP KDFWK4DCEOLA54RW18R 040TANNOK4EA0E    010TF                        26800060
SUSAP KDFWK4DCEOLA54RW18R 050CEOLAK4EA0EE   010TF                        28680262
SUSAP KDFWK4DCEOLA54RW31L 010          0      VM                         3131                    18000
SUSAP KDFWK4DCEOLA54RW31L 020CEOLAK4EA0EE   010DF
SUSAP KDFWK4DCEOLA54RW31R 010          0      VM                         3093                    18000
SUSAP KDFWK4DCEOLA54RW31R 020CEOLAK4EA0EE   010DF
SUSAP KDFWK4DCEOLA54RW35C 010          0      VI                         3543                    18000
SUSAP KDFWK4DCEOLA54RW35C 020GVINEK4EA0E    010CF TTT K4       3404008832270054D
SUSAP KDFWK4DCEOLA54RW35C 030KMARTK4EA0E    010TF                        26000043    + 05500          240                -
SUSAP KDFWK4DCEOLA54RW35C 040MARSNK4EA0E    010TF                        25730037
SUSAP KDFWK4DCEOLA54RW35C 050CEOLAK4EA0EE   010TF                        24630262
SUSAP KDFWK4DCEOLA54RW35L 010          0      VI                         3543                    18000
SUSAP KDFWK4DCEOLA54RW35L 020GVINEK4EA0E    010CF TTT K4       3404008832460053D
SUSAP KDFWK4DCEOLA54RW35L 030KMARTK4EA0E    010TF                        26000043    + 05500          240                -
SUSAP KDFWK4DCEOLA54RW35L 040MARSNK4EA0E    010TF                        25730037
SUSAP KDFWK4DCEOLA54RW35L 050CEOLAK4EA0EE   010TF                        24630262
SUSAP KDFWK4DCEOLA54RW36L 010          0      VI                         3543                    18000
SUSAP KDFWK4DCEOLA54RW36L 020GVINEK4EA0E    010CF TTT K4       3404008833780049D
SUSAP KDFWK4DCEOLA54RW36L 030KMARTK4EA0E    010TF                        26000043    + 05500          240                -
SUSAP KDFWK4DCEOLA54RW36L 040MARSNK4EA0E    010TF                        25730037
SUSAP KDFWK4DCEOLA54RW36L 050CEOLAK4EA0EE   010TF                        24630262
SUSAP KDFWK4DCEOLA54RW36R 010          0      VI                         3543                    18000
SUSAP KDFWK4DCEOLA54RW36R 020GVINEK4EA0E    010CF TTT K4       3404008833560049D
SUSAP KDFWK4DCEOLA54RW36R 030KMARTK4EA0E    010TF                        26000043    + 05500          240                -
SUSAP KDFWK4DCEOLA54RW36R 040MARSNK4EA0E    010TF                        25730037
SUSAP KDFWK4DCEOLA54RW36R 050CEOLAK4EA0EE   010TF                        24630262
SUSAP KDFWK4DCEOLA56CNX   010CEOLAK4EA0E      IF                                                 18000
SUSAP KDFWK4DCEOLA56CNX   020KIRSTK4EA0E    010TF                        26350944
SUSAP KDFWK4DCEOLA56CNX   030LBB  K4D 0V    010TF                        28861274
SUSAP KDFWK4DCEOLA56CNX   040CNX  K2D 0VE   010TF                        27701918
SUSAP KDFWK4DCEOLA56LBB   010CEOLAK4EA0E      IF                                                 18000
SUSAP KDFWK4DCEOLA56LBB   020KIRSTK4EA0E    010TF                        26350944
SUSAP KDFWK4DCEOLA56LBB   030LBB  K4D 0VE   010TF                        28861274
SUSAP KDFWK4DCEOLA56TXO   010CEOLAK4EA0E      IF                                                 18000
SUSAP KDFWK4DCEOLA56TXO   020KIRSTK4EA0E    010TF                        26350944
SUSAP KDFWK4DCEOLA56TXO   030LBB  K4D 0V    010TF                        28861274
SUSAP KDFWK4DCEOLA56TXO   040TXO  K4D 0VE   010TF                        31000661
```

```
                1         2         3         4         5         6         7         8         9         0         1         2         3
RUNWAY  123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
        SUSAP KDFWK4GRW17C   0134011743 N32545655W097013349+0000    +0144100562000058150IIFLQ3
        SUSAP KDFWK4GRW17R   0134011743 N32545660W097014758+0000    +0145700567000052200IIJHZ1
        SUSAP KDFWK4GRW18L   0134001743 N32545688W097030265-0200    +0156200602000055200IICIX1
        SUSAP KDFWK4GRW18R   0134001743 N32545693W097031671-0200    +0157700607000059150IIVYN3
```

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CEOLA RNAV	FIVE	CEOLA5.CEOLA	FOUR	02/14/2008	5 APR 2012

```
SUSAP KDFWK4GRW31L   0093013131 N32532497W097034779+0100    +0148800577000054150R
SUSAP KDFWK4GRW31R   0090003093 N32534193W097000304+0500    +0128000508000053200IIRRA1
SUSAP KDFWK4GRW35C   0134013543 N32524396W097013422+0000    +0144400562000059150IIPKQ3
SUSAP KDFWK4GRW35L   0134013543 N32524402W097014829+0000    +0144700563000047200IIUWX1
SUSAP KDFWK4GRW36L   0134003543 N32524435W097031740+0200    +0150400582000055150IIBXN1
SUSAP KDFWK4GRW36R   0134003543 N32524430W097030333+0200    +0148300575000050200IIFJN1
```

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CEOLA RNAV	FIVE	CEOLA5.CEOLA	FOUR	02/14/2008	5 APR 2012

ARINC SUMMARY - 424-18 - SID

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	RW17C		010		VI		FB		174.3()			
	RW17C	LARRN	020		CF		FB	1.0	182.8()	009.2	AA 05000	AB 240
	RW17C	GIGEM	030		TF		FB	1.0	250.6()	004.3		
	RW17C	TANNO	040		TF		FB	1.0	268.0()	006.0		
	RW17C	CEOLA	050		TF		FB	1.0	286.8()	026.2		
	RW17R		010		VI		FB		174.3()			
	RW17R	LARRN	020		CF		FB	1.0	181.6()	009.2	AA 05000	AB 240
	RW17R	GIGEM	030		TF		FB	1.0	250.6()	004.3		
	RW17R	TANNO	040		TF		FB	1.0	268.0()	006.0		
	RW17R	CEOLA	050		TF		FB	1.0	286.8()	026.2		
	RW18L		010		VA		FB		174.3()		AA 01120	
	RW18L	LARRN	020		DF		FB	1.0			AA 05000	AB 240
	RW18L	GIGEM	030		TF		FB	1.0	250.6()	004.3		
	RW18L	TANNO	040		TF		FB	1.0	268.0()	006.0		
	RW18L	CEOLA	050		TF		FB	1.0	286.8()	026.2		
	RW18R		010		VA		FB		174.3()		AA 01120	
	RW18R	LARRN	020		DF		FB	1.0			AA 05000	AB 240
	RW18R	GIGEM	030		TF		FB	1.0	250.6()	004.3		
	RW18R	TANNO	040		TF		FB	1.0	268.0()	006.0		
	RW18R	CEOLA	050		TF		FB	1.0	286.8()	026.2		
	RW31L		010		VM		FB		313.1()			
	RW31L	CEOLA	020		DF		FB	1.0				
	RW31R		010		VM		FB		309.3()			
	RW31R	CEOLA	020		DF		FB	1.0				
	RW35C		010		VI		FB		354.3()			
	RW35C	GVINE	020		CF		FB	1.0	322.7()	005.4		
	RW35C	KMART	030		TF		FB	1.0	260.0()	004.3	AA 05500	AB 240
	RW35C	MARSN	040		TF		FB	1.0	257.3()	003.7		
	RW35C	CEOLA	050		TF		FB	1.0	246.3()	026.2		
	RW35L		010		VI		FB		354.3()			
	RW35L	GVINE	020		CF		FB	1.0	324.6()	005.3		
	RW35L	KMART	030		TF		FB	1.0	260.0()	004.3	AA 05500	AB 240
	RW35L	MARSN	040		TF		FB	1.0	257.3()	003.7		
	RW35L	CEOLA	050		TF		FB	1.0	246.3()	026.2		
	RW36L		010		VI		FB		354.3()			
	RW36L	GVINE	020		CF		FB	1.0	337.8()	004.9		
	RW36L	KMART	030		TF		FB	1.0	260.0()	004.3	AA 05500	AB 240
	RW36L	MARSN	040		TF		FB	1.0	257.3()	003.7		
	RW36L	CEOLA	050		TF		FB	1.0	246.3()	026.2		
	RW36R		010		VI		FB		354.3()			
	RW36R	GVINE	020		CF		FB	1.0	335.6()	004.9		
	RW36R	KMART	030		TF		FB	1.0	260.0()	004.3	AA 05500	AB 240

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CEOLA RNAV	FIVE	CEOLA5.CEOLA	FOUR	02/14/2008	5 APR 2012

RW36R	MARSN	040	TF	FB	1.0	257.3()	003.7
RW36R	CEOLA	050	TF	FB	1.0	246.3()	026.2
CNX	CEOLA	010	IF	FB			
CNX	KIRST	020	TF	FB	1.0	263.5()	094.4
CNX	LBB	030	TF	FB	1.0	288.6()	127.4
CNX	CNX	040	TF	FB	1.0	277.0()	191.8
LBB	CEOLA	010	IF	FB			
LBB	KIRST	020	TF	FB	1.0	263.5()	094.4
LBB	LBB	030	TF	FB	1.0	288.6()	127.4
TXO	CEOLA	010	IF	FB			
TXO	KIRST	020	TF	FB	1.0	263.5()	094.4
TXO	LBB	030	TF	FB	1.0	288.6()	127.4
TXO	TXO	040	TF	FB	1.0	310.0()	066.1

POINT DATA

WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
CNX	N342201.26	W1054040.82	N3422.021	W10540.680
LBB	N334217.82	W1015450.44	N3342.297	W10154.841
TTT	N325208.98	W0970225.81	N3252.150	W09702.430
TXO	N342942.46	W1025022.79	N3429.708	W10250.380
CEOLA	N325158.77	W0974359.77	N3251.980	W09743.996
GIGEM	N324127.70	W0970814.40	N3241.462	W09708.240
GVINE	N330043.50	W0970453.56	N3300.725	W09704.893
KIRST	N325022.50	W0993559.65	N3250.375	W09935.994
KMART	N330025.19	W0971002.47	N3300.420	W09710.041
LARRN	N324228.17	W0970315.36	N3242.470	W09703.256
MARSN	N325959.38	W0971424.03	N3259.990	W09714.401
TANNO	N324152.81	W0971518.23	N3241.880	W09715.304
RW17C	N325456.55	W0970133.49	N3254.943	W09701.558
RW17R	N325456.60	W0970147.58	N3254.943	W09701.793
RW18L	N325456.88	W0970302.65	N3254.948	W09703.044
RW18R	N325456.93	W0970316.71	N3254.949	W09703.279
RW31L	N325324.97	W0970347.79	N3253.416	W09703.797
RW31R	N325341.93	W0970003.04	N3253.699	W09700.051
RW35C	N325243.96	W0970134.22	N3252.733	W09701.570
RW35L	N325244.02	W0970148.29	N3252.734	W09701.805
RW36L	N325244.35	W0970317.40	N3252.739	W09703.290
RW36R	N325244.30	W0970303.33	N3252.738	W09703.056

RUNWAY DATA

RWY	THRESHOLD ELEVATION	TCH
RW17C	00562	58
RW17R	00567	52
RW18L	00602	55
RW18R	00607	59
RW31L	00577	54

DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CEOLA RNAV	FIVE	CEOLA5.CEOLA	FOUR	02/14/2008	5 APR2012

RW31R	00508	53
RW35C	00562	59
RW35L	00563	47
RW36L	00582	55
RW36R	00575	50