US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

FROM	TO	COURSE AND DISTANCE	ALTITUDE
FGT VORTAC (IAF)	HERBO (FB)	332.01 / 10.19	2500
HERBO (IF)	ELOIT (FB)	293.07 / 4.11	2100
ELOIT (FAF)	RW28L (MAP) (FO)	278.09 / 3.60	
RW28L (MAP)	1148 MSL	278.09	
1148 MSL	ZAMUD (FO)		2700

MISSED APPROACH

LPV: DA
LNAV/VNAV: DA
LNAV: RW28L

CLIMB TO 2700 DIRECT ZAMUD AND HOLD.

ADDITIONAL FLIGHT DATA:
HOLD W, RT, 097.82 INBOUND.
CHART FAS OBST: 1009 TREE 444948N/0932658W
OBST: 1129 AAO 444951N/0932136W
DISTANCE TO THLD FROM 250 HATH: 0.61 NM.
WAAS CHANNEL # 90218
REFERENCE PATH ID: W28B
LTP HAE: 246.9 M

1. PT ____ SIDE OF COURSE ____ OUTBOUND ____ FT WITHIN ____ MILES OF ____ (IAF)
2. PROFILE STARTS AT HERBO
3. FAC: 278.09 FAF: ELOIT DIST FAF TO MAP: 3.60 THLD: 3.60
4. MIN. ALT: HERBO 2500, ELOIT 2100
5. DIST TO THLD FROM OM: ____ MM: ____ IM: ____ 150 HAT: ____ 100 HAT: ____ GS ANT: ____
6. MIN GS INCPT: 2100 GS ALT AT: ELOIT 2100 OM: ____ MM: ____ IM: ____
7. GS ANGLE: 3.00 TCH: 55.0 34:1 IS NOT CLEAR
8. MSA FROM: RW28L 3500

MAG VAR: 3E EPOCH YEAR: 1985

MINIMUMS

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT ALTERNATE: N A STANDARD @

CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	1148	1	250	1148	1	250	1148	1	250	1148	1	250			
LNAV/VNAV DA	1190	1	292	1190	1	292	1190	1	292	1190	1	292			
LNAV MDA	1280	1	382	1280	1	382	1280	1 1/8	382	1280	1 1/8	382			
CIRCLING	1320	1	414	1360	1	454	1360	1 1/2	454	1460	2	554			

NOTES:
CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C (2F) OR ABOVE 54C (130F).
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MINNEAPOLIS-ST PAUL INTL/WOLD-CHAMBERLAIN ALTIMETER SETTING AND INCREASE ALL DA 34 FEET AND ALL MDA 40 FEET, INCREASE LNAV CATS C AND D VISIBILITY 1/8 MILE.
(SEE FORM 8260-10)

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.

CITY AND STATE	ELEVATION: 906 THRE: 898	FACILITY IDENTIFIER:	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP:
MINNEAPOLIS, MN	AIRPORT NAME: FLYING CLOUD	RNAV	RNAV (GPS) RWY 28L, AMDT 2 10 JANUARY 2013	AMDT: 1 DATED 06/30/2011

NOTES, (CONT.):
CHART NOTE: DME/DME RNP-0.3 NA.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON FGT VORTAC AIRWAY RADIALS 258 CW 011.
CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT.
CHART NOTE: CIRCLING RWY 36 NA AT NIGHT.
CHART NOTE: RWY 28L STRAIGHT-IN/CIRCLING MINIMUMS NA AT NIGHT.
CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.

CITY AND STATE	ELEVATION: 906 THRE: 898	FACILITY IDENTIFIER:	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:	SUP:
MINNEAPOLIS, MN	AIRPORT NAME: FLYING CLOUD	RNAV	RNAV (GPS) RWY 28L, AMDT 2 10 JANUARY 2013	AMDT: 1 DATED: 06/30/2011

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above aiport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

DATA FIELD	DATA
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KFCM
RUNWAY	RW28L
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W28B
LTP/FTP LATITUDE	444935.1400N
LTP/FTP LONGITUDE	0932706.4500W
LTP/FTP ELLIPSOIDAL HEIGHT	+02469
FPAP LATITUDE	444952.1685N
FPAP LONGITUDE	0932909.3390W
THRESHOLD CROSSING HEIGHT (TCH)	00055.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1232
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0
CRC REMAINDER	928E8E23

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K3
LTP ORTHOMETRIC HEIGHT	+02737
FPAP ORTHOMETRIC HEIGHT	+02737

CITY AND STATE	ELEVATION: 906 THRE: 898	FACILITY IDENTIFIER:	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:	SUP:
MINNEAPOLIS, MN	AIRPORT NAME: FLYING CLOUD	RNAV	RNAV (GPS) RWY 28L, AMDT 2 10 JANUARY 2013	AMDT: 1 DATED: 06/30/2011

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICES - **FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC PACKET - 424-18 - RNAV (GPS)

```
                 1         2         3         4         5         6         7         8         9         0         1         2         3
NAVAID  123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
        SUSAD        FGT   K3011570VTH  N44375143W093105537    N44375143W093105537E0060009722     NARFARMINGTON

                 1         2         3         4         5         6         7         8         9         0         1         2         3
WP      123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
        SUSAEAENRT   ELOIT K30    W     N44485375W093220893                     E0006     NAR           ELOIT
        SUSAEAENRT   HERBO K30    W     N44470562W093165811                     E0006     NAR           HERBO
        SUSAEAENRT   ZAMUD K30    C     N44515848W093443013                     E0009     NAR           ZAMUD

                 1         2         3         4         5         6         7         8         9         0         1         2         3
AIRPORT 123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
        SUSAP KFCMK3AFCM     0     050YHN44493888W093273087E003000906         1800018000C    MNAR    FLYING CLOUD

                 1         2         3         4         5         6         7         8         9         0         1         2         3
SEGMENT 123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
        SUSAP KFCMK3FR28L  AFGT   010FGT  K3D 0V  A    IF                                                18000                A JS
        SUSAP KFCMK3FR28L  AFGT   020HERBOK3EA0EE B 010TF                     33200102    + 02500                            A JS
        SUSAP KFCMK3FR28L  R      010HERBOK3EA0E  I    IF                                + 02500     18000                  A JS
        SUSAP KFCMK3FR28L  R      020ELOITK3EA1E  F 051TF                     29310041    + 02100                 RW28L K3PGA JS
        SUSAP KFCMK3FR28L  R      020ELOITK3EA2WALPV       ALNAV/VNAV ALNAV                                                   JS
        SUSAP KFCMK3FR28L  R      030RW28LK3PG0GY M 031TF                     27810036      00953             -300          A JS
        SUSAP KFCMK3FR28L  R      040         0  M     CA                     2781        + 01148                            A JS
        SUSAP KFCMK3FR28L  R      050ZAMUDK3EA0EY      DF                                + 02700                            A JS
        SUSAP KFCMK3FR28L  R      060ZAMUDK3EA0EE  R   HM                     09780040    + 02700                            A JS

                 1         2         3         4         5         6         7         8         9         0         1         2         3
RUNWAY  123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
        SUSAP KFCMK3GRW28L   0050002780 N44493514W093270645+0000    +024690089800005 5100R

                 1         2         3         4         5         6         7         8         9         0         1         2         3
PP      123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
        SUSAP KFCMK3PR28L  RW28L001 0000W28B0N4449351400W09327064500+024690300N4449521685W093290933901067512320005 50F400500928E8E23
        SUSAP KFCMK3PR28L  RW28L002E      +02737+02737LPV       90218

                 1         2         3         4         5         6         7         8         9         0         1         2         3
MSA     123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012
        ------------------------------------------------------------------------------------------------------------------------------------
```

CITY AND STATE	ELEVATION: 906 THRE: 898	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
MINNEAPOLIS, MN	AIRPORT NAME: **FLYING CLOUD**	**RNAV**	**RNAV (GPS) RWY 28L, AMDT 2** 10 JANUARY 2013	AMDT: **1** DATED: **06/30/2011**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

```
SUSAP KFCMK3SRW28LK3PG          0   18018003525                                    M
```

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	FGT	FGT	010	IAF	IF		FB					
	FGT	HERBO	020		TF		FB	1.0	332.0(335.0T)	010.2	AA 02500	
		HERBO	010	FACF	IF		FB				AA 02500	
		ELOIT	020	FAF	TF		FB	0.5	293.1(296.1T)	004.1	AA 02100	
		RW28L	030	MAP	TF		FO	0.3	278.1(281.1T)	003.6	AT 00953	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		278.1(281.1T)		AA 01148	
	ZAMUD	050		DF		FO				AA 02700	
	ZAMUD	060		HM	R	FO		097.8(100.8T)	004.0	AA 02700	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	FGT	N443751.43	W0931055.37	N4437.857	W09310.923
	ELOIT	N444853.75	W0932208.93	N4448.896	W09322.149
	HERBO	N444705.62	W0931658.11	N4447.094	W09316.969
	ZAMUD	N445158.48	W0934430.13	N4451.975	W09344.502
	RW28L	N444935.14	W0932706.45	N4449.586	W09327.108

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW28L	00898	55

CITY AND STATE	ELEVATION: 906 THRE: 898	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
MINNEAPOLIS, MN	AIRPORT NAME: FLYING CLOUD	RNAV	RNAV (GPS) RWY 28L, AMDT 2 10 JANUARY 2013	AMDT: 1 DATED: 06/30/2011