

**RNAV (GPS) - STANDARD  
INSTRUMENT APPROACH PROCEDURE  
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
BANNO	COLAY (FB)	271.38 / 16.91	8500	LPV: DA LNAV/VNAV: DA LNAV: RW03
COLAY (IAF)	JELOD (FB)	100.49 / 7.68	7000	
JANIN (IAF)	JELOD (FB)	134.88 / 13.83	7000	CLIMB TO 7300 DIRECT CUPTA AND HOLD.
JELOD (IF)	UNADE (FB)	030.81 / 5.58	6800	
UNADE	YOGUT (FB)	030.81 / 2.42	6300	

ADDITIONAL FLIGHT DATA:  
HOLD NE, RT, 211.09 INBOUND.  
CHART ARRIVAL HOLDING AT COLAY: HOLD SW, RT,  
058.45 INBOUND, 7000.  
CHART FAS OBST: 4551 OL ON ELEVATOR  
425326N/1123656W  
CHART: 4617 TREE 424933N/1124109W  
WAAS CHANNEL # 97502  
REFERENCE PATH ID: W03A  
DISTANCE TO THLD FROM 250 HAT: 0.62 NM.

- PT NA SIDE OF COURSE \_\_\_\_\_ OUTBOUND \_\_\_\_\_ FT WITHIN \_\_\_\_\_ MILES OF \_\_\_\_\_ (IAF)
- PROFILE STARTS AT JELOD
- FAC: 030.90 FAF: YOGUT DIST FAF TO MAP: 5.58 THLD: 5.58
- MIN. ALT: JELOD 7000, UNADE 6800, YOGUT 6300
- DIST TO THLD FROM OM: \_\_\_\_\_ MM: \_\_\_\_\_ IM: \_\_\_\_\_ 150 HAT: \_\_\_\_\_ 100 HAT: \_\_\_\_\_ GS ANT: \_\_\_\_\_
- MIN GS INCPT: 6300 GS ALT AT: \_\_\_\_\_ OM: \_\_\_\_\_ MM: \_\_\_\_\_ IM: \_\_\_\_\_
- GS ANGLE: 3.00 TCH: 53.0 34:1 IS NOT CLEAR
- MSA FROM: RW03 10700

MAG VAR: 14E EPOCH YEAR: 2005

**MINIMUMS**

TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A	STANDARD @										
CATEGORY	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	4694	1	250	4694	1	250	4694	1	250	4694	1	250			
LNAV/VNAV DA	4978	1 3/4	534	4978	1 3/4	534	4978	1 3/4	534	4978	1 3/4	534			
LNAV MDA	4880	1	436	4880	1	436	4880	1 1/4	436	4880	1 1/2	436			
CIRCLING	4980	1 3/4	528	4980	1 3/4	528	4980	1 3/4	528	5020	2	568			

NOTES:  
CHART NOTE: INOPERATIVE TABLE DOES NOT APPLY.  
CHART NOTE: CIRCLING NA SE OF RWY 3-21.  
CHART NOTE: DME/DME RNP-0.3 NA.  
CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.

CONTINUED ON PAGE 2

CITY AND STATE <b>POCATELLO, ID</b>	ELEVATION: 4452 TDZE: 4444 AIRPORT NAME: <b>POCATELLO REGIONAL</b>	FACILITY IDENTIFIER: <b>RNAV</b>	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: <b>RNAV (GPS) RWY 3, AMDT 1 SEP 28 2006</b>	SUP: AMDT: <u>ORIG</u> DATED 12/25/03
--	--	-------------------------------------	---	---



**RNAV (GPS) - STANDARD  
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**NOTES CONT.**

**FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -23C (9F) OR ABOVE 40C (104F).**

**IF LOCAL ALTIMETER SETTING NOT RECEIVED, USE IDAHO FALLS REGIONAL ALTIMETER SETTING AND INCREASE**

**ALL DA'S/MDA'S 140 FEET.**

**BARO-VNAV NA WHEN USING IDAHO FALLS REGIONAL ALTIMETER SETTING.**

**CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT JANIN VIA V500 WESTBOUND.**

**CHART PLANVIEW NOTE: HOLDING NOT REQUIRED FOR ARRIVALS AT COLAY VIA V269 NORTHEAST BOUND.**

CITY AND STATE

POCATELLO, ID

ELEVATION: 4452 TDZE: 4444

AIRPORT NAME:

POCATELLO REGIONAL

FACILITY IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 3, AMDT 1

SEP 28 2006

SUP:

AMDT: ORIG

DATED: 12/25/03

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**FAS DATA BLOCK INFORMATION**

**DATA FIELD**

**DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KPIH
RUNWAY	RW03
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W03A
LTP/FTP LATITUDE	425406.1455N
LTP/FTP LONGITUDE	1123602.8035W
LTP/FTP ELLIPSOIDAL HEIGHT	+13409
FPAP LATITUDE	425509.4425N
FPAP LONGITUDE	1123436.7770W
THRESHOLD CROSSING HEIGHT (TCH)	00053.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0000
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

**CRC REMAINDER**

3EB0863D

**ADDITIONAL PATH POINT RECORD INFORMATION**

ICAO CODE	K1
LTP ORTHOMETRIC HEIGHT	+13540
FPAP ORTHOMETRIC HEIGHT	+13540

CITY AND STATE POCATELLO, ID	ELEVATION: 4452 TDZE: 4444	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP:
	AIRPORT NAME: POCATELLO REGIONAL		RNAV (GPS) RWY 3, AMDT 1	AMDT: ORIG
			SEP 28 2006	DATED: 12/25/03