

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: Textual DP	Estimated Chart Date: 11/03/2022	APWS Task ID: 0354C08454E44330AAF669E1208CBE8F	APWS Project ID: DC791BEA41964258A73FFC2FC5F64970
Procedure: TAKEOFF MINIMUNS AND (OBSTACLE) DP AMDT 2		Enroute: YES	Specialist: Krueger, Zachary		Agreement Number:
Airport ID: KCWA		Airport City: MOSINEE		State: WI	
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
<p>Procedure Comments: ACTIVE DATA USED FOR KCWA ARPT AND RWYS.</p> <p>TEXTUAL DEPARTURE PROCEDURES REMOVED DUE TO AUW VOR MON.</p> <p>CONTACT: DON LANIER 405.954.8242.</p> <p><i>Digitally signed by</i> ERIC N SUSKI Aug 17, 2022</p>					



FIPC BASIC FORM							
PROCEDURE: TAKEOFF MINIMUMS AND (OBSTACLE) DP AMDT 2			AIRPORT NAME: CENTRAL WISCONSIN		AIRPORT ID: KCWA	SPECIAL CONTROL NO: BP-07-116-22	
FAC ID: KCWA		CITY: MOSINEE			ST: WI	ORIG CHART DATE: 11/03/2022	
DFL TYPE: PROC/T	THIRD PARTY: <input type="checkbox"/> YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER: AC0721		PTS TASK ID: 0354C08454E44330AAF669E1208CBE8F		
PREFLIGHT NOTES							
REVIEWER:					DATE:		
COMMENTS:					CHECK ONE:		
					<input type="checkbox"/> FLT CK REQ <input type="checkbox"/> NFCR <input type="checkbox"/> REJECT		
							YES
					CPV COMPLETE?		X
PROCEDURE RESULTS							
INSPECTION DATE: 08/15/2022		CREW #: VN501	N #: N76	INSTRUMENT PROCEDURE STATUS: <input checked="" type="checkbox"/> SAT <input type="checkbox"/> SAT W/CHANGES <input type="checkbox"/> UNSAT		ARINC CODING: <input checked="" type="checkbox"/> SAT <input type="checkbox"/> SAT/GOLD <input type="checkbox"/> UNSAT	
FLIGHT INSPECTOR SIGNATURE: stanley phillips @ 08/15/2022 19:59			PRINTED NAME: PHILLIPS, STANLEY MICHAEL				NOTAM INITIATED? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
FLIGHT INSPECTOR REMARKS: ODP flown Sat							
IN-FLIGHT OBSTACLE REPORT							
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:

OLD

L38



**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**



MONROE, WI

MONROE MUNI (EFT)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 2 07MAY09 (09127) (FAA)

TAKEOFF OBSTACLE NOTES:

Rwy 2, vehicle on road 926' from DER, left and right of centerline, up to 17' AGL/1116' MSL.
Trees beginning 182' from DER, 175' right of centerline, up to 100' AGL/1169' MSL.
Rwy 12, trees beginning 1234' from DER, 655' right of centerline, up to 100' AGL/1189' MSL.
Rwy 20, trees beginning 712' from DER, 288' right of centerline, up to 100' AGL/1129' MSL.
Rwy 30, trees beginning 1918' from DER, 87' right of centerline, up to 100' AGL/1209' MSL.
Vehicle on road 1166' from DER, 157' right of centerline, up to 17' AGL/1126' MSL.

MORRIS, IL

MORRIS MUNI - JAMES R WASHBURN FLD (C09)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 1 22JUN17 (22139) (FAA)

TAKEOFF MINIMUMS:

Rwy 18, 300-1% or std. w/min. climb of 265' per NM to 1000.

TAKEOFF OBSTACLE NOTES:

Rwy 18, tower 1.39 NM from DER, 86' left of centerline, 290' AGL/839' MSL.
Terrain 6' from DER, 7' left of centerline, 565' MSL.
Rwy 36, vehicle on road beginning 382' from DER, 371' right of centerline, 15' AGL/605' MSL.
Trees beginning 1019' from DER, 469' right of centerline, up to 78' AGL/653' MSL.
Trees beginning 1960' from DER, 17' left of centerline, up to 102' AGL/675' MSL.

MOSINEE, WI

CENTRAL WISCONSIN (CWA)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 1 10JAN13 (13010) (FAA)

DEPARTURE PROCEDURE:

Rwy 35, (northbound departures 330° CW 045°) climbing left turn to 3500 on heading 330° and AUW R-270 before turning on course.

TAKEOFF OBSTACLE NOTES:

Rwy 8, antenna and obstruction light on building 369' from DER, 193' left of centerline, 40' AGL/1269' MSL.
Trees beginning 567' from DER, 557' left of centerline, up to 36' AGL/1275' MSL.
Trees beginning 1767' from DER, 709' left of centerline, up to 100' AGL/1319' MSL.
Trees beginning 454' from DER, 520' right of centerline, 100' AGL/1319' MSL.
Rwy 17, trees beginning 697' from DER, 625' left of centerline, up to 100' AGL/1299' MSL.
Trees beginning 2161' from DER, 987' right of centerline, up to 100' AGL/1289' MSL.
Rwy 26, rod on pole 1065' from DER, 723' left of centerline, 50' AGL/1310' MSL.
Trees beginning 4096' from DER, 599' right of centerline, up to 100' AGL/1389' MSL.
Rwy 35, obstruction light on windsock and poles beginning 507' from DER, 436' right of centerline, up to 30' AGL/1303' MSL.
Trees beginning 1404' from DER, 670' right of centerline, up to 100' AGL/1335' MSL.
Antenna, pole, obstruction light, and chimney beginning 2714' from DER, 858' right of centerline, up to 60' AGL/1359' MSL.
Antenna 1042' from DER, 250' left of centerline, 25' AGL/1306' MSL.
Trees beginning 2500' from DER, 367' left of centerline, up to 65' AGL/1346' MSL.
Tank and antenna on water tank beginning 3245' from DER, 1338' left of centerline, up to 100' AGL/1382' MSL.

MOUNT CARMEL, IL

MOUNT CARMEL MUNI (AJG)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 1 03APR14 (14093) (FAA)

TAKEOFF MINIMUMS:

Rwy 22, 300-1 or std. w/min. climb of 325' per NM to 700.
Rwy 31, 300-1 or std. w/min. climb of 225' per NM to 700, or alternatively, with std. takeoff minimums and a normal 200' per NM climb gradient, takeoff must occur no later than 1600' prior to DER.

TAKEOFF OBSTACLE NOTES:

Rwy 4, vehicle on road 409' from DER, 170' left of centerline, up to 15' AGL/404' MSL.
Trees 3718' from DER, 130' right of centerline, 85' AGL/525' MSL.
Rwy 13, vehicle on road 7' from DER, 190' right of centerline, 15' AGL/445' MSL.
Trees beginning 2438' from DER, 839' right of centerline, up to 100' AGL/542' MSL.
REIL 41' from DER, 112' left of centerline, 1' AGL/413' MSL.
Rwy 22, ground beginning 194' from DER, 262' right of centerline, up to 459' MSL.
Trees beginning 535' from DER, 146' right of centerline, up to 90' AGL/587' MSL.
Tree 81' from DER, 146' right of centerline, 19' AGL/448' MSL.
Antenna on grain elevator 4403' from DER, 378' left of centerline, 100' AGL/606' MSL.
Rwy 31, poles beginning 1812' from DER, 318' left of centerline, up to 55' AGL/484' MSL.
Trees beginning 2886' from DER, 112' left of centerline, up to 98' AGL/527' MSL.
Trees beginning 3657' from DER, 217' right of centerline, up to 91' AGL/580' MSL.



**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**




22139

L38

EC-3


19 MAY 2022 to 16 JUN 2022


19 MAY 2022 to 16 JUN 2022






CENTRAL WISCONSIN (KCWA)
MOSINEE, WI
RWY 8 ODP A2
1:100k
ASC









CENTRAL WISCONSIN (KCWA)
MOSINEE, WI
RWY 17 ODP A2
1:100k
ASC







CENTRAL WISCONSIN (KCWA)
MOSINEE, WI
RWY 26 ODP A2
1:100k
ASC



CENTRAL WISCONSIN (KCWA)
MOSINEE, WI
RWY 35 ODP A2
1:100k

