

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
<b>LANDR</b>	<b>TWO</b>	<b>LANDR.LANDR2</b>	<b>ONE</b>	<b>01/30/2020</b>	

**TRANSITION ROUTES:**

Transition Name	Transition Computer Code	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitude/Fixes
SCOTTSBLUFF	BFF.LANDR2	BFF VORTAC	BFF VORTAC						
			GLIMR	173.35 (BFF R-173)	63.00	10500	7500	FL450	
			LIBIE	173.35 (BFF R-173)	15.00	10500	7500		
			LANDR	217.66 (DVV R-038)	21.09	7500			
CHEYENNE	CYS.LANDR2	CYS VORTAC	CYS VORTAC						
			GLIMR	099.36 (CYS R-099)	56.02	10500	8500	FL450	
			LIBIE	173.35 (BFF R-173)	15.00	10500	7500		
			LANDR	217.66 (DVV R-038)	21.09	7500			
ELJAY	ELJAY.LANDR2	ELJAY	ELJAY						
			FONTO	240.00 (GLL R-060)	105.71	FL250	5900	FL450	
			LIBIE	213.73 (SNY R-214)	13.11	7500			
			LANDR	217.66 (DVV R-038)	21.09	7500			
SIDNEY	SNY.LANDR2	SNY VOR/DME	SNY VOR/DME						
			FONTO	213.73 (SNY R-214)	30.05	7500	6000	FL450	

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>			<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>		<u>Dated</u>	<u>Effective Date</u>
LANDR			TWO	LANDR.LANDR2	ONE		01/30/2020	
			LIBIE	213.73 (SNY R-214)	13.11	7500		
			LANDR	217.66 (DVV R-038)	21.09	7500		
YANKI	YANKI.LANDR2	YANKI	YANKI					
			SNY VOR/DME	242.00 (SNY R-062)	104.88	FL230	5200	FL450
			FONTO	213.73 (SNY R-214)	30.05	7500	6000	FL450
			LIBIE	213.73 (SNY R-214)	13.11	7500		
			LANDR	217.66 (DVY R-038)	21.09	7500		

**ARRIVAL ROUTE DESCRIPTION:**

FROM OVER LANDR ON DVV R-038 (MEA 7500) TO DVV VORTAC. EXPECT RADAR VECTORS TO THE FINAL APPROACH COURSE AT OR BEFORE DVV VORTAC.

**PROCEDURAL DATA NOTES:**

NOTE: VERTICAL NAVIGATION PLANNING INFORMATION: TURBOJETS: EXPECT TO CROSS LANDR AT 17000 AND 250 KIAS OR AS ASSIGNED BY ATC.

**FIXES AND/OR HOLDING PATTERNS:**

CHART: HOLDING BFF VORTAC (HOLD NE, RT, 210.00 INBOUND)  
CHART: HOLDING SNY VOR/DME (HOLD E, LT, 253.96 INBOUND)  
CHART: HOLDING LANDR (HOLD NE, LT, 217.66 INBOUND)  
CHART: HOLDING LIBIE (HOLD NE, LT, 213.73 INBOUND)  
CHART: AKO VOR/DME, DEN VOR/DME, FQF VORTAC, GLL VOR/DME, OBH VORTAC, PHLAT, YONDR

**COMMUNICATIONS:**

CHART: DENVER APPROACH CONTROL, BUCKLEY AFB ATIS, CENTENNIAL ATIS, DENVER INTL ATIS ARR, COLORADO AIR AND SPACE PORT ATIS, ROCKY MOUNTAIN METRO ATIS.

**AIRPORTS SERVED:**

AIRPORT NAME	CITY	STATE
BUCKLEY AFB (KBKF)	AURORA	CO



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
LANDR	TWO	LANDR.LANDR2	ONE	01/30/2020	

CENTENNIAL (KAPA)

DENVER

CO

DENVER INTL (KDEN)

DENVER

CO

NORTHERN COLORADO RGNL (KFNL)

FORT COLLINS/LOVELAND

CO

COLORADO AIR AND SPACE PORT (KCFO)

DENVER

CO

GREELEY-WELD COUNTY (KGXY)

GREELEY

CO

ROCKY MOUNTAIN METROPOLITAN (KBJC)

DENVER

CO

**LOST COMMUNICATIONS PREFERENCES:**

**REMARKS:**

LANDR TWO AMENDMENT DOES NOT SATISFY PERIODIC REVIEW REQUIREMENTS.

**ADDITIONAL FLIGHT DATA:**

**FLIGHT INSPECTED BY:**

**ORGANIZATION:**

**DATE:**

*Digitally signed by*

**DAVID DANNER**

Jan 26, 2021

Processed IAW Aircraft Operations Group (AJF-10) Memo, April 29, 2020  
Subject: Flight Inspection Review Not Required.

AJW-333

Flight Inspected Signature:

**DEVELOPED BY:**

*Digitally signed by*

**DAVID DANNER**

Jan 26, 2021

DAN POWELL

AJV-A442

01/15/2021

Developed By Signature:

**APPROVED BY:**

*Digitally signed by*

**DAVID DANNER**

Jan 26, 2021

PAT MULQUEEN

AJV-A440

Approved By Signature:



FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
LANDR	TWO	LANDR.LANDR2	ONE	01/30/2020	

**CHANGES:**

1. REMOVED NOTE ADJACENT STAR IS SAYGE ARRIVAL.
2. REMOVED MOCA VALUE 7500 AT FIX LIBIE ON ELJAY, SNY, AND YANKI TRANSITION.

**REASONS:**

1. ATC REQUEST / ALLEVIATE PILOT CONFUSION.
2. MOCA VALUE WITHIN 500 FT OF MEA VALUE.

05/11/2021: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 01/26/2021.  
1. CORRECTED YANKI TRANSITION CODE FROM YANKI.LANDR1 TO YANKI.LANDR2

