

RADIO FIX AND HOLDING DATA RECORD

NAME: DUPAGE VOR/DME STATE: IL COUNTRY: US ICAO REGION CODE: K5
 LATITUDE/LONGITUDE: 415325.34N/0882100.64W TYPE:

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	DUPAGE	DPA	VOR/DME	L							17500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG TIME	LENGTH DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	W	DPA	VOR/DME	248.00	068.00	R	1		2500	10000	4	12
2	W		WP	248.00	068.00	R		4	4000	6000	5	6
3	S	DPA	VOR/DME	169.51	349.51	R	1		3000	6000	4	5

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	415509.00N/0882551.00W	1214	4E
1	310	AAO	415509.00N/0882551.00W	1214	4E
2	200	AAO	415509.00N/0882551.00W	1214	4E
3	200	TOWER (17-001880)	414827.00N/0881607.00W	1187	4D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	ILS OR LOC RWY 2L	KDPA	CHICAGO/WEST CHICAGO	IL (US)

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
 ASSIGNED FACILITY MAG VAR: 2E 1965.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
SPECIAL IAP	RNAV (GPS)-A			LL22	DOWNERS GROVE	IL (US)
SPECIAL IAP	VOR-A			68IS	HAMPSHIRE	IL (US)
SPECIAL IAP	VOR-A		3	82IS	HUNTLEY	IL (US)
DP	MIDWAY			KMDW	CHICAGO	IL (US)
DP	O'HARE			KORD	CHICAGO	IL (US)
DP	PAL-WAUKEE			KPWK	CHICAGO/PROSPECT HEIGHTS/WHEELING	IL (US)
EN ROUTE	V6					(US)
IAP	VOR-A			1C5	BOLINGBROOK	IL (US)
IAP	ILS OR LOC RWY 13L	1		KMDW	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 10C			KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 10L			KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 22R		1	KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 27C			KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 27R			KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 28C	1	1	KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 28R	1	1	KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 4R			KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 9R			KORD	CHICAGO	IL (US)
IAP	ILS PRM RWY 10C			KORD	CHICAGO	IL (US)
IAP	ILS PRM RWY 10C (CAT II-III)			KORD	CHICAGO	IL (US)
IAP	ILS PRM RWY 10C (SA CAT I)			KORD	CHICAGO	IL (US)
IAP	ILS PRM RWY 28C		1	KORD	CHICAGO	IL (US)
IAP	ILS PRM RWY 28C (CAT II - III)			KORD	CHICAGO	IL (US)
IAP	ILS PRM RWY 28C (CLOSE PARALLEL)	1	1	KORD	CHICAGO	IL (US)
IAP	ILS PRM RWY 28C (SA CAT I)		1	KORD	CHICAGO	IL (US)
IAP	ILS PRM Y RWY 10R (CLOSE PARALLEL)		1	KORD	CHICAGO	IL (US)
IAP	ILS RWY 10C (CAT II-III)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 10C (SA CAT I)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 10L (CAT II-III)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 10L (SA CAT I)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 27C (CAT II-III)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 27C (SA CAT I)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 27R (CAT II - III)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 27R (SA CAT I)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 28C (CAT II & III)		1	KORD	CHICAGO	IL (US)
IAP	ILS RWY 28C (SA CAT I)		1	KORD	CHICAGO	IL (US)
IAP	ILS RWY 28R (CAT II & III)		1	KORD	CHICAGO	IL (US)
IAP	ILS RWY 28R (SA CAT I)		1	KORD	CHICAGO	IL (US)

IAP	ILS RWY 4R (SA CAT I/II)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 9R (CAT II - III)	1		KORD	CHICAGO	IL (US)
IAP	ILS Y OR LOC Y RWY 10R		1	KORD	CHICAGO	IL (US)
IAP	ILS Z OR LOC Z RWY 10R		1	KORD	CHICAGO	IL (US)
IAP	ILS Z RWY 10R (CAT II - III)			KORD	CHICAGO	IL (US)
IAP	ILS Z RWY 10R (SA CAT I)		1	KORD	CHICAGO	IL (US)
IAP	RNAV (GPS) PRM RWY 28C		2	KORD	CHICAGO	IL (US)
IAP	RNAV (GPS) PRM Y RWY 10R		2	KORD	CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 22R		2	KORD	CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 28C		2	KORD	CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 28R		2	KORD	CHICAGO	IL (US)
IAP	RNAV (GPS) Y RWY 10R		2	KORD	CHICAGO	IL (US)
IAP	RNAV (GPS) Z RWY 10R		2	KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 9			KARR	CHICAGO/AURORA	IL (US)
IAP	LOC RWY 33			KARR	CHICAGO/AURORA	IL (US)
IAP	RNAV (GPS) RWY 27			KARR	CHICAGO/AURORA	IL (US)
IAP	VOR RWY 36			KARR	CHICAGO/AURORA	IL (US)
IAP	VOR RWY 26			3CK	CHICAGO/LAKE IN THE HILLS	IL (US)
IAP	LOC/DME RWY 9			KLOT	CHICAGO/ROMEOVILLE	IL (US)
IAP	RNAV (GPS) RWY 20			KLOT	CHICAGO/ROMEOVILLE	IL (US)
IAP	RNAV (GPS) RWY 9			KLOT	CHICAGO/ROMEOVILLE	IL (US)
IAP	ILS OR LOC RWY 10			KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	ILS OR LOC RWY 2L	1	1	KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 10			KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 20L			KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 20R			KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	ILS OR LOC RWY 2			KDKB	DE KALB	IL (US)
STAR	JANESVILLE			KORD	CHICAGO	IL (US)

REQUIRED CHARTING: SECTIONAL, VFR TERMINAL AREA, HELICOPTER ROUTE, DP, STAR, IAP, AREA, EN ROUTE LOW, SPECIAL IAP, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 33

DATE OF REVISION: 06/12/2025

REASON FOR REVISION:

FIX USE: ADDED KMDW ILS OR LOC RWY 13L, DELETED ILS OR LOC RWY 13C.

FIX USE: ADDED KORD ILS PRM RWY 28C (CLOSE PARALLEL) AND RENAMED 'ILS PRM Y RWY 10R' TO 'ILS PRM Y RWY 10R (CLOSE PARALLEL)'.

FIX USE: ADDED FAC1 TO KMDW ILS OR LOC RWY 13L, KORD ILS OR LOC RWY 28C, KORD ILS OR LOC RWY 28R, KDPA ILS OR LOC RWY 2L.

REMOVED AIRSPACE DOCKET: 23-AGL-8.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: RAFAEL MARTINEZ

APPROVED BY:

DATE: 05/08/2025

OFFICE: AJV-A430

NAME: BEV L BORDY

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: JOLIET VOR/DME

STATE: IL

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 413247.11N/0881906.28W

TYPE:

AIRSPACE DOCKET: 24-AGL-17

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	JOLIET	JOT	VOR/DME	H						45000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	E	JOT	VOR/DME	102.32	282.32	R	1	2300 6000	4 5
2	SW	JOT	VOR/DME	231.00	051.00	R	1	2200 6000	4 5
3	SW	JOT	VOR/DME	246.00	066.00	R	1	2500 6000	4 5
4	W	JOT	VOR/DME	268.00	088.00	R	1 1/2	18000 45000	16 29
5	SW	JOT	WP	231.00	051.00	R		2300 6000	5 6
6	SW	JOT	VOR/DME	203.89	023.89	R	1	2500 6000	4 5
7	SE	JOT	WP	137.19	317.19	R		2600 6000	5 6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (17-001137)	413045.00N/0881518.00W	1043	5D
2	200	TOWER (17-001137)	413045.00N/0881518.00W	1043	5D
3	200	TOWER (17-001137)	413045.00N/0881518.00W	1043	5D
4	200	TOWER (17-001137)	413045.00N/0881518.00W	1043	5D
5	200	TOWER (17-001137)	413045.00N/0881518.00W	1043	5D
6	200	TOWER (17-001137)	413045.00N/0881518.00W	1043	5D
7	200	STACK (17-000092)	412943.00N/0880728.00W	1065	5D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN(S)

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
ASSIGNED FACILITY MAG VAR: 2E 1965.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
SPECIAL IAP	VOR OR GPS RWY 36		6	LL10	NAPERVILLE	IL (US)
EN ROUTE	J146		4			(US)
EN ROUTE	J18					(US)
EN ROUTE	J30					(US)
EN ROUTE	J60		4			(US)
EN ROUTE	J82					(US)
EN ROUTE	J87					(US)
EN ROUTE	J96					(US)
EN ROUTE	V171					(US)
EN ROUTE	V429					(US)
EN ROUTE	V8					(US)
IAP	RNAV (GPS)-B		5	1C5	BOLINGBROOK	IL (US)
IAP	VOR-A		2	1C5	BOLINGBROOK	IL (US)
IAP	RNAV (GPS) RWY 9			KIGQ	CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 4L			KMDW	CHICAGO	IL (US)
IAP	RNAV (GPS) Z RWY 4R			KMDW	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 22L			KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 28L		3	KORD	CHICAGO	IL (US)
IAP	ILS PRM Y RWY 10R (CLOSE PARALLEL)		3	KORD	CHICAGO	IL (US)
IAP	ILS RWY 22L (SA CAT I-II)			KORD	CHICAGO	IL (US)
IAP	ILS RWY 28L (CAT II & III)		3	KORD	CHICAGO	IL (US)
IAP	ILS RWY 28L (SA CAT I)		3	KORD	CHICAGO	IL (US)
IAP	ILS Y OR LOC Y RWY 10R		3	KORD	CHICAGO	IL (US)
IAP	ILS Z OR LOC Z RWY 10R		3	KORD	CHICAGO	IL (US)
IAP	ILS Z RWY 10R (CAT II-III)		3	KORD	CHICAGO	IL (US)
IAP	ILS Z RWY 10R (SA CAT I)		3	KORD	CHICAGO	IL (US)
IAP	ILS OR LOC RWY 9			KARR	CHICAGO/AURORA	IL (US)
IAP	LOC RWY 33			KARR	CHICAGO/AURORA	IL (US)
IAP	RNAV (GPS) RWY 27			KARR	CHICAGO/AURORA	IL (US)
IAP	RNAV (GPS) RWY 33			KARR	CHICAGO/AURORA	IL (US)
IAP	VOR RWY 36			KARR	CHICAGO/AURORA	IL (US)
IAP	LOC RWY 2		3	KLOT	CHICAGO/ROMEOVILLE	IL (US)
IAP	LOC/DME RWY 9		3	KLOT	CHICAGO/ROMEOVILLE	IL (US)
IAP	RNAV (GPS) RWY 2			KLOT	CHICAGO/ROMEOVILLE	IL (US)
IAP	ILS OR LOC RWY 10		1	KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	ILS OR LOC RWY 2L			KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 20R		5	KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 10		7	KDPA	CHICAGO/WEST CHICAGO	IL (US)

IAP	RNAV (GPS) RWY 20L	5	KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	RNAV (GPS) RWY 2R		KDPA	CHICAGO/WEST CHICAGO	IL (US)
IAP	VOR-A		C09	MORRIS	IL (US)

REQUIRED CHARTING: SECTIONAL, VFR TERMINAL AREA, IAP, AREA, EN ROUTE LOW, EN ROUTE HIGH, SPECIAL IAP, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 44

DATE OF REVISION: 08/07/2025

REASON FOR REVISION:

AIRSPACE DOCKET: ADDED 24-AGL-17
FIX USE: REMOVED V262 AND J26

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A423

NAME: GALE SHELTON

APPROVED BY:

DATE: 07/03/2025

OFFICE: AJV-A423

NAME: ALLAN WILL

SIGNATURE: