

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 10/02/2025	APWS Task ID: 11E544EB5C844D7684FAA68038765DA7	APWS Project ID: 3C81EC5B35694B048CB47E87D0ED8B65
Procedure: RNAV (GPS) Y RWY 20L AMDT 3		Enroute: NO	Specialist: Hardison, Dustin		Agreement Number:
Airport ID: KBNA			Airport City: NASHVILLE		State: TN
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
<div>Procedure Comments: DEVELOPED WITH ACTIVE DATA. Contact Rake McGraw AJV-A422 (405)597-8711</div> <div><div>QUALITY 38 CHECKED</div><div>QUALITY 29 CHECKED</div></div>					

WAAS CH 49013 W20D	APP CRS 201°	Rwy Idg TDZE 551 Apt Elev 599
--	------------------------	---

OLD

RNAV (GPS) Y RWY 20L

NASHVILLE INTL (BNA)



⚠

For uncompensated Baro-VNAV systems, procedure NA below -11°C (13°F) or above 54°C (130°F). DME/DME RNP-0.3 NA. Simultaneous approach authorized with Rwy 20R. LNAV procedure NA during simultaneous operations. Use of FD or AP providing RNAV track guidance required during simultaneous operations. For inop MALSR, increase LNAV/VNAV all Cats visibility to 1%. ** RVR 1800 authorized with use of FD or AP or HUD to DA.

MALSR

MISSED APPROACH:
Climb to 1300 then climbing left turn to 4000 direct CENOP and hold.


D-ATIS 135.1	NASHVILLE APP CON 118.4 360.7	NASHVILLE TOWER 118.6 257.8	GND CON 121.9 348.6	CLNC DEL 126.05	CPDLC
------------------------	---	---------------------------------------	-------------------------------	---------------------------	-------




1300 ↑	4000 ↖	CENOP △	WAYLN 4 NM Holding Pattern			
*LNAV only.			GP 3.00° TCH 47			
RW20L 1.2 NM 0.8 NM 2.4 NM 6.2 NM			XIYRI 2 NM to RW20L 1220*	JUDD 2000 201°	3000 021° → ← 201°	
CATEGORY		A		B	C	D
LPV DA		** 751/24 200 (200-½)				
LNAV/ VNAV		1025/58 474 (500-1¼)				
LNAV MDA		980/24 429 (400-½)		980/40 429 (400-¾)		
CIRCLING		1100-1 501 (600-1)	1120-1 521 (600-1)	1200-1¾ 601 (700-1¾)	1380-2½ 781 (800-2½)	

SE-1, 17 APR 2025 to 15 MAY 2025

SE-1, 17 APR 2025 to 15 MAY 2025





KBNA, NASHVILLE INTL, NASHVILLE, TN
RNAV (GPS) Y RWY 20L, AMDT 3
LPV FINAL
1:100,000

Missed Level Surface TOWER (1449)
47-000496



Case No.

40000


60000

80000

KBNA, NASHVILLE INTL, NASHVILLE, TN
RNAV (GPS) Y RWY 20L, AMDT 3
LNAV/VNAV FINAL
1:100,000

**LNAV/VNAV TREE (718)
47-088357**

Missed Level Surface TOWER (1449)
47-000496



FT
IN

20000

40000

500000

KBNA, NASHVILLE INTL, NASHVILLE, TN
RNAV (GPS) Y RWY 20L, AMDT 3
CIRCLING
1:100,000

Circling CAT B TOWER (816)
47-000499

Circling CAT C TOWER (850)
47-024931

Circling CAT A TREE (774)
47-090301

Circling CAT D TERRAIN+AAO (1073)
TPCirclingCatD_6896

