

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
FYTTE RNAV	FOUR	FYTTE.FYTTE4	THREE	15 OCT 2015	

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Mag Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
BENNR	BENNR.FYTTE4	BENNR	BENNR						
			JBAGS	093.37	22.35	15000	2900		
			BHAWK	093.46	23.96	7000	2500		BETWEEN FL220 AND FL260
			STNLE	102.27	16.78	7000	2600		BETWEEN 17000 AND FL210
			CUUPP	102.37	12.72	7000	2300		BETWEEN 15000 AND FL180
			CHMPN	102.79	02.83	7000	2400		
			CLSBY	102.58	07.44	7000	2400		BETWEEN 13000 AND 15000
			FYTTE	102.76	10.20	7000	2300		AT 11000
BHAWK	BHAWK.FYTTE4	BHAWK	BHAWK						BETWEEN FL220 AND FL260
			STNLE	102.27	16.78	7000	2600		BETWEEN 17000 AND FL210
			CUUPP	102.37	12.72	7000	2300		BETWEEN 15000 AND FL180
			CHMPN	102.79	02.83	7000	2400		
			CLSBY	102.58	07.44	7000	2400		BETWEEN 13000 AND 15000
			FYTTE	102.76	10.20	7000	2300		AT 11000
BUSSE	BUSSE.FYTTE4	BUSSE	BUSSE						AT/ABOVE FL240
			HYYDE	200.77	25.15	7000	2400		BETWEEN 17000 AND FL220
			JAKSA	205.46	22.22	7000	2400		AT 15000
			MOOPS	151.84	13.06	7000	2600		AT/ABOVE 14000
			FYTTE	151.99	19.40	7000	2400		AT 11000
CHMPN	CHMPN.FYTTE4	CHMPN	CHMPN						
			CLSBY	102.58	07.44	7000	2400		BETWEEN 13000 AND 15000
			FYTTE	102.76	10.20	7000	2300		AT 11000
MYRRS	MYRRS.FYTTE4	MYRRS	MYRRS						
			SAAYY	092.40	27.99	15000	2500		
			BENNR	092.87	26.99	15000	2700		
			JBAGS	093.37	22.35	15000	2900		
			BHAWK	093.46	23.96	7000	2500		BETWEEN FL220 AND FL260
			STNLE	102.27	16.78	7000	2600		BETWEEN 17000 AND FL210

QUALITY  
2  
CHECKED

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name FYTTE RNAV		Number FOUR		STAR Computer Code FYTTE.FYTTE4		Superseded Number THREE			Dated 15 OCT 2015	Effective Date
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Mag Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes	
			CUUPP	102.37	12.72	7000	2300		BETWEEN 15000 AND FL180	
			CHMPN	102.79	02.83	7000	2400			
			CLSBY	102.58	07.44	7000	2400		BETWEEN 13000 AND 15000	
			FYTTE	102.76	10.20	7000	2300		AT 11000	
SHIKY	SHIKY.FYTTE4	SHIKY	SHIKY							
			BUSSE	200.25	38.22	7000	2600		AT/ABOVE FL240	
			HYYDE	200.77	25.15	7000	2400		BETWEEN 17000 AND FL220	
			JAKSA	205.46	22.22	7000	2400		AT 15000	
			MOOPS	151.84	13.06	7000	2600		AT/ABOVE 14000	
			FYTTE	151.99	19.40	7000	2400		AT 11000	
TEEOO	TEEOO.FYTTE4	TEEOO	TEEOO							
			MITEE	118.68	21.49	7000	2700			
			BHAWK	119.09	24.83	7000	2400		BETWEEN FL220 AND FL260	
			STNLE	102.27	16.78	7000	2600		BETWEEN 17000 AND FL210	
			CUUPP	102.37	12.72	7000	2300		BETWEEN 15000 AND FL180	
			CHMPN	102.79	02.83	7000	2400			
			CLSBY	102.58	07.44	7000	2400		BETWEEN 13000 AND 15000	
			FYTTE	102.76	10.20	7000	2300		AT 11000	
ZZIPR	ZZIPR.FYTTE4	ZZIPR	ZZIPR							
			WELCM	118.15	18.89	7000	2600			
			TEEOO	118.29	27.00	7000	2500			
			MITEE	118.68	21.49	7000	2700			
			BHAWK	119.09	24.83	7000	2400		BETWEEN FL220 AND FL260	
			STNLE	102.27	16.78	7000	2600		BETWEEN 17000 AND FL210	
			CUUPP	102.37	12.72	7000	2300		BETWEEN 15000 AND FL180	
			CHMPN	102.79	02.83	7000	2400			
			CLSBY	102.58	07.44	7000	2400		BETWEEN 13000 AND 15000	
			FYTTE	102.76	10.20	7000	2300		AT 11000	

QUALITY  
2  
CHECKED



**STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.

Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
<b>FYTTE RNAV</b>	<b>FOUR</b>	<b>FYTTE.FYTTE4</b>	<b>THREE</b>	<b>15 OCT 2015</b>	

ARRIVAL ROUTE DESCRIPTION:

FROM FYTTE ON TRACK 102.95/7.45 TO MOTRR (MEA 7000/MOCA 2300), THEN ON TRACK 103.03/4.88 TO COGSS (MEA 7000/MOCA 2400), THEN ON TRACK 128.72/4.45 TO MADII (MEA 7000/MOCA 2500), THEN ON TRACK 133.22/9.70 TO SOOLU (MEA 7000/MOCA 2500).

LANDING RWY 10L/C/R, 09R/L, 22R/L, 04R/L, 27R/L, 15: FROM SOOLU ON TRACK 142.34/8.26 TO KURKK (MEA 7000/MOCA 2300), THEN ON TRACK 092.95/10.41 TO VULCN (MEA 4000/MOCA 2100), THEN ON TRACK 093.09/12.75 TO HIMGO (MEA 4000/MOCA 2000), THEN ON TRACK 093.09. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING RWY 28L/C/R: FROM SOOLU ON TRACK 162.12/20.01 TO JORJO (MEA 6000/MOCA 2500), THEN ON TRACK 093.00/8.37 TO MONKZ (MEA 6000/MOCA 2200), THEN ON TRACK 093.05/13.94 TO TONIE (MEA 4000/MOCA 3400), THEN ON TRACK 093.05. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PROCEDURAL DATA NOTES:

NOTE: RADAR REQUIRED.

NOTE: RNAV 1.

NOTE: DME/DME/IRU OR GPS REQUIRED.

NOTE: ORD LANDING WEST: EXPECT TO CROSS FYTTE AT 300 KIAS.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT BENNR: HOLD W, LT, 092.87 INBOUND, 10 NM LEGS. CHART HOLDING AT BHAWK: HOLD W, LT, 093.46 INBOUND, 10 NM LEGS. CHART HOLDING AT JVL VOR/DME: HOLD NW, RT, 114.00 INBOUND, 10 NM LEGS. CHART HOLDING AT MSN VORTAC: HOLD N, RT, 167.00 INBOUND, 10 NM LEGS. CHART HOLDING AT FYTTE: HOLD W, LT, 102.76 INBOUND, 7 NM LEGS. CHART MSN VORTAC, JVL VOR/DME, AND NOGGN WP AS STAND ALONE FIXES.

COMMUNICATIONS:

ORD ATIS, CHICAGO APP CON.

AIRPORTS SERVED:

CHICAGO O'HARE INTL , CHICAGO, IL

LOST COMMUNICATIONS PROCEDURE:REMARKS:ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0).

REFERENCE MAGNETIC VARIATION = KORD 03W/2010.



US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
<b>FYTTE RNAV</b>	<b>FOUR</b>	<b>FYTTE.FYTTE4</b>	<b>THREE</b>	<b>15 OCT 2015</b>	

FLIGHT INSPECTED BY:

Name

Organization

Date

Signature

DEVELOPED BY:

THOMAS RUCKER, SUPPORT MANAGER

CHICAGO ARTCC

1 Feb 2016

For

*Digitally signed by  
Patrick Mulqueen*

Name

Organization

Date

Signature

APPROVED BY:

PATRICK MULQUEEN, MANAGER

AJV-5442

1 Feb 2016

*Digitally signed by  
Patrick Mulqueen*

Name

Organization

Date

Signature

CHANGES:

1. CHANGED RWY 14R TO RWY 15
2. CHANGED NAME OF CHCGO WP TO MITEE WP

REASONS:

1. RUNWAY BEING RENUMBERED
2. ATC REQUEST


QUALITY  
2  
CHECKED

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.  
 Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
FYTTE RNAV	FOUR	FYTTE.FYTTE4	THREE	15 OCT 2015	

Graphic Depiction 1




QUALITY  
2  
CHECKED

US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
FYTTE RNAV	FOUR	FYTTE.FYTTE4	THREE	15 OCT 2015	

Graphic Depiction 2



QUALITY  
2  
CHECKED




US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
FYTTE RNAV	FOUR	FYTTE.FYTTE4	THREE	15 OCT 2015	

Graphic Depiction 3






US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
FYTTE RNAV	FOUR	FYTTE.FYTTE4	THREE	15 OCT 2015	

Graphic Depiction 4






US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
FYTTE RNAV	FOUR	FYTTE.FYTTE4	THREE	15 OCT 2015	

Graphic Depiction 5



QUALITY  
2  
CHECKED




US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
FYTTE RNAV	FOUR	FYTTE.FYTTE4	THREE	15 OCT 2015	

Graphic Depiction 6



QUALITY  
2  
CHECKED



US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
FYTTE RNAV	FOUR	FYTTE.FYTTE4	THREE	15 OCT 2015	

**Graphic Depiction 7**



2  
CHECKED



US DEPARTMENT of TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet. MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Distances are in nautical miles (NM). Graphic depiction attached.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
FYTTE RNAV	FOUR	FYTTE.FYTTE4	THREE	15 OCT 2015	

Graphic Depiction 8



## STAR (DATA RECORD)

Arrival Name FYTTE RNAV		Number FOUR		STAR Computer Code FYTTE.FYTTE4		Superseded Number THREE		Dated 15 OCT 2015	Effective Date
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
BENNR	423135.28N / 0904914.38W	Y		IF					BENNR.FYTTE4
JBAGS	423122.69N / 0901900.57W	Y	FB	TF	090.37	22.35			
BHAWK	423106.49N / 0894636.81W	Y	FB	TF	090.46	23.96	FL220BFL260		
STNLE	422822.04N / 0892414.54W	Y	FB	TF	099.27	16.78	17000BFL210	AT 280K	
CUUPP	422616.46N / 0890717.42W	Y	FB	TF	099.37	12.72	15000BFL180	AT 280K	
CHMPN	422547.55N / 0890331.69W	Y	FB	TF	099.79	02.83			
CLSBY	422432.80N / 0885337.47W	Y	FB	TF	099.58	07.44	13000B15000	AT 270K	
FYTTE	422248.22N / 0884004.05W	Y	FB	TF	099.76	10.20	AT 11000	AT 250K	
En Route Transition									
BHAWK	423106.49N / 0894636.81W	Y		IF			FL220BFL260		BHAWK.FYTTE4
STNLE	422822.04N / 0892414.54W	Y	FB	TF	099.27	16.78	17000BFL210	AT 280K	
CUUPP	422616.46N / 0890717.42W	Y	FB	TF	099.37	12.72	15000BFL180	AT 280K	
CHMPN	422547.55N / 0890331.69W	Y	FB	TF	099.79	02.83			
CLSBY	422432.80N / 0885337.47W	Y	FB	TF	099.58	07.44	13000B15000	AT 270K	
FYTTE	422248.22N / 0884004.05W	Y	FB	TF	099.76	10.20	AT 11000	AT 250K	
En Route Transition									
BUSSE	433508.47N / 0884040.99W	Y		IF			AT/ABOVE FL240		BUSSE.FYTTE4
HYYDE	431110.90N / 0885110.50W	Y	FB	TF	197.77	25.15	17000BFL220		
JAKSA	425038.05N / 0890242.67W	Y	FB	TF	202.46	22.22	AT 15000	AT 280K	
MOOPS	423926.92N / 0885333.06W	Y	FB	TF	148.84	13.06	AT/ABOVE 14000		
FYTTE	422248.22N / 0884004.05W	Y	FB	TF	148.99	19.40	AT 11000	AT 250K	
En Route Transition									
CHMPN	422547.55N / 0890331.69W	Y		IF					CHMPN.FYTTE4
CLSBY	422432.80N / 0885337.47W	Y	FB	TF	099.58	07.44	13000B15000	AT 270K	
FYTTE	422248.22N / 0884004.05W	Y	FB	TF	099.76	10.20	AT 11000	AT 250K	

QUALITY

2

CHECKED

QUALITY  
2  
CHECKED

## STAR (DATA RECORD)

Arrival Name FYTTE RNAV		Number FOUR		STAR Computer Code FYTTE.FYTTE4			Superseded Number THREE		Dated 15 OCT 2015		Effective Date	
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS			
En Route Transition												
MYRRS	423126.02N / 0920335.73W	Y		IF					MYRRS.FYTTE4			
SAAYY	423137.44N / 0912544.57W	Y	FB	TF	089.40	27.99						
BENNR	423135.28N / 0904914.38W	Y	FB	TF	089.87	26.99						
JBAGS	423122.69N / 0901900.57W	Y	FB	TF	090.37	22.35						
BHAWK	423106.49N / 0894636.81W	Y	FB	TF	090.46	23.96	FL220BFL260					
STNLE	422822.04N / 0892414.54W	Y	FB	TF	099.27	16.78	17000BFL210	AT 280K				
CUUPP	422616.46N / 0890717.42W	Y	FB	TF	099.37	12.72	15000BFL180	AT 280K				
CHMPN	422547.55N / 0890331.69W	Y	FB	TF	099.79	02.83						
CLSBY	422432.80N / 0885337.47W	Y	FB	TF	099.58	07.44	13000B15000	AT 270K				
FYTTE	422248.22N / 0884004.05W	Y	FB	TF	099.76	10.20	AT 11000	AT 250K				
En Route Transition												
SHIKY	441140.00N / 0882505.00W	Y		IF					SHIKY.FYTTE4			
BUSSE	433508.47N / 0884040.99W	Y	FB	TF	197.25	38.22	AT/ABOVE FL240					
HYYDE	431110.90N / 0885110.50W	Y	FB	TF	197.77	25.15	17000BFL220					
JAKSA	425038.05N / 0890242.67W	Y	FB	TF	202.46	22.22	AT 15000	AT 280K				
MOOPS	423926.92N / 0885333.06W	Y	FB	TF	148.84	13.06	AT/ABOVE 14000					
FYTTE	422248.22N / 0884004.05W	Y	FB	TF	148.99	19.40	AT 11000	AT 250K				
En Route Transition												
TEEOO	425127.62N / 0904301.84W	Y		IF					TEEOO.FYTTE4			
MITEE	424205.72N / 0901645.99W	Y	FB	TF	115.68	21.49						
BHAWK	423106.49N / 0894636.81W	Y	FB	TF	116.09	24.83	FL220BFL260					
STNLE	422822.04N / 0892414.54W	Y	FB	TF	099.27	16.78	17000BFL210	AT 280K				
CUUPP	422616.46N / 0890717.42W	Y	FB	TF	099.37	12.72	15000BFL180	AT 280K				
CHMPN	422547.55N / 0890331.69W	Y	FB	TF	099.79	02.83						
CLSBY	422432.80N / 0885337.47W	Y	FB	TF	099.58	07.44	13000B15000	AT 270K				
FYTTE	422248.22N / 0884004.05W	Y	FB	TF	099.76	10.20	AT 11000	AT 250K				

QUALITY  
2  
CHECKED

QUALITY  
2  
CHECKED

## STAR (DATA RECORD)

Arrival Name FYTTE RNAV	Number FOUR	STAR Computer Code FYTTE.FYTTE4	Superseded Number THREE	Dated 15 OCT 2015	Effective Date
----------------------------	----------------	------------------------------------	----------------------------	----------------------	----------------

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
<b>En Route Transition</b>									
ZZIPR	431109.00N / 0913933.00W	Y		IF					ZZIPR.FYTTE4
WELCM	430304.68N / 0911613.37W	Y	FB	TF	115.15	18.89			
TEEOO	425127.62N / 0904301.84W	Y	FB	TF	115.29	27.00			
MITEE	424205.72N / 0901645.99W	Y	FB	TF	115.68	21.49			
BHAWK	423106.49N / 0894636.81W	Y	FB	TF	116.09	24.83	FL220BFL260		
STNLE	422822.04N / 0892414.54W	Y	FB	TF	099.27	16.78	17000BFL210	AT 280K	
CUUPP	422616.46N / 0890717.42W	Y	FB	TF	099.37	12.72	15000BFL180	AT 280K	
CHMPN	422547.55N / 0890331.69W	Y	FB	TF	099.79	02.83			
CLSBY	422432.80N / 0885337.47W	Y	FB	TF	099.58	07.44	13000B15000	AT 270K	
FYTTE	422248.22N / 0884004.05W	Y	FB	TF	099.76	10.20	AT 11000	AT 250K	

<b>Common Route</b>									
FYTTE	422248.22N / 0884004.05W	Y		IF			AT 11000	AT 250K	FYTTE.FYTTE4
MOTRR	422130.57N / 0883010.35W	Y	FB	TF	099.95	07.45			
COGSS	422039.38N / 0882341.65W	Y	FB	TF	100.03	04.88			
MADII	421803.47N / 0881849.73W	Y	FB	TF	125.72	04.45			
SOOLU	421146.95N / 0880851.70W	Y	FB	TF	130.22	09.70			

<b>Runway Transition</b>									
SOOLU	421146.95N / 0880851.70W	Y		IF					
KURKK	420530.61N / 0880137.92W	Y	FB	TF	139.34	08.26			
VULCN	420530.34N / 0874739.02W	Y	FB	TF	089.95	10.41			
HIMGO	420527.84N / 0873031.89W	Y	FO	TF	090.09	12.75			
KORD:RWYS 04L/R, 9L/R 10L/C/R, 15, 22L/R, 27L/R				FM	090.09				RECOMMENDED NAVAID: MZZ VOR/DME

<b>Runway Transition</b>									
SOOLU	421146.95N / 0880851.70W	Y		IF					RWYS 28L/C/R
JORJO	415304.14N / 0875918.78W	Y	FB	TF	159.12	20.01			

QUALITY  
2  
CHECKED

## STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code		Superseded Number		Dated	Effective Date		
FYTTE RNAV	FOUR	FYTTE.FYTTE4		THREE		15 OCT 2015			
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
MONKZ	415303.59N / 0874806.47W	Y	FB	TF	090.00	08.37			
TONIE	415301.37N / 0872926.75W	Y	FO	TF	090.05	13.94			
KORD:RWY 28L/C/R				FM	090.05				RECOMMENDED NAVAID: MZZ VOR/DME

