

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

DP NAME						NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	EFFECTIVE DATE
CHUNA						ONE	CHUNA1.CHUNA	NONE		
TYPE:	OBSTACLE	COPTER	SID	SPECIAL	RNAV					
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					

DP ROUTE DESCRIPTION:

RWY 8/15: CLIMBING LEFT TURN DIRECT ELF NDB, THENCE...

RWY 26: CLIMBING RIGHT TURN HEADING 275.00, THENCE...

RWY 33: CLIMBING LEFT TURN HEADING 263.00, THENCE...

...INTERCEPT THE 239 BEARING FROM ELF NDB TO CHUNA, MAINTAIN ASSIGNED ALTITUDE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

TRANSITION NAME	TRANSITION COMPUTER CODE	FROM FIX/NAVAID	TO FIX/NAVAID	COURSE	DISTANCE	MEA	MOCA	CROSSING ALTITUDE/FIXES
MORDI	CHUNA1.MORDI	CHUNA	MORDI	239.19 (ELF BRG 239)	52.03	8000	5300	MORDI AT OR ABOVE 9000

PROCEDURAL DATA NOTES:
NOTE: ADF AND DME REQUIRED.

TAKEOFF MINIMUMS:

RWY 8, 15, 33: STANDARD.

RWY 26: STANDARD WITH A MINIMUM CLIMB OF 400 FT PER NM TO 1300.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 8: BUSH 166 FT FROM DER, 331 FT LEFT OF CENTERLINE, 105 FT MSL.

NOTE RWY 15: TREE 161 FT FROM DER, 414 FT LEFT OF CENTERLINE, 104 FT MSL.

NOTE RWY 26: RISING TERRAIN BEGINING 2.2 NM FROM DER, 1 NM LEFT OF CENTERLINE, UP TO 942 FT MSL.

NOTE RWY 33: BUSH 137 FT FROM DER, 360 FT RIGHT OF CENTERLINE, 78 FT MSL.

CONTROLLING OBSTACLES:

RWY 26: 939 FT MSL GRD 551132.58N-1624720.18W.

LOST COMMUNICATIONS PROCEDURES:



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
CHUNA	ONE	CHUNA1.CHUNA	NONE		

ADDITIONAL FLIGHT DATA:

REFERENCE MAG VAR: PACD 12E EPOCH YR: 2015.
CHART: TOP ALTITUDE: ASSIGNED BY ATC.

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>CITY</u>	<u>STATE</u>
COLD BAY	COLD BAY	AK

COMMUNICATIONS:

ZAN, CDB FSS.

FIXES AND/OR NAVAIDS:

CDB VORTAC.

REMARKS:



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
CHUNA	ONE	CHUNA1.CHUNA	NONE		
<u>FLIGHT INSPECTED BY:</u>			<u>OFFICE SYMBOL:</u>	<u>DATE:</u>	
<u>DEVELOPED BY:</u>			<u>OFFICE SYMBOL:</u>	<u>DATE:</u>	
JACOB POWERS (IVAN BLANCO)			AJV-5432	05/10/2017	
<u>APPROVED BY:</u>			<u>OFFICE SYMBOL:</u>	<u>DATE:</u>	
PAT MULQUEEN			AJV-5430		
<u>REQUIRED EFFECTIVE DATE:</u>					
ROUTINE					
<u>COORDINATED WITH:</u>					
<u>A4A</u>	<u>ALPA</u>	<u>AOPA</u>	<u>APA</u>	<u>HAI</u>	<u>NBAA</u>
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<u>OTHER:</u>					
ZAN, CDB FSS, AMGR.					
<u>CHANGES - REASONS:</u>					
ORIG.					

QUALITY
3
CHECKED