

RADIO FIX AND HOLDING DATA RECORD

NAME: AMONT

STATE: CA

COUNTRY: US

LATITUDE/LONGITUDE: 351101.72N/1184519.37W

TYPE: WP, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	BAKERSFIELD	I-BFL	LOC/DME		121.32	135.32	22.26	22.26		4500	9000
2	SHAFTER	EHF	VORTAC	H	122.93	136.93	24.62	24.62		8500	45000
3	LAKE HUGHES	LHS	VORTAC	L	328.70	343.70	31.27	31.27		8500	17500
4	TULE	TTE	VOR/DME	L	147.36	163.36	45.58	45.58		7800	17500
5	GORMAN	GMN	VORTAC	L	356.90	012.90	23.34	23.34		7800	18000

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-BFL	LOC/DME	BRG-121	23	4500	9000
TTE	VOR/DME	R-147	46	7800	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

LAKE HUGHES (FAC 3) USED TO ESTABLISH FIX COORDINATES
DO NOT CHART FAC 5 ON ENROUTE LOW CHART
EN ROUTE HIGH: CHART FAC 2 ONLY
FAC 1 DME COORDINATES 352656.00N/1190422.83W
LOCATED 188 FT NE OF V165 DOGLEG POINT

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	MEADOWS			KBFL	BAKERSFIELD	CA (US)
EN ROUTE	V165	2, 3				(US)
EN ROUTE	V197	2				(US)
EN ROUTE	V459	3, 4				(US)
IAP	ILS OR LOC RWY 30R	1		KBFL	BAKERSFIELD	CA (US)
IAP	GPS RWY 22			KMHV	MOJAVE	CA (US)
STAR	KIMMO	2, 3, 4		KLAX	LOS ANGELES	CA (US)
STAR	KIMMO	2, 3, 4		KSMO	SANTA MONICA	CA (US)

REQUIRED CHARTING: DP, STAR, IAP, CONTROLLER, EN ROUTE LOW, EN ROUTE HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 19

DATE OF REVISION: 05/26/2016

REASON FOR REVISION:

REMOVE RADAR CHARTING
UPDATE FAC 2 AND 3 MRA FROM 7800 TO V165-197-459 MEA 8500

DEVELOPED BY:

DATE: 03/11/2016

OFFICE: AJV-5430

NAME: ROBERT ABBOTT

APPROVED BY:

DATE:

OFFICE: AJV-5430

NAME: LONNIE EVERHART

SIGNATURE: *Digitally signed by*
LONNIE EVERHART

DISTRIBUTION:

NFDC
FPO: WST
ARTCC: ZLA
ATC FACILITY: BFL ATCT
OTHER:

Apr 27, 2016

QUALITY
3
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: ARVIN

STATE: CA

COUNTRY: US

LATITUDE/LONGITUDE: 351636.68N/1185140.85W

TYPE: INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	SHAFTER	EHF	VORTAC	H	123.00	137.00	16.99	16.99		3000	17500
2	GORMAN	GMN	VORTAC	L	344.00	000.00		28.32		3000	17500

FIX RESTRICTIONS:

MCA V197 7200 SOUTHEAST BOUND
MCA V165 7200 SOUTHEAST BOUND

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

SHAFTER (FAC 1) AND GORMAN (FAC 2) USED TO ESTABLISH FIX COORDINATES

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V165	1, 2			BAKERSFIELD	CA (US)
EN ROUTE	V197	1, 2			BAKERSFIELD	CA (US)
IAP	GPS RWY 22			KMHV	MOJAVE	CA (US)
STAR	KIMMO	1, 2		KLAX	LOS ANGELES	CA (US)
STAR	KIMMO	1, 2		KSMO	SANTA MONICA	CA (US)

REQUIRED CHARTING: STAR, IAP, CONTROLLER, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 11

DATE OF REVISION: 05/26/2016

REASON FOR REVISION:

ADD FACS USED TO ESTABLISH FIX COORDINATES
UPDATE FIX USE
INCREASE V165-V197 MCA FROM 6900SE TO 7200SE

DEVELOPED BY:

DATE: 02/17/2016

OFFICE: AJV-5430

NAME: ROBERT ABBOTT

APPROVED BY:

DATE:

OFFICE: AJV-5430

NAME: LONNIE EVERHART

SIGNATURE: Digitally signed by

LONNIE EVERHART

DISTRIBUTION:

NFDC
FPO: WST
ARTCC: ZLA
ATC FACILITY: BAKERSFIELD APP/CON
OTHER:
Apr 27, 2016

QUALITY
3
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: FISCH

STATE: CA

COUNTRY: US

LATITUDE/LONGITUDE: 344736.81N/1181629.55W

TYPE: WP, RADAR, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	PALMDALE	PMD	VORTAC	H	298.00	313.00	14.26	14.26		5000	17500
2	LAKE HUGHES	LHS	VORTAC	L	051.00	066.00		16.34		5000	17500

FIX RESTRICTIONS:

MRA V197 8300 NORTHWEST BOUND

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	SE		WP	118.00	298.00	L		7	6700	10000	9	10
2	SE	PMD	VORTAC	298.00	298.00	L	1		6700	10000	9	10

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	AAO	343248.00N/1181306.00W	5401	4E
1	310	AAO	343241.30N/1181348.60W	5417	6C
2	230	AAO	343248.00N/1181306.00W	5401	4E
2	310	AAO	343241.30N/1181348.60W	5417	6C

PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
1	310	94
2	310	94

REASON FOR NONSTANDARD HOLDING:

PAT 1 AVOID SPECIAL USE AIRSPACE
PAT 2 AVOID SPECIAL USE AIRSPACE

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	RNAV (GPS) RWY 25	KPMD	PALMDALE	CA (US)
2	HI-TACAN RWY 25	KPMD	PALMDALE	CA (US)
2	HI-ILS OR LOC/DME RWY 25	KPMD	PALMDALE	CA (US)
2	TAKEOFF MINIMUMS	KPMD	PALMDALE	CA (US)
2	ILS OR LOC RWY 25	KPMD	PALMDALE	CA (US)

REMARKS:

PALMDALE (FAC 1) AND LAKE HUGHES (FAC 2) USED TO ESTABLISH FIX COORDINATES
PRECIPITOUS TERRAIN EVALUATION COMPLETE.
PATTERN 1&2 230 AIRSPEED CONTROLLING OBSTACLE IS 9,279 FEET INTO SECONDARY AREA.
PATTERN 1&2 MIN ALTITUDE OF 6700 DICTATED BY 1500 AIRSPACE.
RADAR FIX SUPPORTS ILS OR LOC RWY 25 ALTERNATE MISSED APPROACH.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	TAKEOFF MINIMUMS		2	KPMD	PALMDALE	CA (US)
EN ROUTE	V197	1, 2		KPMD	PALMDALE	CA (US)
IAP	NDB-C	1		KWJF	LANCASTER	CA (US)
IAP	HI-ILS OR LOC/DME RWY 25	1, 2	2	KPMD	PALMDALE	CA (US)
IAP	HI-TACAN RWY 25	1, 2	2	KPMD	PALMDALE	CA (US)
IAP	ILS OR LOC RWY 25	1, 2	2	KPMD	PALMDALE	CA (US)
IAP	RNAV (GPS) RWY 25		1	KPMD	PALMDALE	CA (US)
IAP	VOR/DME OR TACAN RWY 25	1, 2	2	KPMD	PALMDALE	CA (US)

REQUIRED CHARTING: DP, MILITARY IAP, IAP, CONTROLLER, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 7

DATE OF REVISION: 05/26/2016

REASON FOR REVISION:

1. INCREASE MCA FROM 8100NW TO 8300NW
2. ADD LANCASTER (WJF) NDB-C FIX USE

QUALITY
3
CHECKED

QUALITY
3
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: HASSA

STATE: CA

COUNTRY: US

LATITUDE/LONGITUDE: 341206.51N/1175054.58W

TYPE: INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	POMONA	POM	VORTAC	L	322.54	337.54	8.00	8.00		6500	17500
2	LOS ANGELES	LAX	VORTAC	H	045.88	060.88		33.24		6500	17500

FIX RESTRICTIONS:

MCA V197 10000 NORTHWEST BOUND

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	HASSA	1, 2		KONT	ONTARIO	CA (US)
EN ROUTE	V197	1, 2				(US)

REQUIRED CHARTING: DP, CONTROLLER, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 10

DATE OF REVISION: 05/26/2016

REASON FOR REVISION:

MOVE 4 FT NW TO V197 CENTERLINE
LOWER MRA FOR FAC 1 AND 2 FROM 7100 TO 6500

DEVELOPED BY:

DATE: 03/11/2016

OFFICE: AJV-5430

NAME: ROBERT ABBOTT

APPROVED BY:

DATE:

OFFICE: AJV-5430

NAME: LONNIE EVERHART

SIGNATURE: *Digitally signed by*
LONNIE EVERHART

DISTRIBUTION:

NFDC
FPO: WST
ARTCC: ZLA
ATC FACILITY: SOCAL TRACON
OTHER:
Apr 27, 2016

QUALITY
3
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: JERID

STATE: CA

COUNTRY: US

LATITUDE/LONGITUDE: 345222.21N/1182242.68W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	PALMDALE	PMD	VORTAC	H	298.00	313.00	21.24	21.24		10000	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	SW		WP	208.82	028.82	R	7	8600 12000	10 13

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	AAO	344100.00N/1183433.00W	5991	4E
1	310	AAO	350051.00N/1182830.00W	8077	2C

PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
1	230	206
1	310	206

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	RNAV (GPS) RWY 24	KL71	CALIFORNIA CITY	CA (US)

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETE
PRIOR COORDINATION REQUIRED WITH CONTROLLING AGENCY FOR HOLDING OVER BAKERSFIELD MOA AND ISABELLA MOA

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	JERID (RNAV)	1		KMHV	MOJAVE	CA (US)
EN ROUTE	V197	1				(US)
IAP	RNAV (GPS) RWY 24		1	KL71	CALIFORNIA CITY	CA (US)
IAP	GPS RWY 22		1	KMHV	MOJAVE	CA (US)
IAP	GPS RWY 4	1		KMHV	MOJAVE	CA (US)

REQUIRED CHARTING: DP, IAP, CONTROLLER, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4

DATE OF REVISION: 05/26/2016

REASON FOR REVISION:

DELETE REDUNDENT HOLDING LIMITED NOTE
MOVED PRECIPITOUS ADJUSTMENT FROM REMARKS TO HOLDING
RAISED PALMDALE VORTAC MRA FROM 5800 TO 10000

DEVELOPED BY: **DATE:** 02/18/2016 **OFFICE:** AJV-5430 **NAME:** ROBERT ABBOTT

APPROVED BY: **DATE:** **OFFICE:** AJV-5430 **NAME:** LONNIE EVERHART

SIGNATURE: *Digitally signed by*
 LONNIE EVERHART

DISTRIBUTION: **NFDC**
 FPO: WST Apr 27, 2016
 ARTCC: ZLA
 ATC FACILITY: JOSHUA APP CON
 OTHER:

QUALITY
3
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: KELEN

STATE: CA

COUNTRY: US

LATITUDE/LONGITUDE: 350724.47N/1184117.53W

TYPE: INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	SHAFTER	EHF	VORTAC	H	123.00	137.00	29.52	29.52		8400	17500
2	GORMAN	GMN	VORTAC	L	008.00	024.00		20.95		8400	17500

FIX RESTRICTIONS:

MCA V197 9300 SOUTHEAST BOUND

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

SHAFTER (FAC 1) AND GORMAN (FAC 2) USED TO ESTABLISH FIX COORDINATES

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V197	1, 2				CA (US)
STAR	FASTO	1, 2		KBFL	BAKERSFIELD	CA (US)

REQUIRED CHARTING: STAR, CONTROLLER, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3

DATE OF REVISION: 05/26/2016

REASON FOR REVISION:

INCREASE FAC 1 & 2 MRA FROM 7800 TO 8400 FOR FASTO STAR
INCREASE V197 MCA FROM 9100SE TO 9300SE
ADD FACS USED TO ESTABLISH FIX COORDINATES

DEVELOPED BY:

DATE: 02/17/2016

OFFICE: AJV-5421

NAME: ROBERT ABBOTT

APPROVED BY:

DATE:

OFFICE: AJV-5430

NAME: LONNIE EVERHART

SIGNATURE: *Digitally signed by*

LONNIE EVERHART

DISTRIBUTION:

NFDC

FPO: WST

ARTCC: ZLA

ATC FACILITY: BFL APP CON

OTHER:

Apr 27, 2016

QUALITY
3
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: POMONA VORTAC

STATE: CA

COUNTRY: US

LATITUDE/LONGITUDE: 340442.20N/1174713.47W

TYPE:

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	POMONA	POM	VORTAC	L							17500

FIX RESTRICTIONS:

MCA V210 10300 NORTHEAST BOUND
MCA V264 5600 EASTBOUND
MCA V394 10300 NORTHEAST BOUND
MCA V197 5800 NORTHWEST BOUND

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	E	POM	VORTAC	112.00	292.00	L	1-1 1/2		4000	17500	4	16
2	SW	POM	VORTAC	240.00	060.00	R	1		4000	10000	4	9
3	SW	POM	VORTAC	233.00	053.00	R	1		3700	10000	4	9

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	340939.00N/1174754.00W	3449	4E
2	200	AAO	340957.00N/1174500.00W	3639	4E
3	200	AAO	340957.00N/1174439.00W	3665	4E

REASON FOR NONSTANDARD HOLDING:

PAT 1 TERRAIN

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
PAT 1 CONTROLLING OBSTACLE 1.32NM INTO SECONDARY AREA, PRIMARY EQUIVALENT HEIGHT 2618 MSL.
PAT 2 CONTROLLING OBSTACLE 1.98NM INTO SECONDARY AREA, PRIMARY EQUIVALENT HEIGHT 2645 MSL.
PAT 3 CONTROLLING OBSTACLE 1.97NM INTO SECONDARY AREA, PRIMARY EQUIVALENT HEIGHT 2668 MSL.
MINIMUM TURNING ALTITUDE: AIRCRAFT PROCEEDING AMTRA V264 POM V197 PMD MUST MAINTAIN 11800 OR HIGHER UNTIL ESTABLISHED ON CENTERLINE OF V197 NORTHWEST BOUND.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	ANAHEIM			KFUL	FULLERTON	CA (US)
DP	TAKE-OFF MINIMUMS			KPOC	LA VERNE	CA (US)
DP	ANAHEIM			KLGB	LONG BEACH	CA (US)
DP	LAXX			KLAX	LOS ANGELES	CA (US)
DP	HASSA			KONT	ONTARIO	CA (US)
DP	ONTARIO			KONT	ONTARIO	CA (US)
DP	POMONA			KONT	ONTARIO	CA (US)
DP	ANAHEIM			KSNA	SANTA ANA	CA (US)
DP	IRVINE			KSNA	SANTA ANA	CA (US)
DP	MUSEL			KSNA	SANTA ANA	CA (US)
DP	ADAMM			KVNY	VAN NUYS	CA (US)
EN ROUTE	V197					(US)
EN ROUTE	V210					(US)
EN ROUTE	V264					(US)
EN ROUTE	V363					(US)
EN ROUTE	V394					(US)
IAP	NDB OR GPS-C		1	KEMT	EL MONTE	CA (US)
IAP	VOR OR GPS-A		1	KEMT	EL MONTE	CA (US)
IAP	VOR/DME OR GPS-B			KEMT	EL MONTE	CA (US)
IAP	RNAV (GPS) RWY 24			KFUL	FULLERTON	CA (US)
IAP	ILS RWY 26L			KPOC	LA VERNE	CA (US)
IAP	LOC RWY 26L			KPOC	LA VERNE	CA (US)
IAP	RNAV (GPS) - B			KPOC	LA VERNE	CA (US)
IAP	VOR - A			KPOC	LA VERNE	CA (US)
IAP	RNAV (GPS) RWY 22L			KSNI	LOS ALAMITOS	CA (US)
IAP	ILS OR LOC RWY 24L			KLAX	LOS ANGELES	CA (US)
IAP	ILS OR LOC RWY 24R			KLAX	LOS ANGELES	CA (US)
IAP	ILS OR LOC RWY 25L			KLAX	LOS ANGELES	CA (US)
IAP	ILS OR LOC RWY 25R			KLAX	LOS ANGELES	CA (US)
IAP	ILS RWY 24R(CAT II)			KLAX	LOS ANGELES	CA (US)
IAP	ILS RWY 24R(CAT III)			KLAX	LOS ANGELES	CA (US)
IAP	ILS RWY 25L(CAT II)			KLAX	LOS ANGELES	CA (US)
IAP	ILS RWY 25L(CAT III)			KLAX	LOS ANGELES	CA (US)

QUALITY
3
CHECKED

IAP	ILS OR LOC RWY 8L		KONT	ONTARIO	CA (US)
IAP	ILS OR LOC RWY 9		KRAL	RIVERSIDE	CA (US)
IAP	RNAV (GPS) RWY 9		KRAL	RIVERSIDE	CA (US)
IAP	RNAV(GPS) RWY 6		KCCB	UPLAND	CA (US)
IAP	VOR-A	3	KCCB	UPLAND	CA (US)
IAP	ILS Y RWY 16R (ALT MISS)	1	KVNY	VAN NUYS	CA (US)
IAP	ILS Z RWY 16R (ALT MISS)	1	KVNY	VAN NUYS	CA (US)
STAR	KAYOH		KLGB	LONG BEACH	CA (US)
STAR	OLDEE		KLAX	LOS ANGELES	CA (US)
STAR	SEAVU		KLAX	LOS ANGELES	CA (US)
STAR	ZIGGY		KONT	ONTARIO	CA (US)
STAR	MARCH		KRIV	RIVERSIDE	CA (US)

REQUIRED CHARTING: DP, STAR, MILITARY IAP, IAP, AREA, CONTROLLER, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 22

DATE OF REVISION: 05/26/2016

REASON FOR REVISION:

UPDATE VAN NUYS FIX USE
UPDATE FIX RESTRICTION FORMAT
ADD V197 MCA 5800NW

DEVELOPED BY: **DATE:** 02/18/2016

OFFICE: AJV-5430

NAME: ROBERT ABBOTT

APPROVED BY: **DATE:**

OFFICE: AJV-5430

NAME: LONNIE EVERHART

SIGNATURE: *Digitally signed by*
LONNIE EVERHART

DISTRIBUTION:

NFDC
FPO: WST
ARTCC: ZLA
ATC FACILITY: SOCAL TRACON
OTHER:
Apr 27, 2016

QUALITY
3
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: ZALJE

STATE: CA

COUNTRY: US

LATITUDE/LONGITUDE: 345538.24N/1182659.55W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	PALMDALE	PMD	VORTAC	H	298.00	313.00	26.04	26.04		10000	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V197	1				(US)
IAP	GPS RWY 4			KMHV	MOJAVE	CA (US)

REQUIRED CHARTING: IAP, CONTROLLER, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 05/26/2016

REASON FOR REVISION:

ADD PMD VORTAC DISTANCE
MOVED 15 FT NE ON AIRWAY CENTERLINE
DELETE JERID FIX MAKE-UP FAC
CORRECT MOJAVE FIX USE TO GPS RWY 4 VS GPS RWY 22
DELETE L3 CHARTING REMARK

DEVELOPED BY:

DATE: 02/18/2016

OFFICE: AJV-5430

NAME: ROBERT ABBOTT

APPROVED BY:

DATE:

OFFICE: AJV-5430

NAME: LONNIE EVERHART

SIGNATURE: *Digitally signed by*
LONNIE EVERHART

DISTRIBUTION:

NFDC
FPO: WST
ARTCC: ZLA
ATC FACILITY: JOSHUA APP CON
OTHER:
Apr 27, 2016

QUALITY
3
CHECKED