

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
OBERS	FOUR	OBERS4.OBERS	THREE	12/03/2008	

TYPE: SID

DP ROUTE DESCRIPTION:

TAKEOFF RWY 5: CLIMB VIA BLF R-074 TO CROSS OBERS INT AT OR ABOVE 5000 OR ALTITUDE ASSIGNED BY ATC. THENCE
TAKEOFF RWY 23: CLIMBING RIGHT TURN VIA BLF R-074 TO CROSS OBERS INT AT OR ABOVE 5000 OR ALTITUDE ASSIGNED BY ATC. THENCE
..... VIA ATC ASSIGNED ROUTE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

TAKEOFF MINIMUMS: RWY 5, STANDARD.
TAKEOFF MINIMUMS: RWY 23, 400-2 1/4 OR STANDARD WITH MINIMUM CLIMB OF 238 FEET PER NM TO 3300.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 5, TREES BEGINNING 14' FROM DER, 370' LEFT OF CENTERLINE, UP TO 100' AGL/2939' MSL. TREES BEGINNING 15' FROM DER, 391' RIGHT OF CENTERLINE, UP TO 100' AGL/2959' MSL.
NOTE: RWY 23, TREES BEGINNING AT DER, 258' LEFT OF CENTERLINE, UP TO 100' AGL/2939' MSL. TREES BEGINNING 140' FROM DER, 74' RIGHT OF CENTERLINE, UP TO 100' AGL/3159' MSL.

CONTROLLING OBSTACLES:

RWY 5: 4242 MSL TOWER, 371505.00N-0811119.00W.
RWY 23: 4284 MSL TOWER, 371312.30N-0811519.00W; 3139 MSL TREE, 371612.62N-0811421.93W; 3159 MSL TREE, 371614.10N-0811419.38W; 3147 MSL TREE, 371617.08N-0811412.67W.

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

CHART: TOP ALTITUDE: ASSIGNED BY ATC.

NFDD 16-086 PUB 07/21/2016

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
OBERS	FOUR	OBERS4.OBERS	THREE	12/03/2008	

AIRPORTS SERVED:

MERCER COUNTY

BLUEFIELD, WV

COMMUNICATIONS:

IND APP/DEP CON

FIXES AND/OR NAVAIDS:

BKW VORTAC

REMARKS:

Digitally signed by
DONALD H LANIER
FLIGHT INSPECTED BY: Apr 21, 2016
FLIGHT INSPECTION NOT REQUIRED AJV-5440
GEORGE E. DAVIS, MANAGER

Digitally signed by
MARVIN E WHITE
DEVELOPED BY: MARVIN WHITE AJV-5443
Mar 21, 2016

Digitally signed by
DONALD H LANIER
APPROVED BY: GEORGE E. DAVIS AJV-5440
Apr 21, 2016

COORDINATED WITH: Apr 21, 2016
ALPA, AOPA, NBAA, EAST FPO, AMGR, IND APP/DEP CON

REQUIRED EFFECTIVE DATE:

ROUTINE

CHANGES:

ADDED CHART: TOP ALTITUDE: ASSIGNED BY ATC.

REASONS:

ATC REQUEST



DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
OBERS	FOUR	OBERS4 . OBERS	THREE	12/03/2008	

ARINC SUMMARY - KBLF

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
RW05	010		CA	FB		049.0						AA 03257		
RW05	020	OBERS	CF	FB		074.0	BLF					AA 05000		EE
RW23	010		CA	FB		229.0						AA 03257		
RW23	020	OBERS	CF	FB		074.0	BLF		R			AA 05000		EE

POINTS

POINT NAME	LATITUDE	LONGITUDE
BLF	N371823.20	W0811139.40
OBERS	N372159.78	W0805829.51

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION
RW05	N371727.96	W0811246.65	02850
RW23	N371802.87	W0811207.48	02856

