

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CABOT	TWO	CABOT2.CABOT	ONE	27 AUG 2009	

TYPE: SID RNAV

DP ROUTE DESCRIPTION:

TAKEOFF RWY 24: CLIMB HEADING 243.35 TO 1000, THEN DIRECT CABOT, MAINTAIN 4000 OR AS ASSIGNED BY ATC.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

NOTE: RNAV 1

NOTE: GPS REQUIRED.

TAKEOFF MINIMUMS: RWY 6 NA - HIGH TERRAIN. RWY 24 STANDARD

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 24, NUMEROUS TREES BEGINNING 1000 FEET FROM DER, ON CENTERLINE, UP TO 100 FEET AGL/154 FEET MSL. NUMEROUS TREES BEGINNING 750 FEET FROM DER, 500 FEET RIGHT OF CENTERLINE, UP TO 100 FEET AGL/154 FEET MSL. NUMEROUS TREES BEGINNING 960 FEET LEFT OF CENTERLINE, UP TO 100 FEET AGL/154 MSL.

CONTROLLING OBSTACLES:

RWY 24: 1169 MSL TOWER 613346.59N /1601900.51W

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

CHART V480, T222

REFERENCE MAG VAR: PALG 18E EPOCH YR: 00

DME/DME ASSESSMENT: NOT CONDUCTED.

CHART: TOP ALTITUDE: ASSIGNED BY ATC

AIRPORTS SERVED:

KALSKAG

KALSKAG, AK



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CABOT	TWO	CABOT2.CABOT	ONE	27 AUG 2009	

COMMUNICATIONS:

ASOS: PALG. DEP CON: ZAN. CTAF: PALG

FIXES AND/OR NAVAIDS:

REMARKS:



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
CABOT	TWO	CABOT2.CABOT	ONE	27 AUG 2009	

FLIGHT INSPECTED BY:

FLIGHT INSPECTION NOT REQUIRED, AJV-5440
GEORGE E. DAVIS, MANAGER

05/26/2009

REQUIRED EFFECTIVE DATE:

ROUTINE

DEVELOPED BY:

Digitally signed by

DAVID A BEGUE

DAVID A. BEGUE

Feb 25, 2016

AJV-5443

02/25/2016

APPROVED BY:

Digitally signed by

GEORGE E. DAVIS **LONNIE EVERHART**

AJV-5440

Apr 25, 2016

COORDINATED WITH:

ALPA, AOPA, NBAA,ZAN, ARPT MGR, AK DOT

CHANGES:

ADDED: CHART: TOP ALTITUDE: ASSIGNED BY ATC

REASONS:

ATC REQUEST



DEPARTURE (DATA RECORD)

DP Name		Number	DP Computer Code			Superseded Number		Dated	Effective Date
CABOT		TWO	CABOT2.CABOT			ONE		27 AUG 2009	
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW24 (AER)	613212.94N/1601956.45W	N							
1000 MSL				VA	261.35				
CABOT	611201.32N/1604520.93W	Y	FB	DF					