

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
NEELL (RNAV)	SIX	SNAAG.NEELL6	FIVE	06/22/2017	

TRANSITION ROUTES:

Transition Name	Transition Computer Code	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitude/Fixes
AKGAS	AKGAS.NEELL6	AKGAS	AKGAS						AT/ABOVE FL250
			GEDEE	076.45	73.64	10200			AT/ABOVE 16000
			SNAAG	078.63	24.00	6500			AT/ABOVE 10000
BAITT	BAITT.NEELL6	BAITT	BAITT						AT/ABOVE FL250
			LEWYY	351.17	91.01	10000	4400		AT/ABOVE 16000
			SNAAG	351.59	23.99	5000	1600		AT/ABOVE 10000
HAMND	HAMND.NEELL6	HAMND	HAMND						AT/ABOVE FL250
			BTWEN	058.72	58.31	10000			AT/ABOVE FL210
			CKING	060.38	18.34	9000			AT/ABOVE 16000
			SNAAG	060.91	24.00	5000			AT/ABOVE 10000

ARRIVAL ROUTE DESCRIPTION:

FROM SNAAG ON TRACK 049.31/9.70 TO NEELL.

LANDING RWY 07L: FROM NEELL ON TRACK 026.18/14.72 TO CROSS SHNKN AT OR ABOVE 3000, THEN ON TRACK 061.33/5.97 TO CROSS AINKK AT OR ABOVE 2000. EXPECT ILS OR LOC/DME RWY 07L APPROACH.

LANDING RWY 07R: FROM NEELL ON TRACK 026.18/14.72 TO CROSS SHNKN AT OR ABOVE 3000, THEN ON TRACK 055.09/3.53 TO CROSS ELIAS AT OR ABOVE 2000. EXPECT ILS OR LOC/DME RWY 07R APPROACH.

PROCEDURAL DATA NOTES:

NOTE: RNAV 1

NOTE: GPS REQUIRED

NOTE: TURBOJET AIRCRAFT ONLY



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
NEELL (RNAV)	SIX	SNAAG.NEELL6	FIVE	06/22/2017	

NOTE: EXPECT RUNWAY ASSIGNMENT FROM ANCHORAGE APPROACH ON INITIAL CONTACT.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT SNAAG (HOLD SW, RT, 060.91 INBOUND, 10 NM LEGS.) CHART HOLDING AT CKING (HOLD SW, RT, 060.38 INBOUND, 10 NM LEGS.)

COMMUNICATIONS:

ANCHORAGE APP CON, ATIS

AIRPORTS SERVED:

AIRPORT NAME	CITY	STATE
TED STEVENS ANCHORAGE INTL	ANCHORAGE	AK

LOST COMMUNICATIONS PREFERENCES:

REMARKS:

THIS AMENDMENT DOES NOT QUALIFY AS A PERIODIC REVIEW

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: NOT CONDUCTED
REFERENCE MAGNETIC VARIATION = PANC 16E/2020
DO NOT CHART MOCAS.
CHART LOCALIZERS: I-ANC, I-TGN.

FLIGHT INSPECTED BY:

FLIGHT INSPECTION NOT REQUIRED, ROBERT STUCKERT, MANAGER

ORGANIZATION:

AJW-331

DATE:

07/31/2015

Flight Inspected Signature:

Digitally signed by

VICTOR B NASO

Nov 21, 2017

DEVELOPED BY:

Digitally signed by
BRYAN BLUE **BRYAN W BLUE**

Oct 25, 2017

Digitally signed by

CASIMIR L TABAKA

Nov 21, 2017

AJV-5411

8/9/2017

Developed By Signature:

APPROVED BY:

GEORGE DAVIS

AJV-5410

Approved By Signature:

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
NEELL (RNAV)	SIX	SNAAG.NEELL6	FIVE	06/22/2017	

CHANGES:

1. CHANGED AIRPORT MAGVAR FROM 18E/2020 TO 16E/2020.
2. CHANGED ALL HEADINGS, COURSES, AND TRACKS +2 DEGREES.

REASONS:

1. AIRPORT CAT II/III MAGVAR UPDATE INITIATIVE, EFFECTIVE 02/01/2018
2. AIRPORT MAGVAR UPDATED FROM 18E/2020 TO 16E/2020.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name			Number		STAR Computer Code		Superseded Number		Dated		Effective Date	
NEELL (RNAV)			SIX		SNAAG.NEELL6		FIVE		06/22/2017			
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS			
En Route Transition												
AKAGS	610033.43N / 1544132.62W	Y		IF			AT/ABOVE FL250		AKGAS.NEELL6			
GEDEE	605600.68N / 1521043.94W	Y	FB	TF	092.45	73.64	AT/ABOVE 16000					
SNAAG	605355.86N / 1512146.00W	Y	FB	TF	094.63	24.00	AT/ABOVE 10000					
En Route Transition												
BAITT	590011.25N / 1515114.26W	Y		IF			AT/ABOVE FL250		BAITT.NEELL6			
LEWYY	603012.98N / 1512815.47W	Y	FB	TF	007.17	91.01	AT/ABOVE 16000					
SNAAG	605355.86N / 1512146.00W	Y	FB	TF	007.59	23.99	AT/ABOVE 10000					
En Route Transition												
HAMND	602954.73N / 1544036.21W	Y		IF			AT/ABOVE FL250		HAMND.NEELL6			
BTWEN	604425.57N / 1524600.77W	Y	FB	TF	074.72	58.31	AT/ABOVE FL210					
CKING	604839.10N / 1520937.40W	Y	FB	TF	076.38	18.34	AT/ABOVE 16000					
SNAAG	605355.86N / 1512146.00W	Y	FB	TF	076.91	24.00	AT/ABOVE 10000					
Common Route												
SNAAG	605355.86N / 1512146.00W	Y		IF			AT/ABOVE 10000		SNAAG.NEELL6			

QUALITY

14

CONFIDENTIAL



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
NEELL (RNAV)	SIX	SNAAG.NEELL6	FIVE	06/22/2017	

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
------------	----------	---	-------	----------	----	-----------	----------	-------	---------

NEELL	605757.10N / 1510341.20W	Y	FB	TF	065.31	09.70			
-------	--------------------------	---	----	----	--------	-------	--	--	--

Runway Transition

NEELL	605757.10N / 1510341.20W	Y		IF					
-------	--------------------------	---	--	----	--	--	--	--	--

SHNKN	610848.00N / 1504318.00W	Y	FB	TF	042.18	14.72	AT/ABOVE 3000		
-------	--------------------------	---	----	----	--------	-------	---------------	--	--

AINKK	611005.78N / 1503117.02W	Y	FB	TF	077.33	05.97	AT/ABOVE 2000		
-------	--------------------------	---	----	----	--------	-------	---------------	--	--

PANC:RWY 07L

Runway Transition

NEELL	605757.10N / 1510341.20W	Y		IF					
-------	--------------------------	---	--	----	--	--	--	--	--

SHNKN	610848.00N / 1504318.00W	Y	FB	TF	042.18	14.72	AT/ABOVE 3000		
-------	--------------------------	---	----	----	--------	-------	---------------	--	--

ELIAS	610956.19N / 1503624.86W	Y	FB	TF	071.09	03.53	AT/ABOVE 2000		
-------	--------------------------	---	----	----	--------	-------	---------------	--	--

PANC:RWY 07R

