

RADIO FIX AND HOLDING DATA RECORD

NAME: DAYTON VOR/DME **STATE:** OH **COUNTRY:** US **ICAO REGION CODE:** K5
LATITUDE/LONGITUDE: 400059.20N/0842348.83W **TYPE:**
AIRSPACE DOCKET: 16-AGL-2 **FIX TYPE OF ACTION:** NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	DAYTON	DQN	VOR/DME	L							17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	SW	DQN	VOR/DME	205.00	025.00	L	1		3000	6000	4	5
2	W	DQN	VOR/DME	264.00	084.00	R	1		3000	6000	4	5
3	N	DQN	VOR/DME	002.00	182.00	R	1		2800	6000	4	5
4	W	WP	WP	266.00	086.00	R		4	3000	6000	5	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (39-003751)	395847.00N/0843059.00W	1355	4D
2	200	TOWER (39-003751)	395847.00N/0843059.00W	1355	4D
3	200	TOWER (39-001782)	400721.00N/0842358.00W	1380	5D
4	200	TOWER (39-003751)	395847.00N/0843059.00W	1355	4D

REASON FOR NONSTANDARD HOLDING:

PAT 1 ATC REQUEST

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
 ASSIGNED FACILITY MAGVAR: 1 DEGREE WEST (1965).

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	INDY			KIND	INDIANAPOLIS	IN (US)
DP	CINCINNATI			KCVG	COVINGTON	KY (US)
DP	HAGOL (RNAV)			KCVG	COVINGTON	KY (US)
DP	LOCKBOURNE			KLCK	COLUMBUS	OH (US)
DP	DAYTON			KDAY	DAYTON	OH (US)
EN ROUTE	V192					(US)
EN ROUTE	V275					(US)
EN ROUTE	V50					(US)
EN ROUTE	V55					(US)
IAP	NDB RWY 30			KAID	ANDERSON	IN (US)
IAP	ILS OR LOC RWY 24			KRID	RICHMOND	IN (US)
IAP	RNAV (GPS) RWY 26			KI22	WINCHESTER	IN (US)
IAP	VOR - A			KI22	WINCHESTER	IN (US)
IAP	ILS OR LOC RWY 36R			KCVG	COVINGTON	KY (US)
IAP	ILS RWY 36R (CAT II & III)			KCVG	COVINGTON	KY (US)
IAP	ILS OR LOC RWY 18		2	KDAY	DAYTON	OH (US)
IAP	ILS OR LOC RWY 24L			KDAY	DAYTON	OH (US)
IAP	ILS OR LOC RWY 24R		2	KDAY	DAYTON	OH (US)
IAP	ILS OR LOC RWY 6L		2	KDAY	DAYTON	OH (US)
IAP	ILS RWY 6L (CAT II & III)		2	KDAY	DAYTON	OH (US)
IAP	RNAV (GPS) RWY 18			KDAY	DAYTON	OH (US)
IAP	RNAV (GPS) Z RWY 6L		4	KDAY	DAYTON	OH (US)
IAP	VOR RWY 25			KI19	DAYTON	OH (US)
IAP	VOR RWY 7			KI19	DAYTON	OH (US)
IAP	LOC/DME RWY 20			KMGY	DAYTON	OH (US)
IAP	VOR OR GPS RWY 21		3	K3I7	PHILLIPSBURG	OH (US)
IAP	VOR-A		1	KI17	PIQUA	OH (US)
IAP	RNAV (GPS) RWY 10			KSCA	SIDNEY	OH (US)
IAP	ILS OR LOC RWY 24			KSGH	SPRINGFIELD	OH (US)
IAP	VOR RWY 6			KSGH	SPRINGFIELD	OH (US)
IAP	RNAV (GPS) RWY 27			KVES	VERSAILLES	OH (US)
IAP	RNAV (GPS) RWY 9			KVES	VERSAILLES	OH (US)
IAP	ILS OR LOC RWY 22R			KILN	WILMINGTON	OH (US)
IAP	ILS RWY 22R (CAT II & III)			KILN	WILMINGTON	OH (US)
STAR	CLANG			KEYE	INDIANAPOLIS	IN (US)
STAR	CLANG			KIND	INDIANAPOLIS	IN (US)
STAR	CLANG			KMQJ	INDIANAPOLIS	IN (US)
STAR	DANEI			KDAY	DAYTON	OH (US)
STAR	KEKEE			KDAY	DAYTON	OH (US)
STAR	DANEI			KFFO	DAYTON	OH (US)
STAR	KEKEE			KFFO	DAYTON	OH (US)

STAR	DANEI	KMGY	DAYTON	OH (US)
STAR	DANEI	KMWO	MIDDLETOWN	OH (US)
STAR	DANEI	KSGH	SPRINGFIELD	OH (US)
STAR	KEKEE	KSGH	SPRINGFIELD	OH (US)

REQUIRED CHARTING: DP, STAR, IAP, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 22

DATE OF REVISION: 09/13/2018

REASON FOR REVISION:

FIX USE: DELETED MIZAR, CRUXX, ZABER STARS.

DEVELOPED BY: **DATE:** 04/02/2018

OFFICE: AJV-5431

NAME: MICHAEL CURRAN

APPROVED BY: **DATE:**

OFFICE: AJV-5430

NAME: PATRICK MULQUEEN

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZID
ATC FACILITY: COLUMBUS APP CON
OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: JAVDO

STATE: OH

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 400015.10N/0840032.14W

TYPE: WP, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	DAYTON	I-EGK	LOC/DME		061.36	055.36	12.18	12.16		3000	5500
2	DAYTON	DQN	VOR/DME	L	093.23	092.23		17.90		3000	5500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

DAYTON (FAC 1) USED TO ESTABLISH FIX COORDINATES

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 24L	1, 2		KDAY	DAYTON	OH (US)
IAP	RNAV (GPS) RWY 24L			KDAY	DAYTON	OH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 09/13/2018

REASON FOR REVISION:

1. FIX TYPE: ADDED INT AND DME.
2. FIX MAKE-UP: ADDED FAC 1 AND 2 AND ALL APPLICABLE DATA.
3. UPDATED REMARKS.
4. FIX USE: ADDED ILS OR LOC RWY 24L KDAY AND APPLICABLE DATA.

DEVELOPED BY:

DATE: 04/24/2018

OFFICE: AJV-5421

NAME: JAMES ROGERS

APPROVED BY:

DATE:

OFFICE: AJV-5420

NAME: JULIE MORGAN

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZID
ATC FACILITY: DAY ATCT, COLUMBUS APP CON
OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: MIMMS STATE: OH COUNTRY: US ICAO REGION CODE: K5
 LATITUDE/LONGITUDE: 394515.09N/0842327.36W TYPE: WP, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA FEET	MAA
1	DAYTON	DQN	VOR/DME	L	179.99	178.99	15.73	15.73	3000	5500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	W		WP	276.00	096.00	R		4	3000	6000	5	6
2	S	DQN	VOR/DME	179.99	359.99	L	1		3000	6000	5	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (39-020130)	394423.82N/0841715.94W	1444	2C
2	200	TOWER (39-000057)	393934.67N/0841852.81W	1404	4D

REASON FOR NONSTANDARD HOLDING:
 PAT 2 ATC REQUEST.

HOLDING RESTRICTIONS:
 HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:
 DAYTON (FAC 1) USED TO ESTABLISH FIX COORDINATES
 PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 24L	1	2	KDAY	DAYTON	OH (US)
IAP	RNAV (GPS) RWY 24L		1	KDAY	DAYTON	OH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6 DATE OF REVISION: 09/13/2018

REASON FOR REVISION:

1. FIX TYPE: DELETED INT.
2. FIX MAKE-UP: DELETED FAC 1 (RID VORTAC), NAVAID BEING DECOMMISSIONED.
3. FIX MAKE-UP: ADDED DME 15.73 TO DQN VOR/DME.
4. PAT 2 NAVAID FROM RID VORTAC TO DQN VOR/DME; CHANGED RAD/CRS/BRG FROM 092.99 TO 179.99; CHANGED CRS INBOUND FROM 092.99 TO 359.99.
5. PAT 2 CONTROLLING OBSTACLE CHANGED FROM 1444 FT TOWER TO A 1404 TOWER.
6. FIX USE: ADDED FAC 1 TO ILS OR LOC RWY 24L.

DEVELOPED BY: DATE: 04/24/2018 OFFICE: AJV-5421 NAME: JAMES ROGERS

APPROVED BY: DATE: OFFICE: AJV-5420 NAME: JULIE MORGAN

SIGNATURE:

DISTRIBUTION: NFDC
 FPO: CEN
 ARTCC: ZID
 ATC FACILITY:
 OTHER: COLUMBUS APP CON, DAY ATCT

RADIO FIX AND HOLDING DATA RECORD

NAME: RICHMOND VORTAC

STATE: IN

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 394518.03N/0845019.78W

TYPE:

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	RICHMOND	RID	VORTAC	L							17500

HOLDING:

HOLDING TYPE OF ACTION: CANCEL

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	SW	RID	VORTAC	246.00	066.00	R	1	2700 6000	4 5
2	W	RID	VORTAC	264.18	084.18	R	1-1 1/2	2800 17500	4 16
3	E	RID	VORTAC	080.00	260.00	R	1	2700 6000	4 5
4	NE	RID	VORTAC	058.15	238.15	R	1	2700 6000	4 5

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	394624.00N/0844430.00W	1414	4E
2	200	TOWER (18-000983)	394533.00N/0850016.00W	1475	2A
3	200	TOWER (39-001172)	394408.00N/0844320.00W	1478	5D
4	200	AAO	394527.90N/0844346.50W	1440	6C

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETE.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	INDY			KIND	INDIANAPOLIS	IN (US)
DP	BNGLE (RNAV)			KCVG	COVINGTON	KY (US)
DP	CINCINNATI			KCVG	COVINGTON	KY (US)
DP	HAGOL (RNAV)			KCVG	COVINGTON	KY (US)
DP	RICHMOND			KARB	ANN ARBOR	MI (US)
DP	RICHMOND			KDET	DETROIT	MI (US)
DP	RICHMOND			KDTW	DETROIT	MI (US)
DP	RICHMOND			KYIP	DETROIT	MI (US)
DP	RICHMOND			KPTK	PONTIAC	MI (US)
DP	OBRLN			KBKL	CLEVELAND	OH (US)
DP	OBRLN			KCGF	CLEVELAND	OH (US)
DP	OBRLN			KCLE	CLEVELAND	OH (US)
DP	OBRLN			K1G1	ELYRIA	OH (US)
DP	OBRLN			KLPR	LORAIN/ELYRIA	OH (US)
DP	OBRLN			K1G5	MEDINA	OH (US)
DP	OBRLN			K7G8	MIDDLEFIELD	OH (US)
DP	OBRLN			K2G1	PAINESVILLE	OH (US)
DP	OBRLN			KLNN	WILLOUGHBY	OH (US)
EN ROUTE	T213					(US)
EN ROUTE	V12		2			(US)
EN ROUTE	V12-517					(US)
EN ROUTE	V214					(US)
EN ROUTE	V340					(US)
EN ROUTE	V467					(US)
EN ROUTE	V517					(US)
IAP	ILS OR LOC RWY 18			KCEV	CONNERSVILLE	IN (US)
IAP	VOR-A		3	KCEV	CONNERSVILLE	IN (US)
IAP	NDB RWY 10			KUWL	NEW CASTLE	IN (US)
IAP	ILS OR LOC RWY 24		4	KRID	RICHMOND	IN (US)
IAP	RNAV (GPS) RWY 24			KRID	RICHMOND	IN (US)
IAP	RNAV (GPS) RWY 33			KRID	RICHMOND	IN (US)
IAP	RNAV(GPS) RWY 6			KRID	RICHMOND	IN (US)
IAP	VOR RWY 6		1	KRID	RICHMOND	IN (US)
IAP	RNAV (GPS) RWY 8			KI22	WINCHESTER	IN (US)
IAP	VOR -A			KI22	WINCHESTER	IN (US)
IAP	ILS OR LOC RWY 24L			KDAY	DAYTON	OH (US)
IAP	RNAV (GPS) Z RWY 36L			KDAY	DAYTON	OH (US)
IAP	NDB-A			KMGY	DAYTON	OH (US)
IAP	ILS OR LOC RWY 29			KHAO	HAMILTON	OH (US)
IAP	RNAV (GPS) RWY 11			KHAO	HAMILTON	OH (US)
IAP	RNAV (GPS) RWY 29			KHAO	HAMILTON	OH (US)
IAP	NDB-A			KI68	LEBANON	OH (US)
IAP	RNAV (GPS) RWY 8			KI17	PIQUA	OH (US)
IAP	ILS OR LOC RWY 24			KSGH	SPRINGFIELD	OH (US)
STAR	CEGRM (RNAV)			KCVG	COVINGTON	KY (US)
STAR	DEBAR			KCVG	COVINGTON	KY (US)

STAR SHELBYVILLE KCVG COVINGTON KY (US)

REQUIRED CHARTING: DP, STAR, IAP, CONTROLLER, EN ROUTE LOW, EN ROUTE HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 18 **DATE OF REVISION:** 03/29/2018

REASON FOR REVISION:
 REMOVED KUWL NDB OR GPS RWY 9 AND VOR RWY 27 FROM FIX USE.
 ADDED KUWL NDB RWY 10 TO FIX USE.

DEVELOPED BY: **DATE:** 09/05/2017 **OFFICE:** AJV-5432 **NAME:** DEANNA FIELDS

APPROVED BY: **DATE:** **OFFICE:** AJV-5420 **NAME:** JULIE MORGAN

SIGNATURE:

DISTRIBUTION: **NFDC**
 FPO: CEN
 ARTCC: ZID
 ATC FACILITY: DAY, CVG, IND
 OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: TARRY **STATE:** OH **COUNTRY:** US **ICAO REGION CODE:** K5
LATITUDE/LONGITUDE: 400315.80N/0835451.26W **TYPE:** WP, INT, DME
AIRSPACE DOCKET: 16-AGL-30 **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	DAYTON	I-EGK	LOC/DME		061.36	055.36	17.48	17.46	2600	5500
2	DAYTON	DQN	VOR/DME	L	085.01	084.01		22.36	2800	5500
3	ROSEWOOD	ROD	VORTAC	H	162.01	157.01		15.20	2800	5500

HOLDING: **HOLDING TYPE OF ACTION:** MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	HOLDING ALTITUDES MIN DME	ALTITUDES MAX	TEMPLATES MIN	TEMPLATES MAX
1	NE		WP	061.36	241.36	R		4	3000	10000	5
2	NE	I-EGK	LOC/DME	061.36	241.36	R	1		2800	5500	4

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	400703.00N/0835857.00W	1467	4E
2	200	AAO	400809.00N/0835554.00E	1457	4E

HOLDING RESTRICTIONS:
 HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

DAYTON (FAC 1) USED TO ESTABLISH FIX COORDINATES
 PRECIPITOUS TERRAIN EVALUATION COMPLETED.
 PER ATC, RETAIN EN ROUTE REQUIRED CHARTING.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 24L	1, 2, 3	2	KDAY	DAYTON	OH (US)
IAP	RNAV (GPS) RWY 06R		1	KDAY	DAYTON	OH (US)
IAP	RNAV (GPS) RWY 24L		1	KDAY	DAYTON	OH (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 8 **DATE OF REVISION:** 09/13/2018

REASON FOR REVISION:

1. FIX TYPE: ADDED DME.
2. FIX MAKE-UP: FAC 1 CHANGED LOC TO LOC/DME; ADDED DME 17.48.
3. HOLDING: ADDED PAT 2 AND APPLICABLE DATA.
4. FIX USE: ADDED PAT 2 TO ILS OR LOC RWY 24L AND PAT 1 TO RNAV (GPS) RWY 24L.
5. ADDED REMARK: PER ATC, RETAIN EN ROUTE REQUIRED CHARTING.
6. FIX USE: ADDED FAC 2 TO KDAY ILS OR LOC RWY 24L.
7. FIX USE: DELETED V12.

DEVELOPED BY: **DATE:** 04/18/2018 **OFFICE:** AJV-5421 **NAME:** JAMES ROGERS

APPROVED BY: **DATE:** **OFFICE:** AJV-5420 **NAME:** JULIE MORGAN

SIGNATURE:

DISTRIBUTION: NFDC
 FPO: CEN
 ARTCC: ZID
 ATC FACILITY: COLUMBUS APP CON, DAY ATCT
 OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: ZAMBO **STATE:** OH **COUNTRY:** US **ICAO REGION CODE:** K5

LATITUDE/LONGITUDE: 395652.70N/0840654.48W **TYPE:** WP, INT, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** ESTABLISH

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	DAYTON	I-EGK	LOC/DME		061.36	055.36	6.23	6.21	37752	2600	5500
2	DAYTON	DQN	VOR/DME	L	108.44	107.44		13.63		2600	5500
3	ROSEWOOD	ROD	VORTAC	H	194.27	189.27		20.64		2600	5500

HOLDING: **HOLDING TYPE OF ACTION:**

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	NE	I-EGK	LOC/DME	061.36	241.36	R	1		3000	5500	4	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	400415.00N/0835839.00W	1414	4E
1	310	TOWER (39-002629)	400822.15N/0835750.07W	1630	2C

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	ILS OR LOC RWY 24L	KDAY	DAYTON	OH (US)

REMARKS:

DAYTON (FAC 1) USED TO ESTABLISH FIX COORDINATES

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 24L	1, 2, 3	1	KDAY	DAYTON	OH (US)
IAP	RNAV (GPS) RWY 24L			KDAY	DAYTON	OH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG **DATE OF REVISION:** 09/13/2018

DEVELOPED BY: **DATE:** 04/26/2018 **OFFICE:** AJV-5421 **NAME:** JAMES ROGERS

APPROVED BY: **DATE:** **OFFICE:** AJV-5420 **NAME:** JULIE MORGAN

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZID
ATC FACILITY: DAY ATCT, COLUMBUS APP CON
OTHER: