

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
UVUYA	ONE	UVUYA1.UVUYA	NONE		

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

**DP ROUTE DESCRIPTION:**

VFR SEGMENT: VFR CLIMB TO WOLRU, CROSS WOLRU AT OR ABOVE 1600.

IFR SEGMENT: ON TRACK 315 TO CROSS UVUYA AT OR ABOVE 3100.

**TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):**

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	-------------------------------------	----------------------------	--------------------------	---------------	-----------------	------------	-------------	------------------------------------

**PROCEDURAL DATA NOTES:**

CHART NOTE: USE GREATER PORTSMOUTH RGNL ALTIMETER SETTING.

CHART NOTE: PILOT MUST ENSURE CDI SENSITIVITY IS SET TO 0.3 NM. CDI MAY BE RESET TO 1.0 NM AFTER UVUYA.

CHART NOTE: GPS REQUIRED.

CHART NOTE: USE OF SOUTHERN OHIO RGNL MEDICAL CENTER REQUIRES PERMISSION OF THE OWNER, USE OF THIS PROCEDURE REQUIRES SPECIFIC AUTHORIZATION BY FAA FLIGHT STANDARDS.

CHART: RNAV 1

**TAKEOFF MINIMUMS:**

**TAKEOFF OBSTACLES NOTES:**

**CONTROLLING OBSTACLES:**

IDF ALTITUDE CONTROLLING OBSTACLE: 1239 FT MSL AAO 384623.00N/0825856.49W.

**LOST COMMUNICATIONS PROCEDURES:**

**ADDITIONAL FLIGHT DATA:**

REFERENCE MAGVAR KOH62 : 7W/2020

CHART GREATER PORTSMOUTH RGNL AWOS

CHART BUCKEYE MOA

CHART TOP ALTITUDE: AS ASSIGNED BY ATC.

**AIRPORTS SERVED:**

<u>AIRPORT NAME</u>	<u>CITY</u>	<u>STATE</u>
SOUTHERN OHIO RGNL MEDICAL CENTER	PORTSMOUTH	OH

**COMMUNICATIONS:**

ZOB, HUNTINGTON APP CON, KPMH AWOS

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
UVUYA	ONE	UVUYA1.UVUYA	NONE		

**FIXES AND/OR NAVAIDS:**

**REMARKS:**

THIS IS A SPECIAL PROCEDURE. VFR DEPARTURE TO WOLRU. IFR BEGINS AT WOLRU WITH AN OCS STARTING HEIGHT OF 1320. PROCEDURE WAS DEVELOPED USING THE RECIPROCAL COURSES OF THE COPTER RNAV (GPS) 135 PER ATC REQUEST. ALTITUDE AT UVUYA WAS COODINATED WITH ZOB.

**FLIGHT INSPECTED BY:**

**OFFICE SYMBOL:**

**DATE:**

**DEVELOPED BY:** *Digitally signed by*

HEIDI SNIDER      ***HEIDI SNIDER***  
Nov 16, 2017

**OFFICE SYMBOL:**

**DATE:**

AJV-5423

10/19/2017

**APPROVED BY:**

**OFFICE SYMBOL:**

**DATE:**

AFS-400

**REQUIRED EFFECTIVE DATE:**

**COORDINATED WITH:**

**A4A**      **ALPA**      **AOPA**      **APA**      **HAI**      **NBAA**

☐      ☐      ☐      ☐      ☒      ☐

**OTHER:**

ZOB, HUNTINGTON APP CON, KPMH AWOS

**CHANGES - REASONS:**

ORIGINAL - FPO REQUEST

QUALITY  
5  
CHECKED

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
DEPARTURE (DATA RECORD)**

DP NAME							NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	EFFECTIVE DATE
UVUYA							ONE	UVUYA1.UVUYA	NONE		
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS		
OH62	384516.29N/0825846.18W	N	-	-	-	-			HELIPORT COORDINATES; DEPART VFR TO WOLRU		
1600 MSL	-	-	-	-	-	-					
WOLRU	384532.93N/0825913.38W	Y	FB	IF	-	-	AT OR ABOVE 1600		IFR SEGMENT BEGINS		
UVUYA	384837.70N/0830415.82W	Y	FB	TF	308.00	5.00	AT OR ABOVE 3100				

