

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

DP NAME						NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	EFFECTIVE DATE
SICOV						ONE	SICOV1.SICOV	NONE		

TYPE:	OBSTACLE	COPTER	SID	SPECIAL	RNAV
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

RWY 21: CLIMB HEADING 210.09 TO 1469, THEN DIRECT AWAMY, THEN ON TRACK 148.09 TO SICOV.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

TRANSITION NAME	TRANSITION COMPUTER CODE	FROM FIX/NAVAID	TO FIX/NAVAID	COURSE	DISTANCE	MEA	MOCA	CROSSING ALTITUDE/FIXES
-----------------	-----------------------------	--------------------	------------------	--------	----------	-----	------	----------------------------

PROCEDURAL DATA NOTES:

NOTE: RNAV 1.  
NOTE: GPS REQUIRED.

TAKEOFF MINIMUMS:

RWY 3: NA - TERRAIN  
RWY 21: 500 - 1 3/4 OR STANDARD WITH MINIMUM CLIMB OF 490 FT PER NM TO 1600.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 21: VEGETATION 6074 FT FROM DER, 2124 FT RIGHT OF CENTERLINE, 15 FT AGL/1164 FT MSL.  
VEGETATION 1 NM FROM DER, 2246 FT RIGHT OF CENTERLINE, 15 FT AGL/1264 FT MSL.  
VEGETATION 1.1 NM FROM DER, 2292 FT RIGHT OF CENTERLINE, 15 FT AGL/1314 FT MSL.  
VEGETATION 1.1 NM FROM DER, 2325 FT RIGHT OF CENTERLINE, 15 FT AGL/1364 FT MSL.  
VEGETATION BEGINNING 1.1 NM FROM DER, 2407 FT RIGHT OF CENTERLINE, UP TO 15 FT AGL/1414 FT MSL.

CONTROLLING OBSTACLES:

RWY 21: 1414 FT MSL VEGETATION 680053.61N/1625744.93W (CLIMB GRADIENT, CLIMB-TO ALTITUDE, CEILING), 1214 FT MSL VEGETATION 680045.51N/1625816.49W (VISIBILITY).

OBSTACLE MANDATING ODP ROUTE DEVELOPMENT: RWY 21: 2089 FEET MSL TOWER 680102.97N/1625818.16W.

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: NOT CONDUCTED.  
REFERENCE MAG VAR: PADG 11E EPOCH YR: 2020

AIRPORTS SERVED:

AIRPORT NAME	CITY	STATE
RED DOG	RED DOG	AK

COMMUNICATIONS:

ZAN



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
SICOV	ONE	SICOV1.SICOV	NONE		

FIXES AND/OR NAVAIDS:

REMARKS:  
SPECIAL INSTRUMENT PROCEDURE.  
15 FT VEGETATION USED PER IFP CHECKLIST.

FLIGHT INSPECTED BY:

OFFICE SYMBOL:

DATE:

DEVELOPED BY:

DAVID DANNER (DARREN HOOPER)

OFFICE SYMBOL:

AJV-A421

DATE:

03/12/2019

APPROVED BY:

MARLON ROBINSON

OFFICE SYMBOL:

AJV-A420

DATE:

REQUIRED EFFECTIVE DATE:

ROUTINE

COORDINATED WITH:

A4A

ALPA

AOPA

APA

HAI

NBAA

☐☐☐☐☐☐

OTHER:

ANC AWO, NANA REGIONAL CORP, ZAN, AMGR

CHANGES - REASONS:



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
DEPARTURE (DATA RECORD)**

DP NAME							NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	EFFECTIVE DATE
SICOV							ONE	SICOV1.SICOV	NONE		
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED		REMARKS	
RWY21 (AER)*	680216.90N/1625307.40W*	N	-	-	-	-				*DISPL THLD (279 FEET)	
1469 MSL	-	-	-	VA	221.09	-				CG 490 FT PER NM TO 1600	
AWAMY	675020.08N/1631915.64W	Y	FB	DF	-	-					
SICOV	672044.42N/1624958.62W	Y	FB	TF	159.09	31.75					

