

[Print](#)

Project Name: CHO NEW OBSTACLE SURVEY #2

Project Reason: RNAV (GPS) Z RWY 21 was split off the original NOTAM set due to the LNAV/LP finals having off-set alignments. LNAV/VNAV has new controlling obstacle raising HAT/DA from 1584/958 to 1588/962. FPT notified. 1197 Tower (51-059493) 381047.98N/078250974W (1A) (84 AGL). In addition to the obstacle update, updating PBN equipment use by adding "RNP APCH" note and deleted "DME/DME RNP-0.3 NA" note and removed the Fahrenheit value from the Baro-VNAV note in the latest update.

Last Updated By: Scott Bagensie

Last Updated At: 2018-10-19 20:14:29.779031

Status: Verified

8/3070

!FDC X/XXXX CHO IAP CHARLOTTESVILLE-ALBEMARLE, Charlottesville, VA. RNAV (GPS) Z RWY 21, AMDT 1A... PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: DME/DME RNP-0.3 NA. LNAV/VNAV DA 1588/ HAT 962. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, PROCEDURE NA BELOW -16C (3F) OR ABOVE 54C (130F). CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, PROCEDURE NA BELOW -16C OR ABOVE 54C. THIS IS RNAV (GPS) Z RWY 21, AMDT 1B. 1810192014-PERM

Digitally signed by
DAVID TEFFETELLER
Nov 28, 2018

