

[Print](#)

Project Name: KPSF RNAV (GPS) RWY 26 20:1/34:1 CLEAR FOR NIGHT OPERATIONS

Project Reason: VISUAL PORTIONS OF FINAL OBSTACLES REMOVED OR LOWERED PER FPT. OBSTACLES 25-021422, 25-021447, 25-021450, 21-021468, 25-025521, AND 25-043005 STILL IN DATABASE, BUT AIRPORT E-MAIL SHOWS OBSTACLES REMOVED. E-MAILED FPT 8/22/18 TO HAVE OBSTACLES REMOVED FROM DATABASE. DELETED MALSF NOTES, AIRPORT DOES NOT HAVE MALSF.

Last Updated By: Frank Jackson

Last Updated At: 2018-08-23 15:17:27.839494

Status: Verified

8/1677

!FDC X/XXXX PSF IAP PITTSFIELD MUNI, Pittsfield, MA. RNAV (GPS) RWY 26, AMDT 1A... DELETE NOTE: DME/DME RNP -0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: NIGHT LANDING RWY 8 NA. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. DELETE NOTE: FOR INOPERATIVE MALSF WHEN USING NORTH ADAMS ALTIMETER SETTING, INCREASE LNAV CATS C AND D 1/2 MILE. DELETE NOTE: FOR INOPERATIVE MALSF WHEN USING NORTH ADAMS ALTIMETER SETTING, INOPERATIVE TABLE DOES NOT APPLY TO LPV. LNAV CAT A AND B VISIBILITY 1 1/4 SM. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -19C (-2F) OR ABOVE 54C (130F). CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -19C OR ABOVE 54C. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE NORTH ADAMS ALTIMETER SETTING AND INCREASE ALL DA 114 FEET AND ALL MDA 120 FEET, INCREASE LPV ALL CATS VISIBILITY 1 1/2 MILES, LNAV/VNAV ALL CATS VISIBILITY 1/2 MILE, AND LNAV CAT B VISIBILITY 1/4 MILE.. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE NORTH ADAMS ALTIMETER SETTING AND INCREASE LPV DA TO 2070 AND VISIBILITY ALL CATS 1 1/2 SM, LNAV/VNAV DA TO 2002 AND VISIBILITY ALL CATS 1/4 SM. INCREASE ALL MDAS 120 FEET AND LNAV VISIBILITY CAT B 1/4 SM, CATS C AND D 1/2 SM.. THIS IS RNAV (GPS) RWY 26, AMDT 1B. 1808231517-PERM

Digitally signed by

BEV L BORDY

Aug 31, 2018

QUALITY
31
CHECKED