

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>						<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
IDATE						ONE	IDATE1.IDATE	NONE		
<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>					
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					

DP ROUTE DESCRIPTION:

VFR SEGMENT: VFR CLIMB TO OMNEW, CROSS OMNEW AT OR ABOVE 1600.

IFR SEGMENT: FROM OMNEW, TRACK 181.99 TO CROSS IDATE AT OR ABOVE 4600.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	-------------------------------------	----------------------------	--------------------------	---------------	-----------------	------------	-------------	------------------------------------

PROCEDURAL DATA NOTES:

NOTE: GPS REQUIRED.

NOTE: RNAV1.

NOTE: PILOT MUST ENSURE CDI SENSITIVITY IS SET TO 0.3 NM. CDI MAY BE RESET TO 1.0 NM AFTER IDATE.

NOTE: USE OF NORTHERN MAINE MEDICAL CENTER REQUIRES PERMISSION OF THE OWNER; USE OF THIS PROCEDURE REQUIRES SPECIFIC AUTHORIZATION BY FAA FLIGHT STANDARDS.

NOTE: USE FRENCHVILLE ALTIMETER SETTING. WHEN NOT RECEIVED, USE CARIBOU ALTIMETER SETTING AND CROSS IDATE AT OR ABOVE 1700.

TAKEOFF MINIMUMS:

TAKEOFF OBSTACLES NOTES:

CONTROLLING OBSTACLES:

IDF ALTITUDE CONTROLLING OBSTACLE: 1260 FT AAO 471452.48N/0683347.29W

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

REFERENCE MAG VAR: 19W EPOCH YR: 2005.

CHART: TOP ALTITUDE: 4600.

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>CITY</u>	<u>STATE</u>
NORTHERN MAINE MEDICAL CENTER (KME48)	FORT KENT	ME

COMMUNICATIONS:

FRENCHVILLE ASOS, ZBW.

FIXES AND/OR NAVAIDS:



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
IDATE	ONE	IDATE1.IDATE	NONE		

REMARKS:

RASS PRESSURE PATTERNS THE SAME
OMNEW SFC ELE 919, KFVE 987.2
RA = 35.86
RASS PRESSURE PATTERNS THE SAME
OMNEW SFC ELE 919, KCAR 620.3
RA = 117.47

KFVE IS ON WMSCR.
KCAR IS ON WMSCR.

FLIGHT INSPECTED BY:

OFFICE SYMBOL:

DATE:

DEVELOPED BY:

ADOLFO URRUTIA (CHRISTINE BAYSE)

OFFICE SYMBOL:

DATE:

AJV-5432

07/09/2018

APPROVED BY:

OFFICE SYMBOL:

DATE:

AFS-400

REQUIRED EFFECTIVE DATE:

ROUTINE

COORDINATED WITH:

A4A

ALPA

AOPA

APA

HAI

NBAA

☐☐☐☐☒☐

OTHER:

ZBW

CHANGES - REASONS:

ORIGINAL PROCEDURE.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>							<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
IDATE							ONE	IDATE1.IDATE	NONE		
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>		
ME48	471553.59N/0683535.76W	N	-	-	-	-			VFR SEGMENT		
1500 MSL	-	-	-	-	-	-					
OMNEW	471522.05N/0683521.60W	Y	FB	IF	-	-	AT/ABOVE 1600		IFR SEGMENT		
IDATE	470937.93N/0683247.29W	Y	FO	TF	162.99	6.00	AT/ABOVE 4600				

