

[Print](#)

Project Name: MLB IL9R NEW LOC FINAL CONTROLLING OBSTACLE

Project Reason: NEW LOC FINAL CONTROLLING OBSTACLE: 155 MSL ANTENNA 12-085058 AT 280558.16N/0804202.99W, AC 1A. S-LOC 9R MDA/HAT INCREASES FROM 380/348 TO 420/388. S-LOC 9R CAT C/D VISIBILITY RVR 3500 IAW 8260.3D VISIBILITY TABLE. ADDED EQUIPMENT REQUIREMENTS NOTE: DME OR RADAR REQUIRED; DELETED NOTE: DME OR RADAR REQUIRED IAW 8260.19H PARA 8-6-8. DELETED NOTE: FOR INOPERATIVE MALSR, INCREASE S-LOC 9R CATS C AND D VISIBILITY TO RVR 6000 - PER 8260.3D TABLE 3-3-1, NOTE NOT REQUIRED. ALTERNATE MINIMUMS CHANGED FROM STANDARD TO STANDARD EXCEPT NA WHEN CONTROL TOWER CLOSED - ILS MONITORED IN TOWER AND TOWER NOT A 24 HOUR FACILITY.

Last Updated By: MICHAEL MELSEN

Last Updated At: 2019-02-04 19:47:37.274584

Status: Verified

FDC 9/2328

Digitally signed by

WARDELL HENNING

Feb 11, 2019

!FDC X/XXXX MLB IAP MELBOURNE INTL, Melbourne, FL. ILS OR LOC RWY 9R, AMDT 12A... S-LOC 9R MDA 420/HAT 388 ALL CATS, VISIBILITY CAT C/D RVR 3500. EQUIPMENT REQUIREMENTS NOTE: DME OR RADAR REQUIRED. DELETE NOTE: DME OR RADAR REQUIRED. DELETE NOTE: FOR INOPERATIVE MALSR, INCREASE S-LOC 9R CATS C AND D VISIBILITY TO RVR 6000. ALTERNATE MINIMUMS: ILS/LOC STANDARD EXCEPT NA WHEN CONTROL TOWER CLOSED. THIS IS ILS OR LOC RWY 9R, AMDT 12B. 1902041947-PERM

