



Flight Procedure Tracking Form		Action: FLIGHT CHECK	Task Type: SID	Date Open: 03/22/2018	Task #: 2018032232717401005	Request #: 20180322327174
Procedure: SID ELANR (RNAV) FIVE CHICAGO/WEST CHICAGO IL KDPA			Airport ID: KDPA	Airport: DUPAGE		Reimbursable #: NO
City: CHICAGO/WEST CHICAGO	ST: IL	GPS #:	Estimated Chart Date: 09/13/2018			FICO #:
Fac ID: N/A		Fac. Type:			Specialist: DALE SICKELS	
Procedure Review						
	Rec'd	Rel'd	Full Name	Comments		
Lead:	03/23/2018	05/17/2018	MARK ADAMS			
QA:	05/17/2018					
Liaison:						
Procedure Comments:			ENROUTE	Remark Type: INFORMATION		
<p>CHANGED KDPA RWY 15 TAKEOFF MINS FROM STANDARD TO 300-1 3/8 OR STANDARD WITH 205 FT/NM TO 1000.</p> <p>REMOVED ALL TAKEOFF OBSTACLE NOTES IAW CRITERIA MEMO DATED DEC 27, 2017.</p> <p>CONTACT LONNIE EVERHART 405-954-5476</p>						

ELANR FOUR DEPARTURE (RNAV)

CHICAGO/WEST CHICAGO, ILLINOIS

ATIS
132.075
GND CON
121.8
DUPAGE TOWER
120.9 257.8
CHICAGO DEP CON
133.5 349.0

TOP ALTITUDE:
3000




DEPARTURE ROUTE DESCRIPTION

TAKEOFF RWY 2L/R: Climb heading 015° to 1260 then as assigned by ATC, expect vectors to EARND. Thence. . . .
TAKEOFF RWY 10: Climb heading 097° to 1260 then as assigned by ATC, expect vectors to EARND. Thence. . . .
TAKEOFF RWY 15: Climb heading 149° to 1260 then as assigned by ATC, expect vectors to EARND. Thence. . . .
TAKEOFF RWY 20L/R: Climb heading 195° to 1260 then as assigned by ATC, expect vectors to EARND. Thence. . . .
TAKEOFF RWY 28: Climb heading 277° to 1260 then as assigned by ATC, expect vectors to EARND. Thence. . . .
TAKEOFF RWY 33: Climb heading 329° to 1260 then as assigned by ATC, expect vectors to EARND. Thence. . . .

. . . .on track 174° to ELANR, then on (transition). Maintain 3000. Expect filed altitude 10 minutes after departure.

TAKEOFF MINIMUMS:

Rwys 2L/R, 10, 15, 20L/R, 28, 33: Standard.



NOTE: RADAR required.
NOTE: DME/DME/IRU or GPS required.
NOTE: RNAV 1.
NOTE: Turbojet departures maintain 250K until advised by ATC.

(NOTES ON FOLLOWING PAGE)
(NARRATIVE ON FOLLOWING PAGE)

NOTE: Chart not to scale.

ELANR FOUR DEPARTURE (RNAV)

EMEGE TRANSITION (ELANR4.EMEGE):
EMMLY TRANSITION (ELANR4.EMMLY): (For aircraft inbound to Indianapolis
Terminal Area, or as assigned by ATC.)
ERECO TRANSITION (ELANR4.ERECO):

TAKEOFF OBSTACLE NOTES:

- Rwy 2L: Airfield light 9' from DER, 61' left of centerline, 1' AGL/756' MSL.
Poles beginning 1075' from DER, 622' left of centerline, up to 44' AGL/799' MSL.
Trees beginning 1252' From DER, 368' left of centerline, up to 104' AGL/856' MSL.
Fence 1672' from DER, 807' left of centerline, 42' AGL/800' MSL.
- Rwy 10: REIL lights beginning 39' from DER, 77' left and right of centerline, up to
3' AGL/757' MSL.
Buildings beginning 630' from DER, 134' left and right of centerline, up to
45' AGL/801' MSL.
Antennae beginning 699' from DER, 632' left of centerline, up to 36' AGL/792' MSL.
Multiple trees beginning 845' from DER, 1' left and right of centerline, up to
93' AGL/849' MSL.
Stack 1638' from DER, 185' left of centerline, 54' AGL/810' MSL.
- Rwy 15: Fence 62' from DER, 385' left of centerline, 5' AGL/763' MSL.
Multiple trees beginning 3' from DER, 9' left and right of centerline, up to
95' AGL/850' MSL.
Vehicle on road beginning 89' from DER, 9' left and right of centerline, up to
15' AGL/773' MSL.
Buildings beginning 417' from DER, 481' right of centerline, up to 37' AGL/795' MSL.
Poles beginning 804' from DER, 235' right of centerline, up to 36' AGL/794' MSL.
Antenna 1.1 NM from DER, 1676' left of centerline, 169' AGL/927' MSL.
- Rwy 20L: Fence 209' from DER, 547' left of centerline, 7' AGL/757' MSL.
Multiple trees beginning 407' from DER, 392' left of centerline, up to
111' AGL/847' MSL.
Sign 22' from DER, 351' right of centerline, 2' AGL/752' MSL.
- Rwy 20R: Tree 645' from DER, 619' right of centerline, 17' AGL/768' MSL.
- Rwy 28: Multiple trees beginning 1228' from DER, 683' left and right of centerline,
up to 84' AGL/837' MSL.
Sign 39' from DER, 455' right of centerline, 3' AGL/756' MSL.
Building 974' from DER, 681' right of centerline, 28' AGL/781' MSL.
- Rwy 33: REIL lights beginning 51' from DER, 95' left and right of centerline, up to
2' AGL/760' MSL.
Multiple poles beginning 407' from DER, 154' left and right of centerline,
up to 61' AGL/817' MSL.
OL on poles beginning 532' from DER, 120' left and right of centerline,
up to 39' AGL/796' MSL.
Vehicle on road beginning 460' from DER, 439' right of centerline, up to
15' AGL/772' MSL.
Multiple trees beginning 335' from DER, 11' left and right of centerline,
up to 110' AGL/859' MSL.
Fence 346' from DER, 575' left of centerline, 48' AGL/800' MSL.
Buildings beginning 195' from DER, 425' right of centerline, up to 21' AGL/778' MSL.