

RADIO FIX AND HOLDING DATA RECORD

NAME: DECPA

STATE: IL

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 394210.10N/0873309.21W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE
IAP

USE TITLE
RNAV (GPS) RWY 27

FAC

PAT

AIRPORT IDENT
KPRG

CITY
PARIS

STATE
IL (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 07/21/2016

REASON FOR REVISION:

FIX MOVED 434.74FT EAST TO PFAF LOCATION.
DELETED KPRG R27 FROM FIX MAKE-UP FACILITIES.
UPDATED FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 01/08/2016

OFFICE: AJV-5422

NAME: JOHN HAZELTON

APPROVED BY:

DATE: 06/29/2016

OFFICE: AJV-5420

NAME: TONY LAWSON

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZID
ATC FACILITY: HUF APP CON
OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: FINED

STATE: IN

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 394220.17N/0872522.09W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING MIN	ALTITUDES MAX	TEMPLATES MIN	MAX
1	E		WP	092.44	272.44	R	4	2300	6000	5	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (18-000626)	394342.00N/0871757.00W	1058	5D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	RNAV (GPS) RWY 27		1	KPRG	PARIS	IL (US)
IAP	RNAV (GPS) RWY 9		1	KPRG	PARIS	IL (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 07/21/2016

REASON FOR REVISION:

DELETED KPRG R27 FROM FIX MAKE-UP FACILITIES.
UPDATED PAT 1 CONTROLLING OBSTRUCTION IDENTIFIER AND CHANGED BRG/CRS INBOUND FROM 087.44/267.44 TO 092.44/272.44.
ADDED HOLDING RESTRICTIONS:HOLDING LIMITED TO ESTABLISHED PATTERN.
ADDED REMARKS:PRECIPITOUS TERRAIN EVALUATION COMPLETED.
UPDATED FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 01/08/2016

OFFICE: AJV-5422

NAME: JOHN HAZELTON

APPROVED BY:

DATE: 06/29/2016

OFFICE: AJV-5420

NAME: TONY LAWSON

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZID
ATC FACILITY: HUF APP CON
OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: JAZZY

STATE: IN

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 395624.34N/0872514.96W

TYPE: WP, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	CHAMPAIGN	CMI	VORTAC	L	094.89	097.89	39.85	39.85		2500	17500
2	DANVILLE	DNV	VORTAC	L	161.46	163.46	22.11	22.11		2500	17500

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPACE	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
UPN	200	TOWER (18-000345)	395108.00N/0872910.00W	1265	4D

HOLDING RESTRICTIONS:

UNPLANNED HOLDING AUTHORIZED AT OR ABOVE 3000.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.

CHAMPAIGN (FAC 1) AND DANVILLE (FAC 2) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V171	1, 2				(US)
EN ROUTE	V434	1, 2				(US)
IAP	RNAV (GPS) RWY 3			KDNV	DANVILLE	IL (US)
IAP	RNAV (GPS) RWY 34			KDNV	DANVILLE	IL (US)
IAP	RNAV (GPS) RWY 18			KPRG	PARIS	IL (US)
IAP	RNAV (GPS) RWY 27			KPRG	PARIS	IL (US)

REQUIRED CHARTING: IAP, CONTROLLER, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 07/21/2016

REASON FOR REVISION:

DELETED FIX ATULE FROM FIX MAKE-UP FACILITIES.

UPDATED FAC 1 BY ADDING DIST FROM FAC.

UPDATED FAC 2 BY ADDING DIST FROM FAC.

UPDATED CONTROLLING OBSTRUCTION IDENTIFIER TO UPN HOLDING.

ADDED HOLDING RESTRICTIONS:UNPLANNED HOLDING AUTHORIZED AT OR ABOVE 3000.

ADDED REMARKS:PRECIPITOUS TERRAIN EVALUATION COMPLETED.

UPDATED FIX USE AND ADDED KPRG RNAV(GPS) RWY 18.

ADDED FAC 1,2 TO FIX USE: USE TYPE ENROUTE V434-171.

ADDED REMARK:CHAMPAIGN (FAC 1) AND DANVILLE (FAC 2) USED TO ESTABLISH FIX COORDINATES.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 01/07/2016

OFFICE: AJV-5422

NAME: JOHN HAZELTON

APPROVED BY:

DATE: 06/29/2016

OFFICE: AJV-5420

NAME: TONY LAWSON

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZID, ZAU
ATC FACILITY: CMI APP CON, HUF APP CON
OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: TERRE HAUTE VORTAC STATE: IN COUNTRY: US ICAO REGION CODE: K5
 LATITUDE/LONGITUDE: 392920.19N/0871456.45W TYPE:

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA FEET	MAA
1	TERRE HAUTE	TTH	VORTAC	H						45000

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG TIME	LENGTH DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	NE	TTH	VORTAC	049.00	229.00	R	1		2300	6000	4	5

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (18-001906)	393223.56N/0870719.76W	993	2C
1	310	TOWER (18-000890)	393014.00N/0872637.00W	1249	3C
UPN	265	TOWER (18-000269)	391433.00N/0872329.00W	1549	5D

HOLDING RESTRICTIONS:

UNPLANNED HOLDING AUTHORIZED AT OR ABOVE 2600.

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	RADAR-1	KHUF	TERRE HAUTE	IN (US)

REMARKS:

PAT 1 EVALUATED AT 265 KTS FOR CAT E MINIMUMS ON LOC BC RWY 23 AT KHUF.
 PRECIPITOUS TERRAIN EVALUATION COMPLETED.
 ASSIGNED FACILITY MAGVAR: E2 1965.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	GATEWAY			KALN	ALTON/ST LOUIS	IL (US)
DP	GATEWAY			KBLV	BELLEVILLE	IL (US)
DP	GATEWAY			KPCS	CAHOKIA/ST LOUIS	IL (US)
DP	DAWNN			KEYE	INDIANAPOLIS	IN (US)
DP	ROCKY			KEYE	INDIANAPOLIS	IN (US)
DP	DAWNN			KHFX	INDIANAPOLIS	IN (US)
DP	ROCKY			KHFX	INDIANAPOLIS	IN (US)
DP	DAWNN			KIND	INDIANAPOLIS	IN (US)
DP	INDY			KIND	INDIANAPOLIS	IN (US)
DP	ROCKY			KIND	INDIANAPOLIS	IN (US)
DP	DAWNN			KMQJ	INDIANAPOLIS	IN (US)
DP	ROCKY			KMQJ	INDIANAPOLIS	IN (US)
DP	DAWNN			KTYQ	INDIANAPOLIS	IN (US)
DP	ROCKY			KTYQ	INDIANAPOLIS	IN (US)
DP	DAWNN			KUMP	INDIANAPOLIS	IN (US)
DP	ROCKY			KUMP	INDIANAPOLIS	IN (US)
DP	DAWNN			KGEZ	SHELBYVILLE	IN (US)
DP	ROCKY			KGEZ	SHELBYVILLE	IN (US)
DP	LOVEY (RNAV)			KCVG	COVINGTON	KY (US)
DP	WHITEWATER			KCVG	COVINGTON	KY (US)
DP	GATEWAY			KSTL	ST LOUIS	MO (US)
DP	GATEWAY			KSUS	ST LOUIS	MO (US)
DP	NASHVILLE			KBNA	NASHVILLE	TN (US)
EN ROUTE	T325					(US)
EN ROUTE	V14					(US)
EN ROUTE	V171					(US)
EN ROUTE	V192					(US)
EN ROUTE	V50					(US)
EN ROUTE	V7					(US)
IAP	RNAV (GPS) RWY 22			K1H8	CASEY	IL (US)
IAP	RNAV (GPS) RWY 27			KPRG	PARIS	IL (US)
IAP	VOR/DME-A			KPRG	PARIS	IL (US)
IAP	RNAV (GPS) RWY 27			K0I2	BRAZIL	IN (US)
IAP	VOR RWY 9			K0I2	BRAZIL	IN (US)
IAP	RNAV (GPS) RWY 4			KCFJ	CRAWFORDSVILLE	IN (US)
IAP	RNAV (GPS) RWY 36			KGPC	GREENCASTLE	IN (US)
IAP	LOC RWY 21			KEYE	INDIANAPOLIS	IN (US)
IAP	ILS OR LOC RWY 23R			KIND	INDIANAPOLIS	IN (US)
IAP	ILS OR LOC RWY 32			KIND	INDIANAPOLIS	IN (US)
IAP	ILS OR LOC RWY 5L			KIND	INDIANAPOLIS	IN (US)
IAP	ILS RWY 5L (CAT II)			KIND	INDIANAPOLIS	IN (US)
IAP	ILS RWY 5L (CAT III)			KIND	INDIANAPOLIS	IN (US)
IAP	ILS RWY 5L (SA CAT I)			KIND	INDIANAPOLIS	IN (US)

IAP	NDB RWY 36		KSIV	SULLIVAN	IN (US)
IAP	VOR-A		K3I3	TERRE HAUTE	IN (US)
IAP	ILS OR LOC RWY 5	1	KHUF	TERRE HAUTE	IN (US)
IAP	LOC BC RWY 23	1	KHUF	TERRE HAUTE	IN (US)
IAP	RADAR-1	1	KHUF	TERRE HAUTE	IN (US)
IAP	RNAV (GPS) RWY 23		KHUF	TERRE HAUTE	IN (US)
IAP	RNAV (GPS) RWY 5		KHUF	TERRE HAUTE	IN (US)
IAP	VOR RWY 23	1	KHUF	TERRE HAUTE	IN (US)
IAP	VOR/DME RWY 5	1	KHUF	TERRE HAUTE	IN (US)
STAR	RACYR		KEYE	INDIANAPOLIS	IN (US)
STAR	RACYR		KHFX	INDIANAPOLIS	IN (US)
STAR	RACYR		KIND	INDIANAPOLIS	IN (US)
STAR	RACYR		KMQJ	INDIANAPOLIS	IN (US)
STAR	RACYR		KTYQ	INDIANAPOLIS	IN (US)
STAR	RACYR		KUMP	INDIANAPOLIS	IN (US)
STAR	CHERI		KJVV	JEFFERSONVILLE	IN (US)
STAR	CHERI		KFTK	FORT KNOX	KY (US)
STAR	CHERI		KLOU	LOUISVILLE	KY (US)
STAR	CHERI		KSDF	LOUISVILLE	KY (US)
STAR	HEHAW		KMBT	MURFREESBORO	TN (US)
STAR	HEHAW		KBNA	NASHVILLE	TN (US)
STAR	HEHAW		KJWN	NASHVILLE	TN (US)
STAR	HEHAW		KMQY	SMYRNA	TN (US)

REQUIRED CHARTING: DP, STAR, MILITARY IAP, IAP, EN ROUTE LOW, EN ROUTE HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 20

DATE OF REVISION: 11/08/2018

REASON FOR REVISION:

UPDATED FIX USE K3I3 PROCEDURE FROM "VOR OR GPS-A" TO "VOR-A".

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-5400

NAME: LONNIE EVERHART

APPROVED BY:

DATE:

OFFICE: AJV-5400

NAME: LONNIE EVERHART

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZID
ATC FACILITY: HUF APP CON
OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: WAVEL

STATE: IN

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 394922.41N/0871136.23W

TYPE: WP, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	TERRE HAUTE	TTH	VORTAC	H	005.32	007.32	20.19	20.19		2500	17500
2	BRICKYARD	VHP	VORTAC	H	270.00	271.00		38.18		2500	17500

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	N	TTH	VORTAC	005.32	185.32	R	1-1 1/2	2600 17500	6 18

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (18-001153)	395516.00N/0870916.00W	1184	5D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
TERRE HAUTE (FAC 1) AND BRICKYARD (FAC 2) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V7	1, 2				(US)
IAP	RNAV (GPS) RWY 27			KPRG	PARIS	IL (US)
OTHER	COORDINATION/CLEARANCE LIMIT FIX FOR HUF APP CON ARRIVALS	1, 2		KHUF	TERRE HAUTE	IN (US)

REQUIRED CHARTING: IAP, CONTROLLER, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3

DATE OF REVISION: 07/21/2016

REASON FOR REVISION:

ADDED DIST FROM FAC TO FAC 1 AND FAC 2.
DELETED FINED FROM FIX MAKE-UP FACILITIES.
UPDATED PAT 1 CONTROLLING OBSTRUCTION IDENTIFIER.
ADDED HOLDING RESTRICTIONS:HOLDING LIMITED TO ESTABLISHED PATTERN.
ADDED REMARKS:PRECIPITOUS TERRAIN EVALUATION COMPLETED.
UPDATED FIX USE.
ADDED REMARK: TERRE HAUTE (FAC 1) AND BRICKYARD (FAC 2) USED TO ESTABLISH FIX COORDINATES.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 01/08/2016

OFFICE: AJV-5422

NAME: JOHN HAZELTON

APPROVED BY:

DATE: 06/29/2016

OFFICE: AJV-5420

NAME: TONY LAWSON

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZID
ATC FACILITY: HUF APP CON
OTHER: