

RADIO FIX AND HOLDING DATA RECORD

NAME: FUDDJ STATE: MI COUNTRY: US ICAO REGION CODE: K5
 LATITUDE/LONGITUDE: 423004.46N/0830946.01W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	DETROIT	I-JKI	LOC/DME		035.69	028.69	18.65	20.63	4000	6700

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-JKI	LOC/DME	R-036	21	4000	6700

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

ADDITIONAL ESV INFO: I-JKI GS R-036/19 4000-6700, I-HJT DME R-036/21 4000-6700.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS PRM Z RWY 22R (CLOSE PARALLEL)	1		KDTW	DETROIT	MI (US)
IAP	ILS PRM Z RWY 22R (SA CAT I & II)(CLOSE PARALLEL)	1		KDTW	DETROIT	MI (US)
IAP	ILS Z OR LOC RWY 22R	1		KDTW	DETROIT	MI (US)
IAP	ILS Z RWY 22R (SA CAT I, II)	1		KDTW	DETROIT	MI (US)
IAP	RNAV (GPS) Z RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) W RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) X RWY 22R			KDTW	DETROIT	MI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2 DATE OF REVISION: 01/03/2019

REASON FOR REVISION:

ADDED RNAV (GPS) Z RWY 22R TO FIX USE.

11/27/2018: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 11/14/2018.

8260-2: FUDDJ

1. ADDED "REQUIRED CHARTING: IAP"

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-5422 NAME: AUSTIN GOTCHER

APPROVED BY: DATE: OFFICE: AJV-5420 NAME: JULIE MORGAN

SIGNATURE:

Digitally signed by
ROBERT G HAMILTON
 Nov 27, 2018

DISTRIBUTION: NFDC
 FPO: CEN
 ARTCC: ZOB
 ATC FACILITY: DTW APP CON
 OTHER:



RADIO FIX AND HOLDING DATA RECORD

NAME: GEETR

STATE: MI

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 421709.86N/0831919.85W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	DETROIT	I-JKI	LOC/DME		035.69	028.69	3.92	5.90	35867	2000	5100

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS PRM Z RWY 22R (CLOSE PARALLEL)	1		KDTW	DETROIT	MI (US)
IAP	ILS PRM Z RWY 22R (SA CAT I & II)(CLOSE PARALLEL)	1		KDTW	DETROIT	MI (US)
IAP	ILS Z OR LOC RWY 22R	1		KDTW	DETROIT	MI (US)
IAP	ILS Z RWY 22R (SA CAT I, II)	1		KDTW	DETROIT	MI (US)
IAP	RNAV (GPS) Z RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) W RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) X RWY 22R			KDTW	DETROIT	MI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 7

DATE OF REVISION: 01/03/2019

REASON FOR REVISION:

ADDED RNAV (GPS) Z RWY 22R TO FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-5422

NAME: AUSTIN GOTCHER

APPROVED BY:

DATE:

OFFICE: AJV-5420

NAME: JULIE MORGAN

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZOB
ATC FACILITY: DTW APP CON
OTHER:

Digitally signed by

ROBERT G HAMILTON

Nov 14, 2018

QUALITY
16
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: GUYVE STATE: MI COUNTRY: US ICAO REGION CODE: K5
 LATITUDE/LONGITUDE: 422526.28N/0831312.61W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	DETROIT	I-JKI	LOC/DME		035.69	028.69	13.36	15.34		4000	5100

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-JKI	LOC/DME	R-036	14	4000	5100

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

ESV IS FOR I-JKI GS.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS PRM Z RWY 22R (CLOSE PARALLEL)	1		KDTW	DETROIT	MI (US)
IAP	ILS PRM Z RWY 22R (SA CAT I & II)(CLOSE PARALLEL)	1		KDTW	DETROIT	MI (US)
IAP	ILS Z OR LOC RWY 22R	1		KDTW	DETROIT	MI (US)
IAP	ILS Z RWY 22R (SA CAT I, II)	1		KDTW	DETROIT	MI (US)
IAP	RNAV (GPS) Z RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) W RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) X RWY 22R			KDTW	DETROIT	MI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4 DATE OF REVISION: 01/03/2019

REASON FOR REVISION:

ADDED RNAV (GPS) Z RWY 22R TO FIX USE.

INITIATED BY: DATE: ORGANIZATION: NAME:
 OFFICE OF PRIMARY RESPONSIBILITY: AJV-5422 NAME: AUSTIN GOTCHER
 APPROVED BY: DATE: OFFICE: AJV-5420 NAME: JULIE MORGAN

SIGNATURE:

Digitally signed by
ROBERT G HAMILTON

DISTRIBUTION: NFDC
 FPO: CEN
 ARTCC: ZOB
 ATC FACILITY: DTW APP CON
 OTHER:

Nov 14, 2018



RADIO FIX AND HOLDING DATA RECORD

NAME: HRRON

STATE: MI

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 423738.73N/0831826.46W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS PRM Y RWY 22R (CLOSE PARALLEL)			KDTW	DETROIT	MI (US)
IAP	ILS PRM Z RWY 22R (CLOSE PARALLEL)			KDTW	DETROIT	MI (US)
IAP	ILS PRM Z RWY 22R (SA CAT I & II)(CLOSE PARALLEL)			KDTW	DETROIT	MI (US)
IAP	ILS Y RWY 22R			KDTW	DETROIT	MI (US)
IAP	ILS Z OR LOC RWY 22R			KDTW	DETROIT	MI (US)
IAP	ILS Z RWY 22R (SA CAT I & II)			KDTW	DETROIT	MI (US)
IAP	RNAV (GPS) PRM Y RWY 22R (CLOSE PARALLEL)			KDTW	DETROIT	MI (US)
IAP	RNAV (GPS) Y RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (GPS) Z RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) PRM U RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) U RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) X RWY 22R			KDTW	DETROIT	MI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 01/03/2019

REASON FOR REVISION:

ADDED RNAV (GPS) Z RWY 22R TO FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-5422

NAME: AUSTIN GOTCHER

APPROVED BY:

DATE:

OFFICE: AJV-5420

NAME: JULIE MORGAN

SIGNATURE:

Digitally signed by

ROBERT G HAMILTON

Nov 14, 2018

DISTRIBUTION:

NFDC

FPO: CEN

ARTCC: ZOB

ATC FACILITY: DTW APP CON, METRO TOWER

OTHER:

QUALITY
16
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: INKSR STATE: MI COUNTRY: US ICAO REGION CODE: K5
 LATITUDE/LONGITUDE: 423117.31N/0830851.78W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	DETROIT	I-JKI	LOC/DME		035.69	028.69	20.03	22.01		4000	7200

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-JKI	LOC/DME	R-036	23	4000	7200

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

ADDITIONAL ESV INFO: I-JKI GS R036/21 4000-7200, I-HJT DME R-036/23 4000-7200.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS PRM Z RWY 22R (CLOSE PARALLEL)	1		KDTW	DETROIT	MI (US)
IAP	ILS PRM Z RWY 22R (SA CAT I & II)(CLOSE PARALLEL)	1		KDTW	DETROIT	MI (US)
IAP	ILS Z OR LOC RWY 22R	1		KDTW	DETROIT	MI (US)
IAP	ILS Z RWY 22R (SA CAT I, II)	1		KDTW	DETROIT	MI (US)
IAP	RNAV (GPS) Z RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) W RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) X RWY 22R			KDTW	DETROIT	MI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4 DATE OF REVISION: 01/03/2019

REASON FOR REVISION:

ADDED RNAV (GPS) Z RWY 22R TO FIX USE.

INITIATED BY: DATE: ORGANIZATION: NAME:
 OFFICE OF PRIMARY RESPONSIBILITY: AJV-5422 NAME: AUSTIN GOTCHER
 APPROVED BY: DATE: OFFICE: AJV-5420 NAME: JULIE MORGAN

SIGNATURE:

Digitally signed by
ROBERT G HAMILTON
 Nov 14, 2018

DISTRIBUTION: NFDC
 FPO: CEN
 ARTCC: ZOB
 ATC FACILITY: DTW APP CON
 OTHER:



RADIO FIX AND HOLDING DATA RECORD

NAME: JOYDD

STATE: MI

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 422240.84N/0831515.21W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	DETROIT	I-JKI	LOC/DME		035.69	028.69	10.21	12.19		3000	5100

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-JKI	LOC/DME	R-036	11	3000	5100

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

ESV IS FOR I-JKI GS.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS PRM Z RWY 22R (CLOSE PARALLEL)	1		KDTW	DETROIT	MI (US)
IAP	ILS PRM Z RWY 22R (SA CAT I & II)(CLOSE PARALLEL)	1		KDTW	DETROIT	MI (US)
IAP	ILS Z OR LOC RWY 22R	1		KDTW	DETROIT	MI (US)
IAP	ILS Z RWY 22R (SA CAT I, II)	1		KDTW	DETROIT	MI (US)
IAP	RNAV (GPS) Z RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) W RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) X RWY 22R			KDTW	DETROIT	MI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6

DATE OF REVISION: 01/03/2019

REASON FOR REVISION:

ADDED RNAV (GPS) Z RWY 22R TO FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-5422

NAME: AUSTIN GOTCHER

APPROVED BY:

DATE:

OFFICE: AJV-5420

NAME: JULIE MORGAN

SIGNATURE:

Digitally signed by

ROBERT G HAMILTON

Nov 14, 2018

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZOB
ATC FACILITY: DTW APP CON
OTHER:

QUALITY
16
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: KLIER

STATE: MI

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 423355.17N/0831103.94W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS PRM Y RWY 22R (CLOSE PARALLEL)			KDTW	DETROIT	MI (US)
IAP	ILS PRM Z RWY 22R (CLOSE PARALLEL)			KDTW	DETROIT	MI (US)
IAP	ILS PRM Z RWY 22R (SA CAT I & II)(CLOSE PARALLEL)			KDTW	DETROIT	MI (US)
IAP	ILS Y RWY 22R			KDTW	DETROIT	MI (US)
IAP	ILS Z OR LOC RWY 22R			KDTW	DETROIT	MI (US)
IAP	ILS Z RWY 22R (SA CAT I & II)			KDTW	DETROIT	MI (US)
IAP	RNAV (GPS) PRM Y RWY 22R (CLOSE PARALLEL)			KDTW	DETROIT	MI (US)
IAP	RNAV (GPS) Y RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (GPS) Z RWY 22R			KDTW	DETROIT	MI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 01/03/2019

REASON FOR REVISION:

ADDED RNAV (GPS) Z RWY 22R TO FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-5422

NAME: AUSTIN GOTCHER

APPROVED BY:

DATE:

OFFICE: AJV-5420

NAME: JULIE MORGAN

SIGNATURE:

Digitally signed by

ROBERT G HAMILTON

Nov 14, 2018

DISTRIBUTION:

NFDC

FPO: CEN

ARTCC: ZOB

ATC FACILITY: DTW APP CON, METRO TOWER

OTHER:

QUALITY
16
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: NUJNT

STATE: MI

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 421955.37N/0831717.62W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	DETROIT	I-JKI	LOC/DME		035.69	028.69	7.07	9.05		3000	5100

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS PRM Z RWY 22R (CLOSE PARALLEL)	1		KDTW	DETROIT	MI (US)
IAP	ILS PRM Z RWY 22R (SA CAT I & II)(CLOSE PARALLEL)	1		KDTW	DETROIT	MI (US)
IAP	ILS Z OR LOC RWY 22R	1		KDTW	DETROIT	MI (US)
IAP	ILS Z RWY 22R (SA CAT I, II)	1		KDTW	DETROIT	MI (US)
IAP	RNAV (GPS) Z RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) W RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) X RWY 22R			KDTW	DETROIT	MI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6

DATE OF REVISION: 01/03/2019

REASON FOR REVISION:

ADDED RNAV (GPS) Z RWY 22R TO FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-5422

NAME: AUSTIN GOTCHER

APPROVED BY:

DATE:

OFFICE: AJV-5420

NAME: JULIE MORGAN

SIGNATURE:

Digitally signed by

ROBERT G HAMILTON

Nov 14, 2018

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZOB
ATC FACILITY: DTW APP CON
OTHER:

QUALITY
16
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: PRYDE

STATE: MI

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 423546.74N/0830925.66W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS PRM Z RWY 22R (CLOSE PARALLEL)			KDTW	DETROIT	MI (US)
IAP	ILS PRM Z RWY 22R (SA CAT I & II)(CLOSE PARALLEL)			KDTW	DETROIT	MI (US)
IAP	ILS Z OR LOC RWY 22R			KDTW	DETROIT	MI (US)
IAP	ILS Z RWY 22R (SA CAT I, II)			KDTW	DETROIT	MI (US)
IAP	RNAV (GPS) Z RWY 22R			KDTW	DETROIT	MI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 01/03/2019

REASON FOR REVISION:

ADDED RNAV (GPS) Z RWY 22R TO FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-5422

NAME: AUSTIN GOTCHER

APPROVED BY:

DATE:

OFFICE: AJV-5420

NAME: JULIE MORGAN

SIGNATURE:

Digitally signed by

ROBERT G HAMILTON

Nov 14, 2018

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZOB
ATC FACILITY: DTW APP CON
OTHER:

QUALITY
16
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: TARAH STATE: MI COUNTRY: US ICAO REGION CODE: K5
 LATITUDE/LONGITUDE: 422811.67N/0831109.84W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	DETROIT	I-JKI	LOC/DME		035.69	028.69	16.50	18.48	4000	6000

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-JKI	LOC/DME	R-036	19	4000	6000

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

ADDITIONAL ESV INFO: I-JKI GS R-036/17 4000-6000, I-HJT DME R-036/19 4000-6000.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS PRM Z RWY 22R (CLOSE PARALLEL)	1		KDTW	DETROIT	MI (US)
IAP	ILS PRM Z RWY 22R (SA CAT I & II)(CLOSE PARALLEL)	1		KDTW	DETROIT	MI (US)
IAP	ILS Z OR LOC RWY 22R	1		KDTW	DETROIT	MI (US)
IAP	ILS Z RWY 22R (SA CAT I, II)	1		KDTW	DETROIT	MI (US)
IAP	RNAV (GPS) Z RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) W RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) X RWY 22R			KDTW	DETROIT	MI (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6 DATE OF REVISION: 01/03/2019

REASON FOR REVISION:

ADDED RNAV (GPS) Z RWY 22R TO FIX USE.

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
OFFICE OF PRIMARY RESPONSIBILITY:		AJV-5422	NAME: AUSTIN GOTCHER
APPROVED BY:	DATE:	OFFICE: AJV-5420	NAME: JULIE MORGAN
			<i>Digitally signed by</i>
	SIGNATURE:		ROBERT G HAMILTON
			Nov 14, 2018

DISTRIBUTION: NFDC
 FPO: CEN
 ARTCC: ZOB
 ATC FACILITY: DTW APP CON
 OTHER:



RADIO FIX AND HOLDING DATA RECORD

NAME: VALLI

STATE: MI

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 423356.33N/0832118.10W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS PRM Y RWY 22R (CLOSE PARALLEL)			KDTW	DETROIT	MI (US)
IAP	ILS PRM Z RWY 22R (CLOSE PARALLEL)			KDTW	DETROIT	MI (US)
IAP	ILS PRM Z RWY 22R (SA CAT I & II) (CLOSE PARALLEL)			KDTW	DETROIT	MI (US)
IAP	ILS Y RWY 22R			KDTW	DETROIT	MI (US)
IAP	ILS Z OR LOC RWY 22R			KDTW	DETROIT	MI (US)
IAP	ILS Z RWY 22R (SA CAT I & II)			KDTW	DETROIT	MI (US)
IAP	RNAV (GPS) PRM Y RWY 22R (CLOSE PARALLEL)			KDTW	DETROIT	MI (US)
IAP	RNAV (GPS) Y RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (GPS) Z RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) PRM U RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) U RWY 22R			KDTW	DETROIT	MI (US)
IAP	RNAV (RNP) X RWY 22R			KDTW	DETROIT	MI (US)
STAR	RKCTY (RNAV)			KDTW	DETROIT	MI (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 01/03/2019

REASON FOR REVISION:

ADDED RNAV (GPS) Z RWY 22R TO FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-5422

NAME: AUSTIN GOTCHER

APPROVED BY:

DATE:

OFFICE: AJV-5420

NAME: JULIE MORGAN

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZOB
ATC FACILITY: DTW APP CON, METRO TOWER
OTHER:

Digitally signed by

ROBERT G HAMILTON

Nov 14, 2018

QUALITY
16
CHECKED