

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RADAR STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.31**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT</u> AKRON-CANTON RGNL	<u>AIRPORT ID</u> KCAK	<u>PROCEDURE NAME</u> RADAR 1	<u>ORIGINAL/AMENDMENT</u> 24	<u>CITY</u> AKRON	<u>STATE</u> OH	
<u>AIRPORT ELEVATION</u> 1228	<u>TDZE</u> 1199	<u>SUPERSEDED</u> RADAR 1	<u>ORIGINAL/AMENDMENT</u> 23A	<u>DATED</u> 04/08/2010	<u>MAG VAR</u>	<u>EPOCH YEAR</u>
<u>FACILITY</u> CAK ASR	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u>	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u> CANCEL		

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>

PROCEDURE CANCELLED EFFECTIVE _____

MISSED APPROACH

MAP:

MISSED APPROACH INSTRUCTIONS:

ALTERNATE MISSED APPROACH INSTRUCTIONS:

PROFILE:

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- 2.
3. FAC: FAF: DIST FAF TO MAP: DIST FAF TO THLD:
4. MIN ALT:
8. MSA FROM:

EQUIPMENT REQUIREMENTS NOTES:

NOTES:

ADDITIONAL FLIGHT DATA:

QUALITY
13
CHECKED

MINIMUMS:ALTERNATE: NA ☐

CATEGORY:															
FINAL TYPE	DA/MDA	VIS		DA/MDA	VIS		DA/MDA	VIS		DA/MDA	VIS		DA/MDA	VIS	

CHANGES - REASONSCOORDINATED WITH:A4A ☐ ALPA ☒ AOPA ☒ APA ☒ HAI ☐ NBAA ☒ OTHER: ZOB, CAK APP CON, CAK ATCT, AMGRFLIGHT CHECKED BYOFFICEDATEDEVELOPED BY

LEO PALMER

Digitally signed by

LEO PALMER

Jun 19, 2019

OFFICE

AJV-A421

DATE

06/19/2019

APPROVED BY

MARLON J. ROBINSON

Digitally signed by

DAVID DANNER

Jul 16, 2019

OFFICE

AJV-A420

DATETITLE

MANAGER

