

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
PEACE	TWO	PEACE2.PEACE	ONE	07/29/2014	

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

VFR SEGMENT: VFR CLIMB TO ZUKEL, CROSS ZUKEL AT OR ABOVE 1700.

IFR SEGMENT: ON TRACK 218.01 TO CROSS PEACE AT OR ABOVE 3000.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	-------------------------------------	----------------------------	--------------------------	---------------	-----------------	------------	-------------	------------------------------------

PROCEDURAL DATA NOTES:

CHART NOTE: USE NORTHEAST IOWA RGNL ALTIMETER SETTING.

CHART NOTE: PILOT MUST ENSURE CDI SENSITIVITY IS SET TO 0.3 NM. CDI MAY BE RESET TO 1.0 NM AFTER PEACE.

CHART NOTE: GPS REQUIRED.

CHART NOTE: USE OF MERCYONE NEW HAMPTON MEDICAL CENTER REQUIRES PERMISSION OF THE OWNER; USE OF THIS PROCEDURE REQUIRES SPECIFIC AUTHORIZATION BY FAA FLIGHT STANDARDS.

TAKEOFF MINIMUMS:

TAKEOFF OBSTACLES NOTES:

CONTROLLING OBSTACLES:

IDF FLAT SURFACE OBSTACLES: 1369 FEET MSL AAO 430336.90N/0921925.45W.

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

REFERENCE MAGVAR: IA50: 0E EPOCH YEAR: 2010

CHART: NORTHEAST IOWA RGNL AWOS.

CHART: TOP ALTITUDE: 3000.

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
MERCYONE NEW HAMPTON MEDICAL CENTER	IA50	NEW HAMPTON	IA

COMMUNICATIONS:

ZAU, KCCY AWOS.

FIXES AND/OR NAVAIDS:



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
PEACE	TWO	PEACE2.PEACE	ONE	07/29/2014	

REMARKS:

THIS IS A SPECIAL USE PROCEDURE. VFR DEPARTURE TO ZUKEL. IFR BEGINS AT ZUKEL WITH AN OCS STARTING HEIGHT OF 1416. PROCEDURE WAS DEVELOPED USING THE FIXES AND RECIPROCAL COURSES OF THE COPTER RNAV (GPS) 038 PER ATC REQUEST. ALTITUDE AT PEACE IS ABOVE THE MIA ALTITUDE FOR THE SECTOR ENCOMPASSING THE DEPARTURE, AND IS THE IF/IAF ALTITUDE AT PEACE.

RASS PRESSURE PATTERNS SAME

KCCY 1125.2

IA50 1159

RA = 34

ABBREVIATED AMENDMENT.

FLIGHT INSPECTED BY

PROCESSED IAW AIRCRAFT OPERATIONS GROUP(AJW-33) MEMO, OCTOBER 3, 2018, SUBJET: FLIGHT INSPECTION REVIEW NOT REQUIRED.

Digitally signed by **OFFICE**

DATE

WARDELL HENNING AJW-33

Oct 28, 2019

DEVELOPED BY *Digitally signed by*

OFFICE

DATE

CHRISTINE BAYSE **CHRISTINE BAYSE**

AJV-A432

08/07/2019

Oct 22, 2019

APPROVED BY

OFFICE

DATE

TITLE

AFS-400

REQUIRED EFFECTIVE DATE

ROUTINE

COORDINATED WITH:

A4A ☐ **ALPA** ☐ **AOPA** ☐ **APA** ☐ **HAI** ☒ **NBAA** ☐ **OTHER**:ZAU, MAYO ONE.

CHANGES - REASONS:

1. CHANGED CHART NOTE FROM "USE OF MERCY MEDICAL CENTER REQUIRES PERMISSION..." TO "USE OF MERCYONE NEW HAMPTON MEDICAL CENTER REQUIRES PERMISSION...". - AIRPORT NAME CHANGED.
2. CHANGED AIRPORT NAME FROM "MERCY MEDICAL CENTER" TO "MERCYONE NEW HAMPTON MEDICAL CENTER". - AIRPORT NAME CHANGED.
3. ADDED AIRPORT IDENTIFIER "IA50" TO AIRPORTS SERVED. - IAW 8260.46G.
4. ADDED CHART TOP ALTITUDE: 3000 TO ADDITIONAL FLIGHT DATA. - IAW 8260.46G.

10/22/19: THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 08/07/19.

1. UPDATED FIX FROM ZUKEN TO ZUKEL IN DP ROUTE DESCRIPTION.

QUALITY
18
CHECKED

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

DP NAME						NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
PEACE						TWO	PEACE2.PEACE	ONE	07/29/2014	
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS	
IA50	430348.06N/0921919.41W	N	-	-	-	-			HELIPAD COORDINATES/DEPART VFR TO ZUKEL.	
1700 MSL	-	-	-	-	-	-				
ZUKEL	430311.40N/0921937.60W	Y	FB	IF	-	-	AT OR ABOVE 1700		IFR SEGMENT BEGINS	
PEACE	425914.90N/0922349.31W	Y	FB	TF	218.01	5.00	AT OR ABOVE 3000			

