

RADIO FIX AND HOLDING DATA RECORD

NAME: KELLY

STATE: IN

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 392449.24N/0864016.94W

TYPE: WP, RADAR, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	BRICKYARD	VHP	VORTAC	H	209.47	210.47	27.87	27.87	2900	17500
2	SHELBYVILLE	SHB	VOR/DME	L	250.82	251.82	41.46	41.46	6000	17500
3	TERRE HAUTE	TTH	VORTAC	H	097.36	099.36		27.22	2900	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
SHB	VOR/DME	R-251	42	6000	17500

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG TIME	LENGTH DME	HOLDING ALTITUDES MIN	ALTITUDES MAX	TEMPLATES MIN	TEMPLATES MAX
1	SW	VHP	VORTAC	209.47	029.47	R	1		6000	17500	9	18

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	TOWER (18-001287)	391132.16N/0864146.01W	1349	5D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

BRICKYARD (FAC 1) AND SHELBYVILLE (FAC 2) USED TO ESTABLISH FIX COORDINATES
PRECIPITIOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	GATEWAY	1, 2, 3		KALN	ALTON/ST LOUIS	IL (US)
DP	GATEWAY	1, 2, 3		KBLV	BELLEVILLE	IL (US)
DP	GATEWAY	1, 2, 3		KPCS	CAHOKIA/ST LOUIS	IL (US)
DP	GATEWAY	1, 2, 3		KSTL	ST LOUIS	MO (US)
DP	JHART (RNAV)			KSTL	ST LOUIS	MO (US)
DP	GATEWAY	1, 2, 3		KSUS	ST LOUIS	MO (US)
EN ROUTE	V11	1, 2, 3	1			(US)
EN ROUTE	V12	1, 2, 3				(US)
IAP	RNAV (GPS) RWY27			K0I2	BRAZIL	IN (US)
IAP	RNAV (GPS) RWY 36			K2R2	INDIANAPOLIS	IN (US)
IAP	ILS OR LOC RWY 05L	1		KIND	INDIANAPOLIS	IN (US)
IAP	ILS OR LOC RWY 05R	1		KIND	INDIANAPOLIS	IN (US)
IAP	ILS RWY 05L (CAT II)	1		KIND	INDIANAPOLIS	IN (US)
IAP	ILS RWY 05L (CAT III)	1		KIND	INDIANAPOLIS	IN (US)
IAP	ILS RWY 05R (CAT II)	1		KIND	INDIANAPOLIS	IN (US)
IAP	ILS RWY 05R (CAT III)	1		KIND	INDIANAPOLIS	IN (US)
IAP	ILS RWY 5L (SA CAT I)	1		KIND	INDIANAPOLIS	IN (US)
IAP	ILS RWY 5R (SA CAT I)	1		KIND	INDIANAPOLIS	IN (US)
IAP	RNAV (GPS) Y RWY 05L			KIND	INDIANAPOLIS	IN (US)
IAP	RNAV (GPS) Y RWY 05R			KIND	INDIANAPOLIS	IN (US)
IAP	RNAV (GPS) Y RWY 23L			KIND	INDIANAPOLIS	IN (US)
IAP	RNAV (GPS) Y RWY 23R			KIND	INDIANAPOLIS	IN (US)
STAR	RACR	1, 2, 3	1	KEYE	INDIANAPOLIS	IN (US)
STAR	RACR	1, 2, 3	1	KHXY	INDIANAPOLIS	IN (US)
STAR	RACR	1, 2, 3	1	KIND	INDIANAPOLIS	IN (US)
STAR	RACR	1, 2, 3	1	KMQJ	INDIANAPOLIS	IN (US)
STAR	RACR	1, 2, 3	1	KTYQ	INDIANAPOLIS	IN (US)
STAR	RACR	1, 2, 3	1	KUMP	INDIANAPOLIS	IN (US)

REQUIRED CHARTING: DP, STAR, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 20

DATE OF REVISION: 08/12/2021

REASON FOR REVISION:

CHANGED PAT 1 LEG TIME FROM 1-1 1/2 TO 1.
CHANGED CONTROLLER TO CONTROLLER LOW IN REQUIRED CHARTING.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

QUALITY
24
CHECKED

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: ANTHONY CAPPABIANCO

APPROVED BY:

DATE:

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE:

*Digitally signed by***JOHN BORDY**

DISTRIBUTION:

NFDC

FPO: CEN

ARTCC: ZID

ATC FACILITY: IND APP CON

OTHER:

Jul 07, 2021

QUALITY
24
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: RINTE

STATE: OH

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 401716.11N/0840234.51W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	CLVIN (RNAV)			CYQG	ONTARIO, CANADA	(CA)
DP	CLVIN (RNAV)			KARB	ANN ARBOR	MI (US)
DP	CLVIN (RNAV)			KDET	DETROIT	MI (US)
DP	CLVIN (RNAV)			KDTW	DETROIT	MI (US)
DP	CLVIN (RNAV)			KYIP	DETROIT	MI (US)
DP	CLVIN (RNAV)			KONZ	DETROIT/GROSSE ILE	MI (US)
DP	CLVIN (RNAV)			KOZW	HOWELL	MI (US)
DP	CLVIN (RNAV)			KTTF	MONROE	MI (US)
DP	CLVIN (RNAV)			KMTC	MOUNT CLEMENS	MI (US)
DP	CLVIN (RNAV)			KPTK	PONTIAC	MI (US)
DP	CLVIN (RNAV)			KVLL	TROY	MI (US)
DP	JHART (RNAV)			KSTL	ST LOUIS	MO (US)
STAR	SNKPT (RNAV)			KIND	INDIANAPOLIS	IN (US)

REQUIRED CHARTING: DP, STAR, EN ROUTE HIGH, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 08/12/2021

REASON FOR REVISION:

ADDED KSTL JHART (RNAV) TO FIX USE.
CHANGED CONTROLLER TO CONTROLLER HIGH IN REQUIRED CHARTING.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: ANTHONY CAPPABIANCO

APPROVED BY:

DATE:

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE: *Digitally signed by*

JOHN BORDY

DISTRIBUTION:

NFDC
FPO: CEN
ARTCC: ZID
ATC FACILITY:
OTHER:

Jul 07, 2021

QUALITY
24
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: ROSEWOOD VORTAC

STATE: OH

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 401716.08N/0840235.15W

TYPE:

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	ROSEWOOD	ROD	VORTAC	H							45000

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
ROD	VORTAC	R-207	42	3000	15600

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	NW	ROD	VORTAC	310.00	130.00	R	1		3000	6000	4	5
2	NE	ROD	VORTAC	063.00	243.00	R	1		2800	6000	4	5
3	NE	ROD	VORTAC	064.96	244.96	R	1		3000	6000	4	5
4	W	ROD	VORTAC	248.49	068.49	R	1		3000	6000	4	5
5	SW		WP	244.00	064.00	R		4	3000	6000	5	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (39-000804)	401821.00N/0840654.00W	1529	5D
2	200	TOWER (39-000804)	401821.00N/0840654.00W	1529	5D
3	200	TOWER (39-000804)	401821.00N/0840654.00W	1529	5D
4	200	TOWER (39-000804)	401821.00N/0840654.00W	1529	5D
5	200	TOWER (39-000804)	401821.00N/0840654.00W	1529	5D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETE.
ASSIGNED FACILITY MAGVAR: 5W/1995.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	GATEWAY			KALN	ALTON/ST LOUIS	IL (US)
DP	GATEWAY			KBLV	BELLEVILLE	IL (US)
DP	GATEWAY			KPCS	CAHOKIA/ST LOUIS	IL (US)
DP	MAREO			KEYE	INDIANAPOLIS	IN (US)
DP	MAREO			KHFX	INDIANAPOLIS	IN (US)
DP	INDY			KIND	INDIANAPOLIS	IN (US)
DP	MAREO			KIND	INDIANAPOLIS	IN (US)
DP	MAREO			KMQJ	INDIANAPOLIS	IN (US)
DP	MAREO			KTYQ	INDIANAPOLIS	IN (US)
DP	MAREO			KUMP	INDIANAPOLIS	IN (US)
DP	MAREO			KGEZ	SHELBYVILLE	IN (US)
DP	CINCINNATI			KCVG	COVINGTON	KY (US)
DP	HAGOL (RNAV)			KCVG	COVINGTON	KY (US)
DP	GATEWAY			KSTL	ST LOUIS	MO (US)
DP	GATEWAY			KSUS	ST LOUIS	MO (US)
DP	NCLUS			KCMH	COLUMBUS	OH (US)
DP	LOCKBOURNE			KLCK	COLUMBUS	OH (US)
DP	NCLUS			KLCK	COLUMBUS	OH (US)
DP	NCLUS			KOSU	COLUMBUS	OH (US)
DP	NCLUS			KTZR	COLUMBUS	OH (US)
DP	DAYTON			KDAY	DAYTON	OH (US)
EN ROUTE	J149					(US)
EN ROUTE	J152					(US)
EN ROUTE	J39					(US)
EN ROUTE	J43					(US)
EN ROUTE	Q65					(US)
EN ROUTE	V210					(US)
EN ROUTE	V277					(US)
EN ROUTE	V47					(US)
IAP	ILS OR LOC RWY 5			KFWA	FORT WAYNE	IN (US)
IAP	ILS RWY 5 (CAT II)			KFWA	FORT WAYNE	IN (US)
IAP	RNAV (GPS) RWY 25		5	KEDJ	BELLEFONTAINE	OH (US)
IAP	RNAV (GPS) RWY 7		5	KEDJ	BELLEFONTAINE	OH (US)
IAP	VOR/DME RWY 25		4	KEDJ	BELLEFONTAINE	OH (US)
IAP	VOR/DME RWY 7		4	KEDJ	BELLEFONTAINE	OH (US)
IAP	ILS OR LOC RWY 28L			KCMH	COLUMBUS	OH (US)
IAP	ILS RWY 28L (SA CAT I & II)			KCMH	COLUMBUS	OH (US)
IAP	ILS OR LOC RWY 18			KDAY	DAYTON	OH (US)

QUALITY
24
CHECKED

IAP	ILS OR LOC RWY 24L		KDAY	DAYTON	OH (US)
IAP	ILS OR LOC RWY 24R		KDAY	DAYTON	OH (US)
IAP	ILS OR LOC RWY 6L	2	KDAY	DAYTON	OH (US)
IAP	ILS RWY 6L (CAT II & III)	2	KDAY	DAYTON	OH (US)
IAP	RNAV (GPS) RWY 18		KDAY	DAYTON	OH (US)
IAP	RNAV (GPS) RWY 24L		KDAY	DAYTON	OH (US)
IAP	RNAV (GPS) Z RWY 24R		KDAY	DAYTON	OH (US)
IAP	RNAV (GPS) RWY 36		KFDY	FINDLAY	OH (US)
IAP	RNAV (GPS) RWY 4		KI95	KENTON	OH (US)
IAP	ILS OR LOC RWY 28		KAOH	LIMA	OH (US)
IAP	RNAV (GPS) RWY 26		KI17	PIQUA	OH (US)
IAP	VOR RWY 26	2	KI17	PIQUA	OH (US)
IAP	RNAV (GPS) RWY 10		KSCA	SIDNEY	OH (US)
IAP	RNAV (GPS) RWY 28		KSCA	SIDNEY	OH (US)
IAP	VOR-A	3	KSCA	SIDNEY	OH (US)
IAP	NDB RWY 24		KSGH	SPRINGFIELD	OH (US)
IAP	VOR/DME RWY 33		KSGH	SPRINGFIELD	OH (US)
IAP	HI-ILS OR LOC RWY 07		KTOL	TOLEDO	OH (US)
IAP	HI-ILS OR LOC RWY 25		KTOL	TOLEDO	OH (US)
IAP	HI-TACAN RWY 07		KTOL	TOLEDO	OH (US)
IAP	HI-TACAN RWY 25		KTOL	TOLEDO	OH (US)
IAP	RNAV (GPS) RWY 20		KI74	URBANA	OH (US)
IAP	VOR-A	1	KI74	URBANA	OH (US)
IAP	RNAV (GPS) RWY 27		KVES	VERSAILLES	OH (US)
IAP	VOR-A		KAXV	WAPAKONETA	OH (US)
STAR	WATSN (RNAV)		KORD	CHICAGO	IL (US)
STAR	CLANG		KEYE	INDIANAPOLIS	IN (US)
STAR	CLANG		KIND	INDIANAPOLIS	IN (US)
STAR	CLANG		KMQJ	INDIANAPOLIS	IN (US)
STAR	REDSTONE		KJVV	JEFFERSONVILLE	IN (US)
STAR	CINCE		KCVG	COVINGTON	KY (US)
STAR	DEBAR		KCVG	COVINGTON	KY (US)
STAR	HEDEE		KK62	FALMOUTH	KY (US)
STAR	REDSTONE		KLOU	LOUISVILLE	KY (US)
STAR	REDSTONE		KSDF	LOUISVILLE	KY (US)
STAR	HEDEE		KI69	BATAVIA	OH (US)
STAR	HEDEE		KLUK	CINCINNATI	OH (US)
STAR	GUNNE		KCMH	COLUMBUS	OH (US)
STAR	GUNNE		KLCK	COLUMBUS	OH (US)
STAR	GUNNE		KOSU	COLUMBUS	OH (US)
STAR	GUNNE		KTZR	COLUMBUS	OH (US)
STAR	HEDEE		KHAO	HAMILTON	OH (US)
STAR	GUNNE		KLHQ	LANCASTER	OH (US)
STAR	GUNNE		KVTA	NEWARK	OH (US)

REQUIRED CHARTING: DP, STAR, MILITARY IAP, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 34

DATE OF REVISION: 08/12/2021

REASON FOR REVISION:

REMOVED KSTL JHART (RNAV) FROM FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: ANTHONY CAPPABIANCO

APPROVED BY:

DATE:

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE: Digitally signed by

JOHN BORDY

DISTRIBUTION:

NFDC

FPO: CEN

Jul 07, 2021

ARTCC: ZID

ATC FACILITY: COLUMBUS APP CON

OTHER:



RADIO FIX AND HOLDING DATA RECORD

NAME: SHELBYVILLE VOR/DME

STATE: IN

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 393757.15N/0854927.54W

TYPE:

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	SHELBYVILLE	SHB	VOR/DME	L							17500

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	NW	SHB	VOR/DME	336.00	156.00	L	1		2400	8000	4	8
2	SE	SHB	VOR/DME	150.00	330.00	R	1		2600	8000	4	8
3	E	SHB	VOR/DME	089.00	269.00	R	1		2600	8000	4	8
4	NW	SHB	VOR/DME	334.00	154.00	R	1		2400	8000	4	8
5	S	SHB	VOR/DME	166.00	346.00	R	1		2500	8000	4	8
6	NE		WP	038.88	218.88	R		4	2500	6000	5	6
7	SE		WP	142.71	322.71	R		4	2900	6000	5	6
8	SE	SHB	VOR/DME	149.92	329.92	R	1		2600	6000	4	5

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (18-000878)	393629.00N/0855211.00W	1229	3C
2	200	TOWER (18-000878)	393629.00N/0855211.00W	1229	3C
3	200	TOWER (18-000878)	393629.00N/0855211.00W	1229	3C
4	200	TOWER (18-000878)	393629.00N/0855211.00W	1229	3C
5	200	TOWER (18-000878)	393629.00N/0855211.00W	1229	3C
6	200	TOWER (18-000611)	394658.32N/0854739.47W	1257	1A
7	200	TOWER (18-000878)	393629.00N/0855211.00W	1229	3C
8	200	TOWER (18-000878)	393629.00N/0855211.00W	1229	3C

REASON FOR NONSTANDARD HOLDING:

PAT 1 ATC REQUEST

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.

ASSIGNED FACILITY MAG VAR: E1 1965.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	GATEWAY			KALN	ALTON/ST LOUIS	IL (US)
DP	GATEWAY			KBLV	BELLEVILLE	IL (US)
DP	GATEWAY			KCPD	CAHOKIA/ST LOUIS	IL (US)
DP	INDY			KIND	INDIANAPOLIS	IN (US)
DP	LOVEY			KCVG	COVINGTON	KY (US)
DP	GATEWAY			KSTL	ST LOUIS	MO (US)
DP	JHART (RNAV)			KSTL	ST LOUIS	MO (US)
DP	GATEWAY			KSUS	ST LOUIS	MO (US)
EN ROUTE	V12					(US)
EN ROUTE	V221					(US)
EN ROUTE	V51					(US)
EN ROUTE	V97					(US)
IAP	ILS OR LOC/DME RWY 35			KBMG	BLOOMINGTON	IN (US)
IAP	ILS OR LOC RWY 23			KBAK	COLUMBUS	IN (US)
IAP	RNAV (GPS) RWY 14		6	KBAK	COLUMBUS	IN (US)
IAP	RNAV (GPS) RWY 23			KBAK	COLUMBUS	IN (US)
IAP	ILS OR LOC RWY 18			KCEV	CONNERSVILLE	IN (US)
IAP	VOR-A			KI34	GREENSBURG	IN (US)
IAP	COPTER RNAV (GPS) 291			K8A4	INDIANAPOLIS	IN (US)
IAP	COPTER VOR/DME 287			K8A4	INDIANAPOLIS	IN (US)
IAP	RNAV (GPS) RWY 1			KHFY	INDIANAPOLIS	IN (US)
IAP	VOR-A		3	KHFY	INDIANAPOLIS	IN (US)
IAP	ILS OR LOC RWY 14		2	KIND	INDIANAPOLIS	IN (US)
IAP	ILS OR LOC RWY 23L			KIND	INDIANAPOLIS	IN (US)
IAP	ILS OR LOC RWY 32 (ALT MA)		4	KIND	INDIANAPOLIS	IN (US)
IAP	ILS OR LOC RWY 5R			KIND	INDIANAPOLIS	IN (US)
IAP	ILS RWY 5R (CAT II & III)			KIND	INDIANAPOLIS	IN (US)
IAP	ILS RWY 5R (SA CAT I)			KIND	INDIANAPOLIS	IN (US)
IAP	ILS OR LOC RWY 25		4	KMQJ	INDIANAPOLIS	IN (US)
IAP	RNAV (GPS) RWY 25		7	KMQJ	INDIANAPOLIS	IN (US)
IAP	VOR RWY 34		5	KMQJ	INDIANAPOLIS	IN (US)
IAP	VOR RWY 33		8	KUMP	INDIANAPOLIS	IN (US)
IAP	RNAV (GPS) RWY 1			KGEZ	SHELBYVILLE	IN (US)

QUALITY
24
CHECKED

IAP	RNAV (GPS) RWY 19		KGEZ	SHELBYVILLE	IN (US)
IAP	VOR RWY 19	1	KGEZ	SHELBYVILLE	IN (US)
STAR	CLANG		KEYE	INDIANAPOLIS	IN (US)
STAR	CLANG		KIND	INDIANAPOLIS	IN (US)
STAR	RACYR		KIND	INDIANAPOLIS	IN (US)
STAR	CLANG		KMQJ	INDIANAPOLIS	IN (US)
STAR	CEGRM		KCVG	COVINGTON	KY (US)
STAR	SHELBYVILLE		KCVG	COVINGTON	KY (US)
STAR	SHELBYVILLE		KK62	FALMOUTH	KY (US)
STAR	SHELBYVILLE		KI69	BATAVIA	OH (US)
STAR	SHELBYVILLE		KLUK	CINCINNATI	OH (US)
STAR	SHELBYVILLE		KHAO	HAMILTON	OH (US)

REQUIRED CHARTING: DP, STAR, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 28

DATE OF REVISION: 08/12/2021

REASON FOR REVISION:

REMOVED UPN HOLDING PATTERN AND ASSOCIATED OBJECTS.

ADDED HOLDING LIMITED TO ESTABLISHED PATTERNS TO HOLDING RESTRICTIONS.

ADDED KCEV ILS OR LOC RWY 18 TO FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: ANTHONY CAPPABIANCO

APPROVED BY:

DATE:

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE:

Digitally signed by

JOHN BORDY

DISTRIBUTION:

NFDC

FPO: CEN

Jul 07, 2021

ARTCC: ZID

ATC FACILITY: IND APP CON, KAB ATCT

OTHER:

