

Flight Procedures Cover Page	Task Action: P-NOTAM	Task Type: IAP	Estimated Chart Date: 12/30/2021	APWS Task ID: 29BCBD31C2654C429AC0946B1A00230A	APWS Project ID: D830CF44093E4527A92D2D92D03A4C59
Procedure: RNAV (GPS) RWY 22 AMDT 1D		Enroute: NO	Specialist: Miller, Ralph		Agreement Number:
Airport ID: KVRB			Airport City: VERO BEACH		State: FL
Facility ID:	Facility Type:	Flight Inspection Remark Type:			
<p>Procedure Comments:</p> <p>P-NOTAM.</p> <p>ORDER 8260.3, CHAPTER 2, NEW CIRCLING CRITERIA APPLIED</p> <p>ACTIVE DATA USED.</p> <p>CONTACT JASON KRETSCHMER, AJV-A421, 405-954-5077.</p> <div style="display: flex; justify-content: space-between; align-items: flex-end; margin-top: 20px;"> <div style="text-align: center;"> <p><i>Digitally signed by</i> JASON KRETSCHMER Oct 27, 2021</p> </div> <div style="text-align: right;"> <p><i>Digitally signed by</i> MARY MCDONALD Oct 20, 2021</p> </div> </div>					



WAAS CH 53611 W22A	APP CRS 223°	Rwy Idg TDZE 23 Apt Elev 24
--	------------------------	---


RNAV (GPS) RWY 22

VERO BEACH RGNL (VRB)



⚠ Circling to Rwy 30R NA at night. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below 0°C (32°F) or above 43°C (109°F). DME/DME RNP-0.3 NA. When local altimeter setting not received, use Fort Pierce altimeter setting and increase all DA 23 feet and all MDA 40 feet and increase LPV and LNAV/VNAV all Cats visibility ½ mile and LNAV Cats C/D ¼ mile and Circling Cat D visibility ¼ mile. Baro-VNAV and VDP NA when using Fort Pierce altimeter setting. Rwy 22 helicopter visibility reduction below ¾ SM NA.

MISSED APPROACH:
Climb to 2000 direct
JINSO and hold.

ATIS 120.575	PALM BEACH APP CON 123.625 225.4 (N)	VERO BEACH TOWER★ 126.3 (CTAF) 0	GND CON 127.45	CLNC DEL 134.975	UNICOM 122.95
------------------------	--	--	--------------------------	----------------------------	-------------------------



ELEV 24	D TDZE 23
---------	------------------




CATEGORY	A	B	C	D
LPV DA	340-1 317 (400-1)			
LNAV/VNAV DA	544-1¾ 521 (600-1¾)			
LNAV MDA	520-1	497 (500-1)	520-1¾	497 (500-1¾)
CIRCLING	560-1	536 (600-1)	560-1½ 536 (600-1½)	660-2 636 (700-2)

MIRL Rwy 4-22, 12R-30L,
and 12L-30R 0
REIL Rwy 4, 12R, 22 and 30L 0

SE-3, 08 OCT 2020 to 05 NOV 2020

SE-3, 08 OCT 2020 to 05 NOV 2020



VRB
VERO BEACH RGNL
RNAV (GPS) RWY 22
CIRCLING 100K

Circling CAT A
207 TOWER (12-003885)

Circling CAT C
344 TOWER (12-003083)

Circling CAT B
233 ANTENNA (12-078938)

Circling CAT D
504 TOWER (12-001877)