

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
RDNEY	ONE	RDNEY1.RDNEY	NONE		
<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

TAKEOFF RWY 21: CLIMB DIRECT TO CROSS RDNEY AT OR ABOVE 7000 AT OR BELOW 230 KIAS, THEN ON TRANSITION. MAINTAIN ATC ASSIGNED ALTITUDE. EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
BRDIN	RDNEY1.BRDIN	RDNEY	BRDIN	TRACK 287.37	19.40	7800	7800	
RAMMM	RDNEY1.RAMMM	RDNEY	MARPS	TRACK 168.22	16.93	8700	8600	MARPS AT/ABOVE 10400
		MARPS	RAMMM	TRACK 168.22	41.42	11700	11500	
ROCCA	RDNEY1.ROCCA	RDNEY	ROCCA	TRACK 253.71	12.49	7400	7400	
SHEMA	RDNEY1.SHEMA	RDNEY	MARPS	TRACK 168.22	16.93	8700	8600	MARPS AT/ABOVE 10400
		MARPS	SHEMA	TRACK 113.50	28.15	9500	9500	SHEMA AT/ABOVE 12000

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS.

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED FOR NON-GPS EQUIPPED AIRCRAFT.

PROCEDURAL DATA NOTES:

TAKEOFF MINIMUMS:

RWY 17: NA - ENVIRONMENTAL.

RWY 21: STANDARD.

TAKEOFF OBSTACLES NOTES:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)

CONTROLLING OBSTACLES:

MSA:

MSA FROM KIDA, 9200.



LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:
DME/DME ASSESSMENT: SAT 2.0.
AIRPORT MV: KIDA 12E/2020.
CHART: TOP ALTITUDE: ASSIGNED BY ATC.
CHART SPEED ICON: MAXIMUM SPEED 230 KIAS AT RDNEY.

AIRPORTS SERVED:			
AIRPORT ID	CITY		STATE
KIDA	IDAHO FALLS		ID

COMMUNICATIONS:
CHART: SALT LAKE CITY CENTER,TWR, GND CON, CLNC DEL.

FIXES AND/OR NAVAIDS:

REMARKS:
DO NOT CHART MOCA: FROM RDNEY TO BRDIN, RDNEY TO MARPS, MARPS TO RAMMM, RDNEY TO ROCCA, MARPS TO SHEMA.

FLIGHT INSPECTED BY	SIGNATURE	OFFICE	DATE	
DEVELOPED BY	SIGNATURE	OFFICE	DATE	
ERIC SUSKI (CORY SLANE)		AJV-A33	01/24/2025	
APPROVED BY	SIGNATURE	OFFICE	DATE	TITLE
ERIC SUSKI		AJV-A33		MANAGER

REQUIRED EFFECTIVE DATE
ROUTINE

COORDINATED WITH:

A4A☒ ALPA☒ AOPA☒ APA☐ HAI☐ NBAA☒ OTHER:ZLC, IDA ATCT, AMGR

CHANGES - REASONS:



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>		<u>NUMBER</u>		<u>DP COMPUTER CODE</u>		<u>SUPERSEDED NUMBER</u>		<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
RDNEY		ONE		RDNEY1.RDNEY		NONE			
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RW21 (AER)	433119.08N/1120351.56W	N	-	-	-	-			
RDNEY	432501.58N/1121036.27W	Y	FB	DF	-	7.98	AT/ABOVE 7000	AT/BELOW 230K	
RDNEY	432501.58N/1121036.27W	Y	-	IF	-	-			RDNEY1.BRDIN
BRDIN	433430.27N/1123352.10W	Y	FB	TF	299.31	19.40			
RDNEY	432501.58N/1121036.27W	Y	-	IF	-	-			RDNEY1.RAMMM
MARPS	430805.73N/1121041.67W	Y	FB	TF	180.22	16.93	AT/ABOVE 10400		
RAMMM	422639.63N/1121054.69W		FB	TF	180.22	41.42			
RDNEY	432501.58N/1121036.27W	Y	-	IF	-	-			RDNEY1.ROCCA
ROCCA	432404.16N/1122741.62W	Y	FB	TF	265.71	12.49			
RDNEY	432501.58N/1121036.27W	Y	-	IF	-	-			RDNEY1.SHEMA
MARPS	430805.73N/1121041.67W	Y	FB	TF	180.22	16.93	AT/ABOVE 10400		
SHEMA	425140.41N/1113931.85W	Y	FB	TF	125.50	28.15	AT/ABOVE 12000		

