

[Print](#)

Project Name: ESN: P-NOTAM PROJECT FOR RNAV GPS RWY 4, A1B

Project Reason: CLEARS T-NOTAM: FDC 0/2974. MINIMUMS: LNAV/VNAV DA 625/HAT 567, VIS 1 5/8 - NEW VNAV CONTROLLING OBSTACLE. CHANGE BACKUP ALTIMETER NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CAMBRIDGE ALTIMETER SETTING; INCREASE LPV DA TO 303 FEET, LNAV/VNAV DA TO 670 FEET AND VISIBILITY 1/8 SM; INCREASE ALL MDAS 60 FEET AND VISIBILITY LNAV CAT C/D AND CIRCLING CAT C 1/8 SM, AND CIRCLING CAT D 1/4 SM - NEW VISIBILITY CALCULATIONS. CHANGE BARO-VNAV NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C OR ABOVE 54C - UPDATED TO CURRENT CRITERIA. DELETE NOTE: DME/DME RNP-0.3 NA - NO LONGER REQUIRED. PBN REQUIREMENTS NOTE: RNP APCH - GPS - UPDATED PER CURRENT CRITERIA.

Last Updated By: James Rogers

Last Updated At: 2022-04-25 12:42:50.462303

Status: Verified 2/8978

!FDC X/XXXX ESN IAP EASTON/NEWMAM FLD, EASTON, MD. RNAV (GPS) RWY 4, AMDT 1A... LNAV/VNAV DA 625/HAT 567, VIS 1 5/8. CHANGE BACKUP ALTIMETER NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CAMBRIDGE ALTIMETER SETTING; INCREASE LPV DA TO 303 FEET, LNAV/VNAV DA TO 670 FEET AND VISIBILITY 1/8 SM; INCREASE ALL MDAS 60 FEET AND VISIBILITY LNAV CAT C/D AND CIRCLING CAT C 1/8 SM, AND CIRCLING CAT D 1/4 SM. CHANGE BARO-VNAV NOTE TO READ: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C OR ABOVE 54C. DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH - GPS. THIS IS RNAV (GPS) RWY 4, AMDT 1B. 2204251242-PERM

Digitally signed by

DONALD E SMITH

May 04, 2022

