

Flight Procedures Cover Page	Task Action: P-NOTAM	Task Type: IAP	Estimated Chart Date: 10/07/2021	APWS Task ID: 422809825E0043DF8BD3915DE89CFF12	APWS Project ID: 566D444FFD3C4681BA1BE3B3BAA62AC3
Procedure: RNAV (GPS) RWY 35 AMDT 0B		Enroute: NO	Specialist: Brooks, Charles		Agreement Number:
Airport ID: KWWR			Airport City: WOODWARD		State: OK
Facility ID:	Facility Type:	Flight Inspection Remark Type:			
<div>Procedure Comments: P-NOTAM</div> <div>CIRCLING RADII INCREASE.</div> <div>CONTACT JASON KRETSCHMER, AJV-A421, 405-954-4019</div> <div><div>Digitally signed by JASON KRETSCHMER Aug 16, 2021</div><div><div>QUALITY 47 CHECKED</div><div>QUALITY 9 CHECKED</div></div></div>					

WAAS CH 40314 W35A	APP CRS 352°	Rwy Idg TDZE Apt Elev	5502 2189 2189
--	------------------------	-----------------------------	---

OLD



RNAV (GPS) RWY 35
WEST WOODWARD (WWR)

RNP APCH.

Baro-VNAV NA when using Gage altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -19°C or above 54°C. When local altimeter setting not received, use Gage altimeter setting and increase all DA/MDA 40 feet and increase LNAV Cat C and D visibility to 1½ SM. Circling Rwy 5, 23 NA at night.

MISSED APPROACH:
Climb to 4000 direct
OHFEB and hold.

AWOS-3 118.425	KANSAS CITY CENTER 126.95 379.2	UNICOM 122.8 (CTAF) 0
--------------------------	---	---------------------------------



CATEGORY	A	B	C	D
LPV DA	2470-1	281 (300-1)		
LNAV/VNAV DA	2506-1¼	317 (400-1¼)		
LNAV MDA	2700-1 511 (600-1)	2700-1½ 511 (600-1½)		
CIRCLING	2700-1 511 (600-1)	2860-2 671 (700-2)	2860-2¼ 671 (700-2¼)	

